DOCUMENT RESUME

ED 051 370 YT 012 281

TITLE Social Security Disability Applicant Statistics,

1966.

INSTITUTION Social Security Administration (DHEW), Washington,

D.C. Office of Research and Statistics.

PUB DATE Nov 69 NOTE 71p.

AVAILABLE FROM Office of Research and Statistics, Social Security

Administration, U.S. Dept. of Health, Education and

Welfare, Washington, D.C.

EDRS PRICE EDRS Price MF-\$0.65 HC-\$3.29

DESCRIPTORS Demography, *Dependents, Employees, *Federal

Programs, *Handicapped, Handicapped Children, *Insurance Programs, *Participant Characteristics,

Statistics, Tables (Data)

ABSTRACT

This publication contains statistical data on applicants for disability benefits under the Social Security Act. Tables containing data through 1966 are provided for worker and childhood disability allowances and refusals. Individual and summary statistics are given for the applicants, who are classified by characteristics such as age, sex, education, diagnostic group, and occupation. (BH)



11012281

U.S. DEPARTMENT OF HEALTH, EDUCATION & WELFARI, OFFICE OF EDUCATION

THIS DOCUMENT HAS BEEN REPRODUCED EXACTLY AS RECEIVED FROM THE PERSON OR ORGANIZATION ORFORD THE PERSON OR VIEW OR GRIMMONS STATED DO NOT NECES SARRY REPRESENT OFFICIAL OFFICE OF EDUCATION PERSON OF THE PROPERTY OF THE PERSON OF THE PERSON

W-S-1

SOCIAL SECURITY DISABILITY APPLICANT STATISTICS

1966

APPLICANTS FOR DISABLED WORKER AND CHILDHOOD DISABILITY CASH BENEFITS AND RELATED PROTECTION UNDER OLD-AGE, SURVIVORS, DISABILITY AND HEALTH INSURANCE.



U.S. DEPARTMENT OF HEAL TH, EDUCATION, AND WELFARE

SOCIAL SECURITY ADMINISTRATION OFFICE OF RESEARCH AND STATISTICS

NOVEMBER 1969

PUB 70-11 (2-70)



TABLE OF CONTENTS

| | | Page |
|-----------|---|----------|
| Introduct | ion | 1 |
| | nder the disability provisions of the Social Security Act | 4 |
| | of selected data on worker disability allowances | 7 |
| | of selected data on childhood disability allowances | 9 |
| , | List of Tables | |
| Table | | |
| | | |
| 1 | Allowances and denials, by year | 11 |
| Worker | Disability Allowances | |
| 2 | Age and sex | 12 |
| 3 | Age in year of onset and sex | 13 |
| 4 | Mobility, age, and sex | 14 |
| 5 | Year of onset of disability, age, and sex-number | 15 |
| 6 | Year of onset of disability, age, and sex-percent | 10 |
| 7 | Diagnostic group, age, and sex | 17 |
| 3 | Diagnostic group, primary diagnosis, age, and sex | 8-35 |
| 9 | Year of onset, diagnostic group, and age | 36 |
| 10 | Fifteen most frequent diagnoses, by sex | 37 |
| 1 i | Ten most frequent diagnoses, by age | 38 |
| 12 | Leading causes by primary diagnosis and sex, 1957-66 | 39 |
| 13 | Diagnostic group and mobility | 40 |
| 14 | Education and age | 41 |
| 15 | Education and sex | 42 |
| 16 | Visual impairment, age, and sex | 45 |
| 1.7 | Auditory impairment, age, and sex | 44 |
| 18 | Diagnostic group and Stateni-mber | 45 |
| 19 | Diagnostic group and State-percent | 46 |
| 20 | Ten most frequent diagnoses, by State | 47 |
| 21 | Major occupation and age | 48 |
| 22 | Major occupation and sex | 49 |
| 23 | Major occupation and color | 50 51 |
| 24 | Major occupation and diagnostic group | 52 |
| 25 | Major occupation, leading primary diagnoses, and sex | 53 |
| 26 | Major occupation group and State | 54 |
| 27 | Occupation and sex | 34 |
| Worke | Disability Denials | |
| 28 | Age, sex, and reason for denial | 55 |
| 29 | Age and sex-percent | 56 |
| | | |



| Table | TABLE OF CONTENTS (Continued) | Page |
|----------|--|------|
| Childhoo | d Disability Allowances | -5- |
| 30 | Age and sex | . 57 |
| 31 | Education and sex | . 58 |
| 32 | Mobility and age | |
| 33 | Diagnostic group, age, and sex | . 50 |
| 34 | Diagnostic group, primary diagnosis, and sex | . 61 |
| 35 | Ten most frequent diagnoses, by sex | . 62 |
| 36 | Ten most frequent diagnoses, by age | . 63 |
| 37 | Diagnostic group and State-number | . 64 |
| 38 | Diagnostic group and State percent | . 65 |
| Childhoo | d Disability Denials | |
| 39 | Age, sex, and reason for denial | . 66 |



INTRODUCTION

The Social Security Act provides five basic types of disability protection under the old-age, survivors, disability, and health insurance program:

- Monthly benefits for disabled workers under age 65 and their dependents.
- 2. The preservation of old-age and survivors insurance benefit rights for disabled workers—the disability freeze which protects the disabled worker against loss of or reduction in the amount of retirement, disability, or survivor benefits by providing that the period of disability will not be counted in determining either insured status or the amount of benefits.
- 3. Monthly benefits (child's) for adults disabled in childhood, i.e., before attaining age 18. provided they are dependent sons and daughters of disabled or retired worker beneficiaries or of deccased insured workers.
- 4. Monthly benefits for disabled widows, surviving divorced disabled wives, and disabled widowers effective February 1968.
- 5. Vocational rehabilitation services to social security disability beneficiaries who have the potential to be restored to productive activity.

Monthly benefits are payable to dependents of disabled worker beneficiaries—namely, wives, divorced wives, and dependent husbands who have reached age 62, wives of any ago who have entitled children in their care, and children—minors under age 18, students aged 18-21, and adults disabled prior to age 18.

Amount of Benefit

The disability rate for a disabled worker is equal to the worker's primary insurance amount and is calculated as if the disabled worker were of nent age. Disability benefits are payable

after a 6-month waiting period, provided the disability has occurred prior to the worker's attainment of age 65.

Upon attainment of age 65 a disabled worker's benefit is converted to a retirement benefit. The amount of the converted retirement benefit or the amount of benefits payable to survivors upon the death of the disabled worker will not be reduced because of the years before age 65 or death in which the worker was unable to work because of his disability.

Disability Defined

A person to be considered disabled for social security purposes must be unable to engage in any substantial gainful work due to a medical condition. The law in effect prior to the 1965 amendments required that the person's impairment be of long-continued and indefinite duration or be expected to result in death. Under the 1965 amendments this requirement was changed so that the claimant's impairment must last or be expected to last for a continuous period of at least 12 months. Thus, disability benefits can be paid even if the individual is expected to recover. There is, however, a 6 month waiting period-no payments can be made for the first 6 months a person is disabled. However, under both the previous and present law a person is considered disabled if he cannot work because of a severe physical or mental impairment so as to prevent the individual from working not only in his usual occupation but also in any other kind of substantial gainful work considering his age, education, training and work experience.

Insured Status for Disability Benefits

Monthly disability insurance benefits are payable to insured disabled workers under age 65. To be insured, an individual must (1) have worked in covered employment for at ¹2ast 5 years out of the 10 immediately preceding the beginning of his disability and (2) be fully insured.

To get disability benefits, it used to be that an individual needed credits for at least 5 of the 10 years before he became disabled unless he became disabled before age 31 because of blindness. The younger worker normally had not had a chance to work long enough to meet this requirement. Under the 1967 amendments an individual between ages 24 and 31 needs to have worked under social security for only half the time between 21 and the time he became disabled. Those disabled before they reach 24 need only 11/2 years of work under social security out of the 3 year period ending when their disability began. Service in the military is counted in these "years of work". Those disabled at age 31 or later still must have credit for at least 5 years of work during the 10 years before they become disabled.

Definition of Blindness

Blindness, as a disabling condition, is defined as a central visual acuity of 5/200 or less. The 1967 amendments provide a less restrictive definition of blindness for disability freeze purposes-a visual acuity of 20/200 or less, commonly called industrial blindness. The less restrictive definition of blindness also applies for benefit purposes to a blind worker aged 55 or over who is unable to engage in substantial gainful activity requiring skills or abilities comparable to those of any gainful activity in which he has previously engaged with some regularity and over a substantial period of time. The worker under age 55 who is industrially blind and therefore able to establish disability for freeze purposes still must meet the regular definition of disability-inability to engage in any substantial gainful activity for benefit purposes.

Disability Freeze

The disability treeze provision results in the disabled worker having his insured status and his average monthly wage for benefit purposes maintained as they were when he become disabled. Since the enactment of the 1960 amendments, which eliminated the requirement of sec 50 for monthly benefits, virtually all per-

sons who qualify for the disability freeze also qualify for monthly benefits (an exception being certain blind persons).

Benefits to Adults Disabled in Childhood

Monthly benefits are payable to disabled persons aged 18 or over-dependent sons and daughters of retired, disabled, and deceased insured workers-whose disability began before age 18 (child's benefit). Disability for this category of beneficiaries is defined in the same way as it is for disabled workers. The disability must be present at the time the application is filed and must have continued since before the child reached age 18.

Disability Protection for Young Workers

Under the regular provisions of the Social Security Act a worker is insured if he has at least 20 quarters of coverage in the last 40 calendar quarters. The 1967 change in the law provides that a worker disabled before age 31 needs only half the number of quarters elapsing after age 21. Before this amendment, this provision applied only to workers who were disabled by blindness before reaching age 31.

Benefits for Disabled Widows and Widowers

A widow, surviving divorced wife, or widower must have, to meet the disability requirements of the law, a medical condition that is so severe as to ordinarily prevent a person from working. The 1967 amendments provide monthly cash benefits for disabled widows aged 50-59 and for surviving divorced wives and dependent widowers aged 50-61. In addition, the disability must have lasted or be expected to last for a period of at least 12 months. The disability, must have begun within a specified 7-year period. The disablement must keep the widow or widower from performing any gainful activity (rather than substantial gainful activity).

Armed Services

Men and women in the Armed Forces, like other

insured workers, have been eligible for disability benefits since 1957. The amount of a soldier's monthly disability payment is based on his

average earnings under social security. These earnings include the extra allowances for over-seas duty, combat duty, flight duty, etc. For

month over and above his base 14y. This is because base pay does not reflect such items as housing, food, and clothing. No additional social security contribution is deducted for the extra

social security purposes, a serviceman receives

credit for an additional \$100 carnings each

credit. The serviceman and his dependents can receive disability payments even though his service status and pay continue.

Amendments of 1967

The 1967 amendments to the Social Security Act included several provisions relating to disability which qualified additional persons for monthly cash benefits. These provisions provide the following:

- (1) a more liberal insured-status requirement for young workers disabled before age 31;
- (2) benefits for the disabled widows and widowers: and
- (3) a liberalized definition of blindness.

Disability Ends

when the person is no longer disabled within the meaning of the law. If a person works while still under a disability, the law continues his benefit payments during 9 months of work. Then, if it is determined after the 9 months that

Disability benefits end for a disabled worker

he has demonstrated his ability to do substantial gainful work and therefore is no longer disabled, his benefits are paid for 3 more months. Disability ends for a disabled widow, surviving

divorced wife or widower where the conditions are no longer met. The law continues benefits for 2 months after the person's condition improved to the extent that it no longer meets the dispersion of the law.

Vocational Rehabilitation

The Social Security Act provides for reimbursement from the trust funds for the cost of vocational rehabilitation services furnished to disabled persons receiving benefits because of their disability. The total amount of funds that may be made available for purposes of reimbursement for such services may not, in any fiscal year, exceed 1 percent of the benefits certified for payment to these types of beneficiaries in the preceding year.

Other Disability Programs

Definitions of disability are not the same in all government and private disability programs. Government agencies must follow the particular laws which apply to their disability programs. Therefore, a finding by a private organization or another government agency that a person is disabled would not necessarily mean that he meets the disability requirements of the Social Security Act.

Contents

The following tables contain selected data on the characteristics of applicants for benefits or for a period of disability under the disability provisions of the old-age. survivors, disability, and health insurance program for whom determinations were made during calendar year 1966. Tables 2 through 29 contain data with respect to worker disability applicants and tables 30 through 39 contain data with respect to child-hood disability applicants.

The nomenclature used for diagnostic groups has been taken from the 7th revision of the Manual of the International Statistical Classification of Diseases, Injuries, and Causes of Death, published by the World Health Organization. Certain medical diagnoses within the diagnostic groups—hay fever, tonsillitis, and influenza, for example—would not be a basis for allowing a period of disability and therefore are not represented in the allowed claims.

The Fourth Edition of the Social Security Handbook, published February 1969, contains a detailed explanation of the Federal old-age, survivors, disability, and health insurance pro-

gram. This edition may be purchased from the Superintendent of Documents, U.S. Government Printing Office, Washington, D.C. 20402, for \$2.25.

BENEFITS UNDER THE DISABILITY PROVISIONS OF THE SOCIAL SECURITY ACT

I. Disability Benefits

At the end of December 1967, nearly 1,200,000 disabled workers under age 65, and about 950,000 dependent wives, husbands, and children were receiving benefits under the social security program, compared to 1,100,000 disabled workers and 875,000 dependents at the end of the preceding year. The corresponding monthly rates were \$117 million and \$30 million at the end of December 1967 and \$108 million and \$28 million at the end of December 1966. The average monthly benefit for disabled workers was about \$98.30 at the end of 1967—not much more than the average at the end of the preceding year.

II. Benefits Payable to Adults Disabled In Childhood

At the end of December 1967, child's benefits were being paid to about 230,000 disabled adults whose disability began before they reached age 18 and who were dependent sons and daughters of retired, disabled, or deceased insured workers. The corresponding number a year earlier was 214,000. The monthly rate of childhood disability benefits amounted to \$12.3 million at the end of 1967 and \$11.2 million at the end of 1966.

Type of Discase

The five specific diseases with the largest number of beneficiaries were (1) arteriosclerotic heart disease, including coronary disease; (2) emphysema; (3) schizophrenic disorders mentia praecox); (4) osteo-arthritis and al-

lied conditions; (5) hypertensive heart disease, with clinical type unspecified. Togeth to the disability allowances based on these five diseases represented 35 percent of all disability allowances in 1966, compared to 37 percent in the previous year. The first three of these diseases retained the same rank among disability allowances in 1966 as among disability allowances in 1965. The last two diseases, ranking 4 and 5 among 1966 allowances, ranked 5 and 4 among 1965 allowances.

The 45,700 disability allowances based on arteriosclerotic heart disease and the 17,000 allowances based on emphysema represent only slight increases from 1965 levels. On the other hand, disability allowances based on schizophrenic disorders declined by 20 percent from 16,300 in 1965 to 13,100 in 1966. Disability allowances based on hypertensive heart trouble declined by 1500 or 16 percent from the 1965 level of 10,700 but disability allowances based on osteoarthritis increased by 5 percent from 9,800 in 1965 to 10,300 in 1966.

Disabilities Among Men and Women

As in past years, diseases of the circulatory system were the most prevalent disabling condition, accounting for 27 percent of the disability allowances in 1966. Other most common disabling conditions were diseases of the boncs and organs of movement and diseases of the nervous system and sense organs. Together these three groups accounted for 52 percent of the disability allowances in 1966.

Women made up 25 percent of the disability applicants who were allowed benefits in 1966. Diseases more common as disabling conditions

among women beneficiaries than among men included neoplasms which afflicted 12.4 percent of the women compared to 10.1 percent of the men, and mental and psychoneurotic disorders as disabling conditions for 13.5 percent of the women as compared with 10.4 percent for the men. Also, diseases of the blood and organs of movement were more common as disabling conditions among women than among men since 15.1 percent of the women and only 11.8 percent of the men were allowed benefits in 1966 on this basis.

On the other hand, accidents were relatively more frequent as disabling conditions among men than among women, 6.8 percent compared to 4.5 percent. Diseases of the respiratory system were markedly more common as disabling conditions among men than women, accounting for 9.1 percent of the disability allowances for men compared to only 3.9 percent of the disability allowances for women.

Age, Sex, and Race

About 273,500 workers -- re allowed disability benefits in 1966, of whom 206,000 or 75 percent were men and 67,000 were women. Nearly 71 percent of the men were aged 50 and over and about 74 percent of the women. The median age for the men was 56 and for women somewhat under 54. White persons comprised 85 percent of all workers, Negroes nearly 14 percent, and 1 percent were persons of other races.

Age at Disability

More than 31 percent of the disabled workers who were allowed disability benefits during 1966 were aged 60 and over when their benefits began. An additional 41 percent were aged 50-59 and the remaining 28 percent were under age 50. The distribution of the 273,000 disability allowances in 1966 by diagnostic group and by age is shown in table 2. Although disabled workers aged 50 and over predominated in each of the major diagnostic groups, the

classification of primary diagnoses include workers in a wide range of ages.

There was considerable variation among the various diagnostic groups to the age distribution of the disability allowances included within the group. For example, among workers who were allowed benefits because of afflictions with diseases of the circulatory system, 15 percent were aged 49 or younger. Among persons with neoplasms, 25 percent of those allowed disability benefits were aged 49 or younger. On the other hand, disabled workers under age 50 figured in 52 percent of the allowances based on mental, psychoneurotic, and personality disorders. Also, almost half of the disability allowances based on injuries went to workers under 50.

Diseases of Respiratory System

A little more than 21,300 disability allowances in 1966 were based on diseases of the respiratory system, nearly as many as in 1965. Emphysema figured in about 80 percent of disability allowances involving diseases of the respiratory system and in about 6 percent of all disability allowances in 1966. Pneumoconiosis, another of the diseases of the respiratory system of special incerest to the coal mining industry, was involved in 725 disability allowances in 1966 as compared with 1175 disability allowances in 1965, a reduction of 40 percent. Pneumoconiosis is a lung disease caused by extended inhalation of fine dust particles. The coal dust clogs the lungs and impairs the ability of the individual to absorb oxygen and dispel carbon dioxide. The disease is commonly known as "black lung" and is believed to be incurable. Symptoms resemble those of emphysema and chronic bronchitis. About 2400 miners and mining machine operators were allowed disability benefits during 1966, most of them for diseases other than pneumoconiosis. Not all the miners were employed in the coal mining industry. Some were working in quarrying operations and in the metal extracting industries.



Leading Causes of Disability by Occupation

Arteriosclerotic heart disease leads all other disabling conditions as a major disability factor. The disease affected 45,700 persons under the social security disability program in 1966, representing about 17 percent of all allowances. It is equally prevalent among the major occupational groups on a percentage basis and about evenly distributed between the sexes compared to the total.

About 90 percent of the allowances based on emphysema went to men. Emphysema, the second highest cause of disability, hits hardest among the male skilled workers. Though this occupational group represents about 25 percent of the male group, they account for 30 percent of the men with emphysema. In comparison, semi-skilled male workers who comprise 15 percent of all workers represent 16 percent of the men with emphysema.

Ranking third among disabling conditions are schizophrenic disorders. About 71 percent of the allowances based on schizophrenic disorders went to men and 29 percent to women. Fernale clerical and sales workers are overly represented among those women with schizophrenic disorders. Though clerical and sales occupations comprise 26 percent of all female workers, they account for 34 percent of schizophrenic disorders. Interesting to note, male skilled workers comprise 15 percent of all schizophrenics while accounting for 25 percent of all male workers.

Pulmonary tuberculosis continues to be a leading cause of disability despite recent advances in treatment. The number of allowances in 1966 with tuberculosis increased 10 percent over the preceding year and 45 percent more than the number two years ago. Perhaps the increase in the number of allowances based on tuberculosis can be attributed to the liberalized definition of disability in the 1965 amendments.

Persons engaged in the professional and managerial and elerical and sales occupations suffer less from pulmonary tuberculosis. We may presume that the higher conomic levels and greater education usually associated with persons in these occupational groups may have some bearing on the lower incidence of this disease.

Diabetes is a very prevalent disabling condition among disability allowands for women in the service industry. Nearly 10 percent of the allowances based on diabetes went to persons within this occupational category. Women in the service industry comprised about 27 percent of all the women with disability allowances in 1966.

Of the leading causes of disability, farmers and those in related activities seem to be more affected by osteo-arthritis and emphysema and less severely by schizophrenic disorders.

Occupations

Drivers of trucks and other vehicles are in the most hazardous occupation and represent the largest occupational group of disabled under the social security program. They account for 5 percent of all disabled workers. Ranking behind truck drivers are farmers and general repairmen with 2.7 percent of the total disabilities. Following in that order are managers and officials at 2.3 percent and workers in the construction trades, general construction at 2.3 percent, carpenters at 2.2 percent, and painters and plumbers combined at 1.8 percent. Among male workers, truck drivers, etc., represent nearly 6 percent of all disabled workers. Interestingly, employment as general maids leads all other occupations among female disabled workers. Maids represent nearly 7 percent of the group. Perhaps this large proportion of the disabled female workers can be explained by the gathering in of workers with the least skill and attachment to the labor force-those who can regulate working arrangements to suit their physical conditions. Ranking further back in second position are waitresses at 4.3 percent of the total and bookkeepers, general office clerks, salespersons, and cooks at 3.9 percent.



Summary of Selected Data on Worker Disability Allowances

The following data are for the 273,513 worker disability allowances in 1966.

| 1. Sex | | | 2. Age in 1966 |
|--------|---------|---------|--------------------------------------|
| | Number | Percent | (1) 31 percent were aged 60 and over |
| Total | 273,513 | 100 | (2) 25 percent were aged 55-59 |
| Male | 206,398 | 75 | (3) 16 percent were aged 50-54 |
| Female | 67,115 | 25 | (4) 18 percent were aged 40-49 |
| | | | (5) 10 percent were under age 40 |

3. Age in Year of Onset of Disability

- (1) 68 percent were aged 50-65
- (2) 20 percent were aged 40-49
- (3) 12 percent were under age 40

Aged 55-59

Emphysema.

Emphysema.

Aged 60 and over

1.

1.

2.

Arteriosclerotic heart etc.

Arteriosclerotic heart etc.

Osteo-arthritis and allied conditions.

Osteo-arthritis and allied conditions.

4. Incidence by Primary Diagnosis and Age

The 3 primary diagnoses occurring most often by age were as follows:

Under 40

- 1. Schizophrenic disorders.
- 2. Pulmonary tuberculosis.
- 3. Displacement of intervertebral disc.

Aged 40-49

- 1. Arteriosclerotic heart disease, including coronary disease.
- 2. Schizophrenic disorders.
- 3. Displacement of intervertebral disc.

Aged 50-54

- 1. .'rteriosclerotic heart etc.
- 2. Emphysema.
- 3. Schizophrenic disorders.

5. Incidence by Diagnostic Group

The ranking by frequency of occurrence was as follows:

| | Diagnostic group | Percent | Cumulative Percent |
|----|--|---------|-----------------------|
| 1. | Diseases of the circulatory system (including heart disease) | 27 | 27 |
| 2. | Diseases of the bones and organs of movement | 13 | 40 |
| 3. | Diseases of the nervous system and sense organs | 12 | 52 |
| 4. | Mental, psychoneurotic, and personality disorders | 11 | 63 |
| | Neoplasins | 11 | 73 |
| 6. | Diseases of the respiratory system (excluding tuberculosis and other | | |
| | infective diseases) | 8 | 81 |



| | Diagnostic gr | rou <mark>p (C</mark> onti | nued) | Percent | Percent |
|----------|--------------------------------------|----------------------------|-----------------------|------------|--------------|
| 7. | Accidents, poisonings, and violen | ice | | 6 | 88 |
| | Infective and parasitic diseases | | | 4 | 92 |
| 9. | Allergic, endocrine system, metal | bolic, and n | nutritional diseases | 4 | 95 |
| 10. | Other | | | 5 | 100 |
| 6. Inci | dence by Primary Diagnosis | | | | |
| The | 5 primary diagnoses occurring mo | ost often we | ere as follows: | | |
| | Prim | ary diagno: | ses | Number | Percent |
| 1. | Arteriosclerotic heart disease, inc | | | 45,714 | 17 |
| 2. | Emphysema | | | 16,998 | 6 |
| 3. | Schizophrenic disorders (dement | | | 13,097 | 5 |
| 4. | Osteo-arm it is and allied condition | ons | , , | 10,336 | 4 |
| 5. | Hypertensive heart disease, with | | | 9,198 | 3 |
| 7 Mic | al or Auditory Impairments | | 8. State of Residence | | |
| 7. 1 130 | | umber | D. Blate of Items | | |
| (1) | | 2,059 | The 6 States with the | most worke | r allowances |
| (2) | | 2,490 | were as follows: | | |
| (3) | Total deafness | 614 | State | Number | Percent |
| (3) | rotal dealiness | | 1. California | 29,365 | 11 |
| | | | 2. New York | 27,992 | 10 |
| | | | 3. Pennsylvania | 16,528 | 6 |
| | | | 4. Гехаs | 14,025 | 5 |
| | | | 5. Illinois | 13,339 | 5 |
| | | | 6. Ohio | 12,419 | 5 |
| O I ea | ding Causes by Major Occupation. | al Groups | | | |
| y. L.Ca | unig Causes by major occupations | ai Groups | | Number | Percent |
| Pro | fessional and managerial | | | 26.756 | 9.8 |
| | ical and sales | | | 32,532 | 11.9 |
| | rice | | | 37,314 | 13.6 |
| | icultural, fishery and forestry | | | 17,405 | 6.4 |
| | ufacturing and related activities | | | 127,828 | 46.7 |
| | killed | | | 54,988 | 20.1 |
| | emi-skilled | | | 39,947 | 14.6 |
| | Inskilled | | | 32,893 | 12.0 |
| | known | | | 31,678 | 11.6 |
| | | | | | |

Cumulative



Summary of Selected Data on Childhood Disability Allowances

The following data are for the 19,027 childhood disability allowances in 1966.

3. Education

- (1) 44 percent had not attended a regular school.
- (2) 19 percent completed the 5th grade or a higher grade of elementary school but did ..ot attend high school
- (3) 14 percent attended elementary school for 1 or more years but did not advance beyond the 4th grade.
- (4) 18 percent completed 1 or more years of high school.

4. Mobility

- (1) 27 percent were confined in an institution. The proportion of persons in the different agegroups who were confined in an institution ranged from 34 percent for persons aged 45 and and over to 24 percent for persons aged 18-24.
- (2) 7 percent were housebound (bedridden, chairfast, etc.).
- (3) 65 percent were capable of some activity outside the home. Of these 38 percent needed help of some kind.

5. Incidence by Diagnostic Group

The ranking by frequency of occurrence was as follows:

| | | Cumulative |
|---|---|---|
| Diagnostic group | Percent | Percent |
| Mental, psychoneurotic, and personality disorders | 69 | 69 |
| Diseases of the nervous system and sense organs | 21 | 90 |
| | 3 | 93 |
| Infective and parasitic diseases | 2 | 95 |
| Diseases of the bones and organs of movement | 2 | 96 |
| · · · · · · · · · · · · · · · · · · · | 4 | 100 |
| | Diagnostic group Mental, psychoneurotic, and personality disorders Diseases of the nervous system and sense organs Congenital malformations Infective and parasitic diseases Diseases of the bones and organs of movement Other | Mental, psychoneurotic, and personality disorders69Diseases of the nervous system and sense organs21Congenital malformations3Infective and parasitic diseases2Diseases of the bones and organs of movement2 |

6. The 6 primary diagnoses occurring most often were as follows:

| | Primary diagnoses | Percent |
|----|---|---------|
| 1. | Mental deficiency | 54 |
| 2. | | 9 |
| 3. | Schizophrenic disorders (dementia praecox) | 7 |
| 4. | Epilepsy | 7 |
| 5. | Mental deterioration and certain other psychoses of unspecified | |
| | etiology | 4 |
| O" | Chronic brain syndrome | 3 |



7. State of Residence

| | State | Number | Percen* |
|----|--------------|--------|---------|
| 1. | New York | 1,865 | 10 |
| 2. | California | 1,270 | 7 |
| | Pennsylvania | 1,242 | 7 |
| | Ohio | 1,118 | 6 |
| | Illinois | | 5 |
| • | Texas | 904 | 5 |



Table 1.--Disability allowances and denials: Number of worker and childhood disability allowances and denials, 1955-66

[Based partly on 100-percent data and partly on 20-percent sample]

| Year | Worker allowances | Worker denials | Childhood allowances | Childhood denials |
|-------|----------------------|-------------------|-------------------------|----------------------|
| Total | 2,417,343 | 1,849,165 | 244,054 | 52,656 |
| 1955 | 57,221 | 36,310 | | |
| 1956 | 149,823 | 155,875 | | |
| 1957 | 165,003 | 125,720 | 36,267 | 4,873 |
| 1958 | 184,476 | 204,110 | 21,273 | 5,544 |
| 1959 | 178,952 | 146,325 | 34,718 | 5,745 |
| 1960 | 179,419 | 113,195 | 22,352 | 4,405 |
| 1961 | 241,060 | 192,435 | 23,233 | 4,395 |
| 1962 | 286,434 | 146,640 | 27,569 | 4,965 |
| 1963 | 224,229 | 146 325 | 22,398 | 5,755 |
| 1964 | 209,475 | 175,815 | 17,244 | 5,460 |
| 1965 | 267,738 | 201,477 | 19,9/3 | 5,947 |
| 1966 | 273,513 | 204,938 | 19,027 | 5,567 |



Table 2.--Worker disability allowances: Number and percentage distribution by age and sex, 1966

| Age on | Tot | al | Ma | le | Fem | ale |
|---------------------|---------|--------------|---------|--------------|--------|--------------|
| birthday in 1966 | Number | Per- cent | Number | Per- cent | Number | Per- cent |
| Total | 273,513 | 100.0 | 206,398 | 100.0 | 67,115 | 100.0 |
| Jnder 25 | 886 | .3 | 789 | .4 | 97 | .1 |
| 5-29 | 4,810 | 1.8 | 4,004 | 1.9 | 806 | 1.2 |
| 30-34 | 8,247 | 3.0 | 6,632 | 3.2 | 1,615 | 2.4 |
| 35~39 | 12,875 | 4.7 | 10,249 | 5.0 | 2,626 | 3,9 |
| 0-44 | 20,344 | 7.4 | 15,581 | 7.5 | 4,763 | 7.1 |
| 5-49, | 29,489 | 10.8 | 21,680 | 10.5 | 7,809 | 11.6 |
| 0-54 | 44,216 | 1.6.2 | 31,893 | 15.5 | 12,323 | 18.4 |
| 5-59 | 67,056 | 24.5 | 49,023 | 23.8 | 18,033 | 26.9 |
| 0-64 | 78,910 | 28.9 | 60,924 | 29.5 | 17,986 | 26.8 |
| 5 and over | 6,680 | 2.4 | 5,623 | 2.7 | 1,057 | 1.6 |

Table 3.--Worker disability allowances: Number and percentage distribution by age on birthday in year of onset of disability and sex, 1966

| Age on birthday | Tota | 1 | Mal | e | Fema | le |
|-----------------------------------|---------|--------------|---------|--------------|--------|--------------|
| in year of onset of disability | Number | ler- cent | Number | Per- cent | Number | Per- cent |
| Total | 273,513 | 100.0 | 206,398 | 100.0 | 67,115 | 100.0 |
| Under 25 | 2,330 | .9 | 1,962 | 1.0 | 368 | .5 |
| 25-29 | 6,694 | 2.4 | 5,279 | 2.6 | 1,415 | 2.1 |
| 30-34 | 9,772 | 3.6 | 7,752 | 3.8 | 2,020 | 3.0 |
| 35-39 | 14,785 | 5.4 | 11,555 | 5.6 | 3,230 | 4.8 |
| 40-44 | 22,465 | 8.2 | 16,900 | 8.2 | 5,565 | 8.3 |
| 45-49 | 31,427 | 11.5 | 22,772 | 11.0 | 8,655 | 12.9 |
| 50-54 | 47,923 | 17.5 | 34,624 | 16.8 | 13,299 | 19.8 |
| 55-59 | 71,452 | 26.1 | 52,496 | 25.4 | 18,956 | 28.2 |
| 60-65 | 66,665 | 24.4 | 53,058 | 25.7 | 13,607 | 20.3 |

Table 4 .-- Number and percentage distribution by age, sex, and mobility status, 1966

| | | | | | Age | Age on birthday in 1966 | 7 in 1966 | | | | | |
|--|----------------------------|-------------------|-------------------------|--------------------|-------------------------|-------------------------|-------------------------|-------------------|-------------------------|-------------------|-------------------------|-------------------|
| Hobilitey | Total | Te | Op rapun | 07 | 67-01 | 67 | 50-54 | 24 | 55-59 | 29 | 60 and over | over |
| en 142 e | Nur ver | Per- | Number | Per- cent | Number | Per- cent | Number | Per- cent | Number | Per- | Number | Per- cent |
| | | | | | | Total | - Ta | | | | | |
| Total | 273,513 | 0.001 | 26,818 | 0.001 | 49,833 | 100.0 | 44,216 | 100.0 | 67,056 | 100.0 | 065*58 | 100.0 |
| Institutionalized Biospitalized fousebound | 22,725 12,621 17,782 | 8.3 4.6 6.5 | 5,847 1,905 1,507 | 21.8 7.1 5.6 | 6,667 2,944 3,050 | 13.4 5.9 6.1 | 3,557 2,280 2,979 | 8.0 5.2 6.7 | 3,686 2,699 4,479 | 5.5 4.0 6.7 | 2,968 2,793 5,767 | 3.3 |
| the home With help | 46,673 | 17.1 63.5 | 4,847 | 18.1 | 8,768 | 17.6 | 7,785 | 17.6 | 11,446 | 17.1 | 13,827 60,235 | 16.2 |
| | | | | | | Men | | | | | | |
| Total | 206,398 | 100.0 | 21,674 | 100.0 | 37,261 | 100.0 | 31,893 | 100.0 | 620,64 | 100.0 | 66,547 | 100.0 |
| Institutionslized Rospitalized Bousebound | 18,912 10,472 12,408 | 9.2 5.1 6.0 | 4,885 1,695 1,132 | 22.5 7.8 5.2 | 5,601 2,498 1,971 | 15.7 6.7 5.3 | 2,981 1,875 1,995 | 9.3 5.9 6.3 | 3,040 2,149 3,105 | 6.2 4.4 6.3 | 2,405 2,255 4,205 | 3.6 3.4 6.3 |
| the home With help | 32,805 131,801 | 15.9 | 3,822 | 17.6 | 6,126 21,065 | 16.4 | 5,215 19,827 | 16.4 62.2 | 7,735 | 15.8 | 9,907 | 14.9 |
| | | | | | | Women | da | | | | | |
| Total | 511,73 | 0.001 | 5,144 | 0.001 | 12,572 | 100.0 | 12,323 | 100.0 | 18,033 | 100.0 | 19,043 | 105.0 |
| Institutionalization Mospitalization Mousebound Ambulatory outside | 3,813 2,149 5,374 | 5.7 3.2 8.0 | 962 210 375 | 18.7 4.1 7.3 | 1,066 | 8.5 3.5 8.6 | 576 405 984 | 4.7 3.3 8.0 | 616 550 1,374 | 3.6 | 563 538 1,562 | 3.0 |
| the nome With help By celf | 13,868 | 20.7 | 1,025 | 19.9 | 2,642 | 21.0 | 2,570 | 20.9 63.2 | 3,711 11,752 | 20.6 | 3,920 | 20.6 |



Table 5.--Worker disability allowances: Number by age in year of onset and sex, 1966

| of onset Total Under 30 Total 273,513 9,002 1966 59,333 1,223 1965 147,668 3,809 1964 37,819 1,395 1963 12,174 544 1962 4,968 251 1961 2,643 173 1960 1,814 126 1959 and earlier 6,494 1,481 Total 206,398 7,226 1966 47,108 1,047 1963 8,400 407 1962 3,207 182 1961 1,663 114 1960 1,160 88 1959 and earlier 4,235 1,036 Total 67,115 1,776 1966 1,2,825 176 1965 34,770 583 1964 10,092 269 1963 3,774 137 1962 1,761 69 1961 980 59 1960 654 38 <th></th> <th>Age 1</th> <th>n year of</th> <th>onset</th> <th></th> <th></th> <th></th> | | Age 1 | n year of | onset | | | |
|--|-------|--------|-----------|----------|----------|---------|--------|
| 1966 | 30-34 | 35-39 | 40-44 | 45-49 | 50-54 | 55-59 | 60-65 |
| 1966 | | | Total | | | | |
| 1965 | 9,765 | 14,769 | 22,449 | 31,408 | 47,748 | 71,165 | 67,207 |
| 1964 | 1,457 | | 3,886 | 5,880 | 9,678 | 1.5,859 | 19,549 |
| 1963 | 4,501 | 7,196 | 11,476 | 16,498 | 25,924 | 40,070 | 38,194 |
| 1962 | 1,616 | 1 - | 3,758 | 4,850 | 7,025 | 9,551 | 7,120 |
| 1961 | 620 | | 1,247 | 1,806 | 2,347 | 3,049 | 1,623 |
| 1960 | 294 | | 590 | 689 | 969 | 1,297 | 460 |
| 1959 and earlier 6,494 1,481 Total 206,398 7,226 1966 | 168 | 234 | 312 | 441 | 577 | 603 | 135 |
| Total 206,398 7,226 1966 47,108 1,047 1965 112,898 3,226 1964 27,727 1,126 1963 8,400 407 1962 3,207 182 1951 1,663 114 1950 1,160 88 1959 and earlier 4,235 1,036 Total 67,115 1,776 1966 12,825 176 1965 34,770 583 1964 10,092 269 1963 3,774 137 1962 1,761 69 1961 980 59 | 123 | 3 202 | 240 | 308 | 397 | 376 | 42 |
| Total 206,398 7,226 1966 47,108 1,047 1965 112,898 3,226 1964 27,727 1,126 1963 8,400 407 1962 3,207 182 1951 1,663 114 1960 1,160 88 1959 and earlier 4,235 1,036 Total 67,115 1,776 1966 12,825 176 1965 34,770 583 1964 10,092 269 1963 3,774 137 1962 1,761 69 1961 980 59 | | | | | | | |
| 1966 | j 986 | 886 | 940 | 936 | 831 | 350 | 84 |
| 1966 | | | Male | | | | |
| 1965 | 7,747 | 11,543 | 16,891 | 22,761 | 34,496 | 52,735 | 53,449 |
| 1964 | 1,224 | | 3,118 | 4,520 | 7,382 | 12,129 | 15,691 |
| 1963 | 3,708 | 5,775 | 8,878 | 12,336 | 19,069 | 29,589 | 30,317 |
| 1962 | 1,288 | | 2,779 | 3,384 | 4,858 | 6,771 | 5,580 |
| 1,663 114 1950 1,160 88 1959 and earlier 4,235 1,036 Total 67,115 1,776 1966 12,825 176 1965 34,770 583 1964 10,092 269 1963 3,774 137 1962 1,761 69 1961 980 59 | 473 | 668 | 857 | 1,129 | 1,509 | 2,071 | 1,286 |
| 1,160 88 1959 and earlier 4,235 1,036 Total 67,115 1,776 1966 12,825 176 1965 34,770 583 1964 10,092 269 1963 3,774 137 1962 1,761 69 1961 980 59 | 196 | 274 | 364 | 380 | 581 | į 844 | 386 |
| 1959 and earlier 4,235 1,036 Total 67,115 1,776 1966 12,825 176 1965 34,770 583 1964 10,092 269 1963 3,774 137 1962 1,761 69 1961 980 59 | 110 | 159 | 192 | 266 | 328 | 389 | 105 |
| Total 67,115 1,776 1966 12,825 176 1965 34,770 583 1964 10,092 269 1963 3,774 137 1962 1,761 69 1961 980 59 | 89 | 139 | 143 | 181 | 244 | 242 | 34 |
| Total 67,115 1,776 1966 12,825 176 1965 34,770 583 1964 10,092 269 1963 3,774 137 1962 1,761 69 1961 980 59 | 1 | | | ļ | | | |
| 1966 | 659 | 590 | 560 | 565 | 525 | 250 | 50 |
| 1966 | | | Female | <u> </u> | <u> </u> | • | |
| 1965 34,770 583 1964 10,092 269 1963 3,774 137 1962 1,761 69 1961 980 59 | 2,018 | 3,226 | 5,558 | 8,647 | 13,252 | 18,880 | 13,758 |
| 1964 10,092 269 1963 3,774 137 1962 1,761 69 1961 980 59 | 233 | 3 394 | 768 | 1,360 | 2,296 | 3,740 | 3,858 |
| 1963 3,774 137 1962 1,761 69 1961 980 59 | 793 | 1,421 | 2,598 | 4,162 | 6,855 | 10,481 | 7,877 |
| 1962 1,761 69 1961 980 59 | 328 | | 979 | 1,466 | 2,167 | 2,780 | 1,540 |
| 1961 980 59 | 147 | | 390 | 677 | 833 | 978 | 337 |
| | 98 | 3 144 | 226 | 309 | 388 | 453 | 74 |
| | 58 | 75 | 120 | 175 | 249 | 214 | 30 |
| 1 | 34 | 3 | 97 | 127 | 153 | 134 | 8 |
| 1959 and | ļ | 1 | | 1 | } | | |
| earlier 2,259 445 | 327 | 296 | 380 | 371 | 376 | 100 | 34 |



Table 6.--Worker disability allowances: Percentage distribution by age in year of onset and sex, 1966

| Year | | | | Age i | n year of | fonset | | | |
|-------------|-------|-------------|-------|-------|-----------|----------|-------|-------|-------|
| of onset | Total | Under 30 | 30-34 | 35-39 | 40-44 | 45~49 | 50-54 | 55-59 | 60-65 |
| | | | | | Total | | | | |
| Total | 100.0 | 3.3 | 3.6 | 5.4 | 8.2 | 11.5 | 17.5 | 26.0 | 24.6 |
| 1966 | 100.0 | 2.0 | 2.4 | 4.0 | 6.5 | 9.8 | 16.1 | 26.5 | 32.6 |
| 1965 | 100.0 | 2.6 | 3.0 | 4.9 | 7.8 | 11.2 | 17.6 | 27.1 | 25.9 |
| 1964 | 100.0 | 3.7 | 4.3 | 6.6 | 9.9 | 12.8 | 18.6 | 25.3 | 18.8 |
| 1963 | 100.0 | 4.5 | 5.1 | 7.7 | 10.2 | 14.8 | 19.3 | 25.0 | 13.3 |
| 1962 | 100.0 | 5.1 | 5.9 | 8.4 | 11.9 | 13.9 | 19.5 | 26.1 | 9.3 |
| 1961 | 100.0 | 6.5 | 6.4 | 8.9 | 11.8 | 16.7 | 21.8 | 22.8 | 5.1 |
| 1960 | 100.0 | 6.9 | 6.8 | 11.1 | 13.2 | 17.0 | 21.9 | 20.7 | 2.3 |
| 1959 and | | | } | | | | | | |
| earlier | 100.0 | 22.8 | 15.2 | 13.6 | 14.5 | 14.4 | 12.8 | 5.4 | 1.3 |
| | | | | | Male | | | | |
| Total | 100.0 | 3.5 | 3.8 | 5.6 | 8.2 | 11.0 | 16.7 | 25.3 | 25.9 |
| 1966 | 100.0 | 2.2 | 2.6 | 4.2 | 6.6 | 9.6 | 15.7 | 25.7 | 33.3 |
| 1965 | 100.0 | 2.9 | 3.3 | 5.1 | 7.9 | 10.9 | 16.9 | 26.2 | 26.9 |
| 1964 | 100.0 | 4.1 | 4.6 | 7.0 | 10.0 | 12.2 | 17.5 | 24.4 | 20.1 |
| 1963 | 100.0 | 4.8 | 5.6 | 7.9 | 10.2 | 13.4 | 18.0 | 24.6 | 15.3 |
| 1962 | 100.0 | 5.7 | 6.1 | 8.5 | 11.3 | 11.8 | 18.1 | 26.3 | 12.0 |
| 1961 | 100.0 | 6.9 | 6.6 | 9.6 | 11.5 | 16.0 | 19.7 | 23.4 | 6.3 |
| 1960 | 100.0 | 7.0 | 7.7 | 12.0 | 12.3 | 15.6 | 21.0 | 20.9 | 2.9 |
| 1959 and | | ĺ | | | | | | | |
| earlier | 100.0 | 24.5 | 15.6 | 13.9 | 13.2 | 13.3 | 12.4 | 5.9 | 1.2 |
| | | <u> </u> | · | | Female | | | | |
| Total | 100.0 | 2.6 | 3.0 | 4.8 | 8.3 | 12.9 | 19.7 | 28.1 | 20.5 |
| 1966 | 100.0 | 1.4 | 1.8 | 3.1 | 6.0 | 10.6 | 17.9 | 29.1 | 30.1 |
| 1965 | 100.0 | 1.7 | 2.3 | 4.1 | 7.5 | 12.0 | 19.7 | 30.1 | 22.7 |
| 1964 | 100.0 | 2.7 | 3.2 | 5.6 | 9.7 | 14.5 | 21.5 | 27.5 | 15.3 |
| 1963 | 100.0 | 3.6 | 3.9 | 7.2 | 10.3 | 17.9 | 22.2 | 25.9 | 8.9 |
| 1962 | 100.0 | 3.9 | 5.6 | 8.2 | 12.8 | 17.5 | 22.0 | 25.7 | 4.2 |
| 1961 | 100.0 | 6.0 | 5.9 | 7.7 | 12.2 | 17.9 | 25.4 | 21.8 | 3.1 |
| 1960 | 100.0 | 5.8 | 5.2 | 9.6 | 14.8 | 19.4 | 23.4 | 20.5 | 1.2 |
| 1959 and | ł | | [| | | } | | | |
| earler | 100.0 | 19.7 | 14.5 | 13.1 | 16.8 | 16.4 | 13.5 | 4.4 | 1.5 |



Table 7.--Worker disability allowances: Number and percentage distribution by diagnostic group and by age and sex, 1966

| | | | | Age | on birth | day in l | 1966 | | | | | |
|--|-----------------------------------|----------------------------|------------------------|---------------------------|------------------------------|----------------------------|--------------------------------|----------------------------|-----------------------------|----------------------------|--|--|
| Diagnostic group | 1. t | al | Unde | r 35 | 35-4 | 19 | 50-5 | 59 | 60 and | over | | |
| | Number | Per- cent | Number | Per- cent | Number | Per- cent | Number | Per- cent | Number | Per- cent | | |
| | | L., | I— | L | To | : al | | * | · | <u> </u> | | |
| Tot al | 273,513 | 100.0 | 13,943 | 100.n | 62,708 | 100.0 | 111,272 | 100.0 | 85,590 | 100.0 | | |
| Infective and parasitic diseases Neoplasms | 11,248 29,241 | 4.1 10.7 | 1,204 945 | 8.6 6.8 | 4,166 6,333 | 6.6 10.1 | 4,087 13,016 | 3.7 | 1,791 8,947 | 2.1 10.5 | | |
| and nutritional diseases | 10,043 | 3.7 | 355 | 2.5 | 2,HA2 | 3,3 | 4.408 | 4.0 | 3.198 | 3.7 | | |
| personality disorders | 30,489 | 31.1 | 4.010 | 28.8 | 11,710 | 18.7 | 10.084 | 9.1 | 4,685 | 5.5 | | |
| gense organs | 32,971 73,765 21,338 | 12.1 27.0 7.8 | 1,531 698 132 | 11.0 5.0 .9 | 7,119 10,594 2,472 | 11.4 16.9 3.9 | 13,447 32,094 9,813 | 12.1 28.8 8.8 | 10,874 30,379 8,921 | 12.7 35.5 30.4 | | |
| Diseases of the digestive system Diseases of the bones and organ: of | 6,234 | 2.3 | 204 | 1.5 | 1,548 | 2.5 | 2,752 | 2.5 | 3,730 | 2.0 | | |
| Mccidents, poisonings, and violence Other | 34,474 17,090 6,620 | 12.6 6.2 2.4 | 1,613 2,663 588 | 11.6 19.1 4.1 | 8,889 5,652 2,143 | 14.2 9.0 3.5 | 13,733 5,409 2,429 | 12.3 4.9 2.3 | 10.239 3,366 1,460 | 12.0 3.9 1.8 | | |
| | Hale | | | | | | | | | | | |
| Total | 206,398 | 100.0 | 11,425 | 100.0 | 47,510 | 100.0 | 80,916 | 100.0 | 66,547 | 100.0 | | |
| Infective and parasitic diseases Neoplasms | 9,616 20,889 | 4.7 10.1 | 1.000 738 | 8.8 6.5 | 3,567 4,266 | 7.5 9.0 | 3,490 9,035 | 4.3 | 1.559 6,850 | 2.3 10.3 | | |
| and nutritional diseases | 6,244 | 3.0 | 254 | 2.2 | 1,390 | 2.9 | 2,533 | 3.1 | 2,062 | 3.1 | | |
| personality disorders | 21,413 25,097 | 10.4 | 1,152 | 27.5 10.1 | 8,495 5,236 | 17.9 | 6,540 10,057 | 8.1 | 3,233 8,652 | 13.0 | | |
| Diseases of the circulatory system Diseases of the respiratory system Diseases of the digestive system Diseases of the bones and organs of | 56,711 18,723 4,790 | 27.5 9.1 2.3 | 518 105 163 | 4.5 .9 1.4 | 8,159 1,997 1,185 | 17.2 4.2 2.5 | 23,684 8,489 2,098 | 29.5 10.5 2.6 | 2',150 8,132 1,344 | 36.3 12.2 2.0 | | |
| Accidents, poisonings, and violence | 24,326 14,649 4,540 | 11.8 6.8 2.2 | 1,387 2,504 460 | 12.1 21.9 | 5,809 4,925 1,480 | 14.3 10.4 3.2 | 9,043 4,195 1,547 | 11.2 5.2 1.9 | 7,087 2,425 1,053 | 10.6 3.6 1.7 | | |
| | | L | L | L | Fem | L | | L | ! - | l | | |
| Total | 67,115 | 100.0 | 2,518 | 100.0 | 35,198 | 100.0 | 30,356 | 100.0 | 19,043 | 100.0 | | |
| Infective and parasitic diseases | 1,632 | 2.4 | 204 | 8.1 8.2 | 599 2,067 | 3.9 13.6 | 597 3,981 | 2.0 13.1 | 232 2,097 | 1.2 | | |
| Allergic, endocrine system, metobolic, and nutritional diseases | 3,799 | 5.7 | 101 | 4.0 | 692 | 4.6 | 1,870 | 6.2 | 1,136 | 6.0 | | |
| personality disorders | 9,076 | 13.5 | 866 | 34.4 | 3,214 | 21.1 | 3,544 | 11.7 | J,452 | 7.6 | | |
| Bense organs | 7,874 17,054 2,615 1,444 | 11.7 25.4 3.9 2.2 | 379 180 27 41 | 15.1 7.1 1.1 1.6 | 1,883 2,435 475 363 | 12.4 16.0 3.1 2.4 | 3,390 8,210 1,324 654 | 11.2 27.0 4.4 2.2 | 2,222 6,29 789 386 | 11.7 32.7 4.1 2.0 | | |
| Passases of the bones and organs of movement | 10,148 3,041 | 15.1 4.5 | 226 159 | 9.0 | 2,080 727 | 13.7 | 4,690 1,214 | 15.4 | 3,152 941 | 16.6 | | |
| Cther | 2,080 | 3,1 | 128 | 5.1 | 663 | 4.3 | 882 | 2.9 | 407 | 2.2 | | |



Table 8.--Worker disability allowances: Number by age, sex, diagnostic group, and primary diagnosis, 1966
[Primary diagnoses relating to 100 or more workers shown separately]

| Diagnostic group | Inter- | T | | | | ge <u>:</u> / | | | |
|---|-------------|------------|-------|---------|----------|---------------|----------|-----------|----------|
| and primary diagnosis | national. | lotal | Under | 30-39 | 40-44 | 45-49 | 50-54 | 55-59 | 60 and |
| | | L | 30 | L | J | l | 1 | I | 0'70 F |
| | | | | r | Total | 1 | r | r | |
| Total | | 273,513 | 5,696 | 21,122 | 20,344 | 29,489 | 44,216 | 67,056 | 85,590 |
| Infective and parasitic diseases | 001-136 | 11.248 | 492 | 1,732 | 1,418 | 1,728 | 1,929 | 2.158 | 1.791 |
| Pulmonary tuberculosis | | 8,643 | 423 | 1,460 | 1,187 | 1,403 | 1,516 | 1,493 | [1,16] |
| active or unspecified | 012 | 168 126 | 7 | 32 0 | 23 | 22 | 20 | 27 47 | 31 60 |
| Tabes dorsalis | 024 | 124 | ő | ĭ | 3 | 5 | 19 | 43 | 5 |
| Certain Syphilis of central nervous | 026 | 2 32 | 1 | 10 | 10 | 25 | 43 | 57 | 8 |
| Acute poliomyelitis | 030 | 328 | 1 | 43 | 42 | 46 | 49 | 93 | 3 |
| Late effects of acute policmyelitis | 031 | 405 | 4 | 32 | 39 | 48 | 89 | 113 | 80 |
| Other fungus infections | 134 | 102 | 1 | 11 | 9 | 22 | 13 | 29 | ĺi |
| Certain infective and parasitic | 1 | | | | ŀ | | İ | 1 | |
| diseases | 138 | 181 | 16 | 41 | 20 | 28 | 26 | 34 | 1 10 |
| Other | | 939 | 39 | 102 | 82 | 126 | 141 | 222 | 22 |
| Neoplasms | 140-239 | 29,241 | 412 | 1,500 | 1,913 | 3,453 | 5.335 | 7,681 | 8.94 |
| dalignant neoplasm of tongue | 141 | 313 | 1 | 4 | 9 | 48 | 67 | 27 | 8 |
| Malignant neoplasm of floor of mouth | 143 | 147 | ō | 2 | 9 | 20 | 40 | 41 |] 3 |
| dalignant neoplasm of other parts of mouth unspecified | 144 | 20 | 0 | 2 | 10 | 23 | l | | , |
| falignant neoplasm of oral mesopharynx | 145 | ر ذا | ١ ، | 5 | 107 | 23 | 55 32 | 63 | 3 |
| Galignant neoplasm of pharynx, | 1 | ''' | | | | ļ ·· | | , '' |] |
| unspecified | 148 | 138 | 0 | 2 | 3 | 1 15 | 35 | 40 | 4 |
| falignant neoplasm of oesophagus | 150 | 451 | 1 | 9 | 11 | 40 | 115 | 133 | 14 |
| falignant neoplasm f stomach | 151 | 861 | 3 | 38 | 49 | ε1 | 148 | 232 | 31 |
| Talignant neoplasm of large intestine, | | | | l | | | | | i . |
| except rectum | 153 | 1,667 | 12 | 58 | 78 | 166 | 278 | 476 | 59 |
| ilignant neoplasm of rectum | 154 | 1,184 | 6 | 37 | 56 | 109 | 197 | 342 | 43 |
| dilignant neoplasm of biliary passages | 1 | ĺ | 2 | | ĺ | ĺ | 1 | { | Ι. |
| and of liver | 155 156 | 155 235 | 2 | 6 | 11 | 17 25 | 22 | 41 | 5 |
| Malignant neoplasm of pancreas | 157 | 706 | ž | 19 | 19 49 | 79 | 133 | 68 186 | 23 |
| Malignant neoplasm of larynx | 161 | 928 | ٥ | l ** | 33 | / · · · · | 164 | 268 | 36 |
| Halignant neoplasm of bronchus and | 1 | 720 | ľ | ľ | 1 " | | 104 | 1 *** | 1 30 |
| traches, and of lung specified as | Ì | | i | | | | | | |
| primary | 162 | 2,206 | 2 | 73 | 110 | 252 | 413 | 608 | 74 |
| Malignant neoplasm of lung, unspecified | i | | | l | i i | | 1 | Į. | İ |
| as to whether primary or secondary | 163 | 3,662 | 6 | 107 | 205 | 401 | 679 | 1,027 | 1.23 |
| Halignant neoplasm of thoracic organs | 165 | 165 | 1 | 9 | 1 12 | 19 | 28 | 56 | 4 |
| Malignant neoplasm of breast | 170 | 1,940 | 4 | 54 | 126 | 304 | 438 | 541 | 47 |
| Malignant neoplasm of cervix uteri Malignant neoplasm of uterus. | 171 | 795 | 4 | 77 | 84 | 142 | 156 | 195 | 13 |
| unspecified | 174 | 1 32 | 0 | 4 | 4 | 21 | 19 | 39 | 4 |
| Malignant neoplasm of overy, Fallopien | 1'4 | 132 | ١ | l * | I * | 41 | 1 19 | 39 | ٠ ١ |
| tube, and broad ligament | 175 | 477 | 2 | 15 | 36 | 86 | 103 | 129 | 10 |
| Malignant neoplasm of prostate | 177 | 1.047 | Ō | 1 1 | 1 6 | 34 | 88 | 271 | 64 |
| dalignant neoplasm of testis | 178 | 142 | 32 | 41 | 22 | 12 | 10 | 18 | , `` |
| (alignant neoplasm of kidney, | 180 | 512 | 1 | 16 | 44 | 53 | 92 | 140 | 16 |
| Salignant neoplasm of bladder and | J | J | J | J | J |) |] |] | 1 |
| other urinary organs | 181 | 667 | 2 | 4 | 28 | 56 | 104 | 183 | 24 |
| falignant welshoms of skin | 190 | 272 | 13 | 38 | 30 | 40 | 36 | 55 | 6 |
| dalignant neoplasm of skin excluding | | | | | | | | | |
| malignant melanoma | 191 | 310 | ۰ | 16 | 16 | 37 | 56 | 92 | 9 |
| barrs of Derhors shares and other | 193 | 1,220 | 48 | 161 | 138 | 195 | 2 30 | 246 | 20 |
| Kalignant neoplass of thyroid gland | 194 | 101 | 3 | 101 | 1 1 3 9 | 111 | 18 | 20 | زْ ا |
| Malignant neoplasm of bone (excluding | 1 1/7 | 101 | 1 | l ' | 1 | l " | 1 " | l " | ĺ |
| | 196 | 296 | 17 | 2.5 | 21 | 40 | 50 | 72 | 7 |
| jav bone) | | | | | | | | | |
| Kalignant necplasm of connective | 197 | 224 | 6 | 24 | 27 | 27 | 43 | 42 | , |



Table 8.--Continued

| Diagnostic group | lnter- | | Age <u>1</u> / | | | | | | | | |
|---|------------------|---------|----------------|-------------|------------|--|---|-------|------------|--|--|
| and primary diagnosis | national code | Total | Under 30 | 30-39 | 40-44 | 45-49 | 50-54 | 55-59 | 60 an | | |
| | | L | | LTotal | Cor.tin | <u> </u> | <u> </u> | l | l | | |
| talignant neoplasm of certain and | | Γ | | | I | I | Γ | Γ | ī—- | | |
| unspecified sites | 199 | 2,881 | 27 | 137 | 199 | 370 | 566 | 779 | ao | | |
| ymphosarcoma and reticulosarcoma | 200 | 744 | 25 | 52 | 59 | 100 | 137 | 189 | 18 | | |
| odgkin's disease | 201 | 641 | 82 | 146 | 93 | 79 | 72 | 88 | 1 Î | | |
| ysphona | 202 | 136 | د ا | 8 | 10 | 18 | 24 | 35 | آ ا | | |
| ultiple myeloma | 203 | 625 | ا ز | 14 | 34 | 63 | 119 | 187 | 20 | | |
| eukaemia and aleukaemia | 204 | 832 | 37 | 59 | 60 | B2 | 134 | 199 | 26 | | |
| enign necolasm of brain and other parts | 1 | 1 | | , " | | 1 | 1 | 1 | ا ا | | |
| of nervous system | 223 | 1 445 | 18 | 69 | 47 | 61 | 79 | 87 | ۱ ا | | |
| eoplass of unspecified nature of brain | 1 | 1 77 | 1 1 | ı " | 77 | ٠, | l '' | l "' | ľ | | |
| and certain parts of nervous system | 2.37 | 328 | 17 | 1.2 | 43 | 49 | 58 | 49 | 1 | | |
| ther | | 1,294 | 30 | 168 | 106 | 169 | 245 | 303 | 3 | | |
| CIRCL |] |] *,*** |] ~~ | 100 | | 10, | *** | ~, | - | | |
| Allergic, endocrine system, metabolic, and nutritional | | | | | | | | | | | |
| diseases | 240-289 | 10,043 | 133 | 572 | 653 | 1,079 | 1,686 | 2,722 | 3,19 | | |
| hyrotoxicosis with or without goitre | 252 | 224 | 2 | 17 | 14 | 3.0 | 43 | 56 |] 6 | | |
| tyxpedema and cretinism | 253 | 114 | 3 | 2 | 5 | 14 | 18 | 31 | 4 | | |
| labetcs mellitus | 260 | 6,845 | 102 | 39 5 | 414 | 697 | 1,089 | 1,859 | 2,28 | | |
| Aseases of pituitary gland | 272 | 138 | 7 | 16 | 18 | 16 | 20 | 35 | 2 | | |
| deficiency states | 285 | 127 | 2 | 9 | 7 | 16 | 25 | 31 | } : | | |
| besity, not specified as of endocrine | | 1 | , | 59 | 120 | 196 | د 33 | 438 | 40 | | |
| origin | 287 | 1,666 | 2 | 27 | | | 60 | 315 | 16 | | |
| out | 286 | 241 | 6 | 40 | 2 2 2 5 | 31 40 | 45 | 47 | į ": | | |
| ertain metabolic diseases | 289 | 283 | 9 | 25 | 27 | 39 | 53 | 60 | , | | |
| Diseases of the blood and | | | | | | | | | j | | |
| blood-forming organs | 290-299 | 744 | 15 | 55 | 68 | 73 | 118 | 168 | 24 | | |
| Certain anaemias | 292 | 201 | 11 | 20 | 19 | 23 | 26 | 43 | . 5 | | |
| clycythaem'a | 294 | 131 | ! 2 | 3 | l -; | 13 | 28 | 29 | ł i | | |
| aemia of unspecified type | 293 | 118 | ō | ì | 9 | 8 | 18 | 33 | 4 | | |
| .her | | 294 | 2 | 31 | 33 | 29 | 46 | 63 | 9 | | |
| Mental, Psychoneurotic, and | ļ | ľ | ľ | | ľ | Ì | i | | ľ | | |
| personality disorders | 300-329 | 30,489 | 1.594 | 5,605 | 4,078 | 1,443 | 4,702 | 5,382 | 4,68 | | |
| chizophrenic disorders (dementia | 1 | 1 | -, | | 1 | | | 1 | l ' | | |
| praecox), | 300 | 13,097 | 1,233 | 4,036 | 2,331 | 2.058 | 1 594 | 1.186 | 65 | | |
| Manic-depressive reaction | 301 | 874 | 17 | 84 | 87 | 122 | 185 | 193 | 1 18 | | |
| nvolutional melancholia | 302 | 1,460 | 0 | 7 | 63 | 140 | 331 | 470 | 4.4 | | |
| Paranois and paranoid states | 303 | 127 | 2 | 13 | 20 | 23 | 20 | 27 | 1 2 | | |
| resentle psychosis | 305 | 223 | ō | 1 | 2 | 17 | 1 42 | 85 | 1 7 | | |
| sychosis with cerebral | 1 | | · · | | i i | l | 1 | " | l ' | | |
| arteriosclerosis, | 306 | 137 | ا ا | 0 | 3 | 1 2 | 11 | 40 | ۱ و | | |
| dicoholic psychosis | 307 | 391 | 3 | 32 | 31 | 65 | 71 | زو ا |] 9 | | |
| Psychosis due to any disease or | 201 |] 3/1 | - | | | '' | | | İ | | |
| injury of brain 3/ | 338 | 275 | 21 | 62 | 46 | 31 | 29 | 54 | 1 | | |
| ental deterioration and certain other | 1 | } | `` | " | l '* | 1 -1 | l -' | l ^ | ' | | |
| psychoses of unspecified etiology | 309 | 1,301 | 44 | 195 | 158 | 204 | 2 34 | 238 | 2: | | |
| nxiety reaction without mention of | " | 1 | "* | ٠٬٬٬ | " | I | | | l '' | | |
| | 310 | 1,903 | 26 | 168 | 267 | 362 | 3!3 | 392 | 33 | | |
| somatic symptoms | 1 310 | 1,403 | . ''' | 100 | l •" | 1 301 | J ,., | , "" | l ' | | |
| ysterical reaction without mention of | 311 | 6.32 | 12 | 52 | 101 | 137 | 118 | 135 | , | | |
| anxiety reaction | , ,,, | | | 18 | 101 | 21 | 113 | 22 | Ι, | | |
| bsessive-Compulsive reaction | 313 | 115 | 5 | | aiź | | | | 54 | | |
| surotic-depressive reaction | 314 | 2,292 | 27 | 164 | J 😘 | 316 | 412 | 584 | ۰° ا | | |
| sychoneurosis with somatic symptoms | l | | | ١,, | 25 | 44 | 41 | ۱ | ĺ | | |
| affecting certain systems | 317 | 2 35 | 3 | 17 | د' ا | l "* | • | 63 | ı * | | |
| ertain psychoneurotic disorders, other, | 1 | | l | ۔ ا | ۰، ا | ۱ | 1 ,,,, | ١ | | | |
| mixed, and unspecified types | 318 | 668 | 15 | 67 | 69 | 92 | 128 | 169 | 12 | | |



Table 8.--Continued

| □iagnostic group and | Inter- | | | | | | | | | | |
|--|---------|--------|-------------|-------|---------|-------|--------|----------|----------|--|--|
| and primary diagnosis | code | lotal | Under 30 | 30-39 | 40-44 | 45-49 | 50-54 | 35-59 | 60 an | | |
| | T | | J | Total | Continu | 20 | | . | | | |
| Pathological personality | 320 | 243 | 7 | 33 | 30 | 49 | 4.2 | 44 | 31 | | |
| Immature personality | 321 | 217 | 8 | [25 | 37 | 46 | 32 | 40 | 21 | | |
| Alcoholism | 322 | 1,121 |] 3 | 60 | 99 | 147 | 244 | 300 | 26 | | |
| lental deficiency | 325 | 1,242 | 63 | 223 | 204 | 194 | 205 | 205 | 14 | | |
| hronic brain syndrome | 328 | 3,446 | 93 | 249 | 227 | 320 | 532 | 906 | 1,12 | | |
| Other | | 440 | 10 | 40 | 40 | 53 | 63 | 129 | 10 | | |
| diseases of the nervous system | Į. | i | | ļ | ì | } | | | ! | | |
| at i sense organs | 330-398 | 52,971 | 625 | 2.373 | 2,329 | 3,323 | 5,172 | 8,275 | 10,87 | | |
| Subarachneid haemorrhage | 330 | 539 | 9 | 49 | 68 | 89 | 102 | 106 | 11 | | |
| Cerebral haemorrhage | 331 | 6,359 | 10 | 139 | 214 | 480 | 1.072 | 1,832 | 2,61 | | |
| Lerebral embolism and thrombosis | 332 | 4.754 | 20 | 99 | 186 | 375 | 819 | 1,370 | 1,88 | | |
| Certain vascular lesions affecting | Į . | ነ | | ļ | } | Į. | | ì | l | | |
| central nervous system | 334 | 2,975 | 14 | 55 | 75 | 148 | 319 | 806 | 1,55 | | |
| Meringitis, except meningococcal | j | ļ | } | J | J | | J | j |) | | |
| and tuberculousbncephalitis, myelitis, and | 340 | 180 | 6 | 36 | 16 | 33 | 29 | 36 | Į 2 | | |
| encephalomyelitis | 343 | 166 | 15 | 20 | 17 | 10 | 25 | 33 |] 2 | | |
| Multiple sclerosis | 345 | 2.036 | 132 | 476 | 395 | 348 | 323 | 238 | 1 12 | | |
| Paralysis agitans | 350 | 2,163 | 1 2 2 | 11 | 46 | 151 | 286 | 648 | 1,0. | | |
| | 351 | 251 | 12 | 54 | 33 | 37 | 42 | 45 | 1,02 | | |
| Cetebral spastic infantile paralysis Cettain types of cerebral paralysis | 352 | 142 | 11 | 13 | 11 | 16 | 28 | 33 | ! : | | |
| Epilepsy | 353 | 2.023 | 110 | 426 | 332 | 325 | 276 | 312 | 24 | | |
| Certain diseases of the brain | 355 | 2,078 | 46 | 171 | 162 | 226 | 372 | 548 | 55 | | |
| fotor neurone disease and muscular | | | | l | | | 1 | | ! | | |
| atrophy | 356 | 830 | 9 | 58 | 66 | 115 | 153 | 239 | 19 | | |
| spinal cord injuries | 357 | 706 | 44 | 1111 | 73 | 90 | 125 | 134 | 12 | | |
| Sciatica | 363 | 184 | 1 2 | 24 | 19 | 18 | 30 | 44 | 1 14 | | |
| Polyneuritis and polyradiculitis | 364 | 215 | 1 5 | 32 | 24 | 27 | 35 | 45 | 1 4 | | |
| Certain and inspecified forms of | 1 | *** | | 1 1 | | | " | 1 | 1 | | |
| neuralgia and neuritis | 366 | 279 | 3 | 28 | 25 | 40 | 1 36 | 65 | 8 | | |
| Certain diseases of peripheral nerves | 368 | 827 | 12 | 71 | 89 | 134 | 147 | 193 | 18 | | |
| Certain inflammations of uveal tract | 376 | 243 | 16 | 39 | 25 | 32 | Í 49 | 56 | 1 3 | | |
| Refractive errors of the eye | 340 | 252 | J 8 | 20 | 22 | 26 | 45 | 58 |) 7 | | |
| Cataract of the eve | 385 | 639 | 2 | 18 | 23 | 37 | 89 | 183 | 2.8 | | |
| Detachment of retina | 386 | 195 | 5 | 17 | 12 | 15 | 26 | 49 | } 6 | | |
| Glaucoma | 387 | 810 | В | 28 | 40 | 53 | 133 | 201 | 34 | | |
| Certain diseases of the eye | 388 | 1,452 | 51 | 152 | 118 | 157 | 196 | 350 | 42 | | |
| Blindness | 389 | 647 | 1 49 | 82 | 97 | 101 | 1 31 | 183 | 20 | | |
| Certain inflammatory diseases of | 1 | l | | 1 | 1 | Į. | i | | l | | |
| th: ear | 394 | 108 | 0 | 2 | 6 | 9 | 15 | 2.5 |) 5 | | |
| Meniere's disease | 395 | 253 | 0 | , , | 14 | 25 | 38 | 77 | 9 | | |
| Peaf mutism | 397 | 146 | 2 | 2. | 13 | 24 | 18 | 33 | (3 | | |
| leafness | 398 | 516 | 2 | 37 | 38 | 61 | 80 | 139 | 15 | | |
| Other | | 803 | 28 | 75 | 75 | 101 | 1 31 | 193 | 20 | | |
| Distases of the circulatory system | 400-468 | 73,765 | 194 | 1,830 | 3,139 | 6,129 | 11,656 | 20,438 | 30,37 | | |
| Diseases of mittal valve | 410 | 1,322 | 26 | 173 | 210 | 276 | 353 | 446 | 35 | | |
| Diseases of sortic valve specified | | | l | | | i | | l | į | | |
| as rheumatic | 411 | 643 | 10 | 71 | 66 | 86 | 122 | 147 | 14 | | |
| Certain heart diseases specified | 1 | 1 | | I | 1 | | · | 1 | i - | | |
| as rheumatic | 416 | 2,181 | 28 | 177 | 207 | 305 | 414 | 536 | 51 | | |
| Arteriosclerotic heart disease, | 1 | 1 |) |) | 1 | 1 | , | | Į i | | |
| including coronary disease | 420 | 45,714 | 17 | 669 | 1.639 | 3,476 | 7,002 | 12,685 | 20,02 | | |
| Chro ic endocarditis not specified | 1 | l i | l | l | l | ! | 1 | 1 | | | |
| as theumatic | 421 | 443 | 10 | 30 | 28 | 32 | 67 | 113 | 14 | | |
| Certain types of myocardial | 1 | ĺ | (| ſ | ĺ | • | ſ | ſ | 1 | | |
| degeneration | 422 | 1,492 | 10 | 41 | 42 | 103 | 183 | 402 | 71 | | |
| | 1 | 1 | I | 1 | t . | I | I | l | I | | |



Table 8. -- Continued

| Diagn stic group | Inter- | Age <u>1</u> / | | | | | | | | | |
|--|------------------|----------------|-------------|-----------|-----------|-------------|-----------|------------|--------|--|--|
| and primary diagnosis | national code | Total | Under 30 | 30-39 | 4C-4. | 45-49 | 50-54 | 55-59 | 60 and | | |
| | | L | | Total | lContinu | ied | | · | | | |
| Functional disease of heart | 433 | 249 | 1 | 10 | 13 | 15 | 28 | 74 | 108 | | |
| Certain and unspecified diseases | | 1 | | | | | | | i | | |
| of heart | 434 | 1,246 | 15 | 50 | 78 | 132 | 202 | 314 | 455 | | |
| dypertensive heart disease with | | ٠., | ١, ١ | 15 | 19 | 37 | | | ١.,, | | |
| atteriolar nephrosclerosis Certain and unspecified hypertensive | 442 | 316 | 1 | 15 | 1 19 | /د | 58 | 82 | 104 | | |
| heart disease | 443 | 9.198 | 7 | 159 | 337 | 707 | 1,537 | 2,763 | 3,688 | | |
| Essential benign hypertension | 444 | 1,758 | 2 | 40 | 70 | 123 | 292 | 502 | 719 | | |
| Essential malignant hypertension | 145 | 206 | 2 | 38 | 18 | 38 | 32 | 38 | 40 | | |
| dypertensio with arteriolar | | | ì . I | | | l | | | l | | |
| nephrosclerosis | 446 | 163 | 1 | 15 | 13 | 22 | 24 | 37 | 51 | | |
| Certain hypertensive disease without mention of heart | 447 | 559 | 1 | 12 | 21 | 42 | 81 | 149 | 251 | | |
| General arteriosclerosis | 450 | 3,051 | 3 | 34 | 69 | 189 | 409 | 820 | 1,527 | | |
| Aortic aneurysm, non-syphilitic, | 1,77 | ',''' | 1 | | ' | | 1., | 1 | -,,,, | | |
| and dissecting aneurysm | 451 | 206 | 0 | 1 | 5 | 7 | 22 | 51 | 120 | | |
| Certain other aneurysm, except of | | | | | | | | | | | |
| heart and aorta | 453 | 323 | 6 10 | 30 42 | 39 | 47 | 69 | 58 151 | 259 | | |
| Peripheral vascular disease | 453 454 | 687 286 | 10 | 9 | 40 11 | 73 43 | 112 57 | 62 | 104 | | |
| Certain diseases of arteries | 456 | 505 | 18 | 59 | 39 | 52 | 83 | 126 | 128 | | |
| Varicose veins of lower extremities | 460 | 717 | 2 | 22 | 35 | 68 | 128 | 177 | 28 | | |
| Phlebitis and thrombophlebiris of | } | 1 |] | | |] " | | |] | | |
| lower extremities | 463 | 427 | 5 | 26 | 32 | 49 | 93 | 109 | 10 | | |
| Phlebitis and thrombop, lebitis of | ł | ł., | 1 | | | | ! | | ļ | | |
| Certain sites | 464 | 354 | 5 | 24 | 27 | 45 | 60 | 87 | 106 | | |
| Certain diseases of circulatory system | 467 | 529 665 | 1 13 | 20 63 | 34 47 | 49 83 | 92 136 | 150 159 | 183 | | |
| Other | | 003 | 13 | 0, | ["′ | [0, | 170 | 1,79 | 104 | | |
| Diseases of the respiratory system | 470-529 | 21,338 | 38 | 356 | 706 | 1,504 | 3,342 | 6,471 | 8,921 | | |
| Chronic bronchitis | 502 | 1,504 | 9 | 72 | 94 | 171 | 261 | 399 | 498 | | |
| Pneumoconiosis due to silica | l . | | 1 | | | } | | | | | |
| and silicates | 523 | 722 | 0 | 4 | 13 | 28 | 119 | 260 | 298 | | |
| Certain chronic interstitial pneumonia | 525 526 | 531 271 | 3 6 | 18 14 | 28 26 | 41 26 | 94 58 | 172 66 | 175 | | |
| Certain diseases of lung and | 720 | 1 ''1 | ľ | 14 | 10 | 1 40 | ٥٥ | | l '' | | |
| pleural cavity | 527 | 966 | 6 | 31 | 57 | 75 | 174 | 273 | 350 | | |
| Emphysema | 4/ 528 | 16,998 | 7 | 197 | 462 | 1,120 | 2,580 | 5,298 | 7,424 | | |
| Other | | 346 | 7 | 20 | 26 | 43 | 56 | 93 | 101 | | |
| | 1 | 6,234 | 63 | | | 763 | 1,180 | 1,572 | 1,730 | | |
| Diseases of the digestize system Ulcer of stomach | 530-587 540 | 304 | 03 | 402 16 | 519 16 | 31 | 51 | 74 | 1,73 | | |
| Ulcer of duodenum | 541 | 525 | 4 1 | 20 | 41 | 58 | 84 | 135 | 18 | | |
| ulsorders of function of stomach | 544 | 356 | i | 24 | 30 | 49 | 55 | 94 | 92 | | |
| Certain diseases of stomach | ļ | | i | | | ŀ | | | | | |
| and duodenum | 545 | 161 | 0 | 6 | 11 | 11 | 35 | 41 | 57 | | |
| Hernia of abdominal cavity without | 1 | | | | ١ | l | | | | | |
| mention of obstruction | 560 | 459 | 1 | 9 | 15 | 37 | 73 | 128 | 198 | | |
| colitie | 572 | 617 | 35 | 91 | 56 | 67 | 93 | 120 | 155 | | |
| Certain diseases of intestines | l ''' | l *** | ~ | '1 | 1 ~~ | l '' | 1 ′′ | 1 *** | ! ''' | | |
| and peritoneum | 578 | 256 | 3 | 16 | 18 | 28 | 51 | 60 | 80 | | |
| Cirthosis of liver | 551 | 2,579 | 9 | 126 | 239 | 257 | 558 | 693 | 592 | | |
| Other diseases of liver | 583 | 125 | 2 | 14 | 11 | 16 | 24 | 32 | 26 | | |
| Diseases of pancreas | 587 | 240 | 1 1 | 35 45 | 39 | 49 | 43 | 31 | 4: | | |
| Other | | 612 | 1 ′ | 4, | 43 | 65 | 102 | 157 | 19 | | |
| Discours of the sender unions | 1 | 1 | | | | l | Ī | l | l | | |
| | | | | | | | | 1 | | | |
| Diseases of the genito-urinary | 590-637 | 2,268 | 80 | 244 | 204 | 291 | 355 | Sr. | 589 | | |



1.24

Table 8.--Continued

| Diagnostic group | Inter- | L | | | | ge <u>1</u> / | | , · · · · · · · | - |
|--|------------------|---------------|-------------|---------------|---|---------------|-------------|-----------------|----------------|
| and primary diagnosis | national code | Total | Under 30 | 3 0-39 | 40-44 | 45-49 | 50-54 | 55 59 | 60 and over |
| | | | | Tot .1 | Continu | ie d | | | |
| Nephritis not specified as acute | | | | | | | | | |
| or chronic | 593 | 264 | 17 | 46 | 36 | 45 | 22 | 51 | 47 |
| Infections of kidney | 600 | 538 | 8 | 45 | 45 | 62 19 | 98 | 142 | 138 |
| Certain diseases of kidney and ureter | 603 | 131 812 | 2 14 | 17 44 | 52 | 99 | 136 | 182 | 285 |
| Other | | 011 | 1 1 | "" | , ,, | " | 130 | 102 | 203 |
| Diseases of the skin and cellular | _ | | | | | | l | i | i |
| tissue | 690-716 | 1,098 | 20 | 119 | 134 | 'بر1 | 178 | 238 | 252 |
| Erythematous conditions | 705 | 257 | 11 | 41 | 42 | 34 | 44 | 47 | 38 |
| Psoriasis and similar disorders Dertain hypertruphic and atrophic | 706 | 100 | 2 | } ` | 10 | 20 | 13 | 24 | ł |
| conditions of skin | 710 | 268 | 4 | 30 | 38 | 52 | 39 | 55 | 50 |
| Chronic ulcer of skin | 715 | 115 | 2 | 9 | 16 | 11 | 15 | 31 | 31 |
| Other | | 358 | 1 | 35 | 28 | 40 | 67 | 81 | 106 |
| Diseases of the bones and organs of movement | 720-749 | 34,474 | 511 | 3,057 | 2,989 | 3,945 | 5,612 | ε,121 | 10,239 |
| Acute arthritis due to pyogenic organiscs | 720 | 127 | 1 | 4 | 8 | 16 | 17 | 37 | 44 |
| Rheumatoid arthritis and allied | 1 | | | | | | | | |
| conditions | 722 723 | 7,028 | 58 14 | 374 134 | 533 | 872 | 1,370 | 1,863 | 1,958 |
| Osteo-arthritis and allied conditions Periain forms of arthritis | 724 | 10,336 424 | 7 | 134 36 | 256 32 | 549 43 | 1,377 76 | 3,020 100 | 4,986 |
| Arthritis, unspecified | 725 | 1,107 | 4 | 16 | 36 | 68 | 161 | 327 | 499 |
| fuscular theumatism | 726 | 233 | 3 | 23 | 30 | 31 | 43 | 46 |] "52 |
| steomyelitis and periostitis | 730 | 957 | 38 | 133 | 119 | 165 | 164 | 191 | 147 |
| Osteitis deformans | 731 | 130 | 0 | 100 | 2 | ı s | 16 | 43 | 64 |
| Certain diseases of bone | 733 | 1,705 | 42 | 226 | 205 | 230 | 257 | 347 | 399 |
| Displacement of intervertebral disc | 735 | 8,544 | 2 36 | 1,520 | 1,312 | 1,397 | 1,493 | 1,394 | 1,192 |
| Affection of sacro-iliac joint | 7 36 | 198 | 4 | 41 | 28 | 36 | 29 | 35 | 2.5 |
| Ankylosis of joint | 737 | 662 | 23 | 127 | 89 | 124 | 124 | 96 | 79 |
| Certain diseases of joint | 738 | 817 | 21 | 152 | 125 | 117 | 129 | 130 | 143 |
| without mention of occupational | 741 | 189 | 0 | 15 | 12 | 16 | 27 | 48 | 71 |
| Origin Certain diseases of muscle, tendon, | / "1 | 107 | } | 1 1 | • | 10 | 1 1 | "" | l '` |
| and fascia | 744 | 752 | 25 | 108 | 88 | 99 | 123 | 148 | 161 |
| Curvature of spine | 745 | 371 | 8 | 1 33 | 26 | 48 | 34 | 92 | 1 110 |
| Pesidual deformities of the bones | 1 |] | |] | | l | | j |] |
| and joints 5/ | 749 | 607 | 20 | 76 | 52 | 88 | 99 | 143 | 129 |
| Other | | 237 | 7 | 29 | 36 | 41 | 54 | 61 | 49 |
| Congenital malformations | 750-759 | 2,313 | 107 | 428 | 310 | 364 | 376 | 410 | 318 |
| Congenital cataract and other | | | | | l | | 1 | l | i |
| congenital malformations of nervous system and sense organs | 753 | 502 | 27 | 100 | 70 | 80 | 85 | 75 | 65 |
| Congenital malformations of circulatory system | 754 | 362 | 25 | R3 | 49 | 52 | 64 | 60 | 23 |
| Congenital malformations of genito- urinary System | 757 | 214 | 5 | 29 | 26 | 42 | 44 | 46 | 22 |
| Congenital malformations of bone and joint | 758 | 1,070 | 46 | 1/7 | 149 | 165 | 167 | 191 | 175 |
| Certain and unspecified congenitel | l | | ١., | ١,, | | | ١., | | |
| malformations | 759 | 108 57 | 2 | 19 14 | 9 | 19 6 | 12 4 | 27 11 | 20 |
| Alternative classification of accidents, poisonings, and | | | | | | | | | |
| violence | 800-999 | 17,090 | 1,455 | 2,835 | 1,873 | 2,201 | 2,533 | 2,976 | 3,366 |
| Certain and unqualified skull fractures | 803 | 241 | 25 | 47 | 30 | 34 | 34 | 37 | 34 |



Table 8.--Continued

| Diagnostic group | Inter- | Age <u>1</u> / | | | | | | | | | |
|---------------------------------------|------------|----------------|-------|----------|---------|----------|-------|------------|--------|--|--|
| and | national | | Under | | | |] | | 60 and | | |
| primary diagnosis | code | Total | 30 | 30-39 | 40-44 | 45-49 | 50-54 | 55-59 | over | | |
| | | | · | Total | Continu | ed | •——— | | | | |
| fultiple fractures involving skull | _ | | | | 1 | | | 1 | Γ | | |
| or face with other bones | 804 | 196 | 26 | 40 | 24 | 32 | 27 | 23 | 2 | | |
| cture and fracture disloc tion of | | -,- | | | | | | | · - | | |
| vertebral column without mention | | 1 | | | | | } | ļ | 1 | | |
| of spinal cord lesion | 805 | 1,060 | 52 | 129 | 83 | 113 | 144 | 220 | 31 | | |
| Fracture and fracture dislocation of | 1 | | | | | | | l | | | |
| vertebral column with spinal cord | 1 | | | | | | | 1 | ł | | |
| lesion | 806 | 510 | 120 | 148 | 68 | 55 | 4.2 | 48 | 2 | | |
| Fracture of pelvis | 808 | 269 | 10 | 42 | 32 | 43 | 4? | 36 | 6 | | |
| Multiple and ill-defined fractures | | ! ! | | | | | | 1 | | | |
| of trunk | 809 | 655 | 55 | 114 | 71 | 93 | 102 | 98 | 12 | | |
| racture of humerus | 812 | 212 | 10 | 26 | 22 | 21 | 28 | 44 | 6 | | |
| Fracture of radius and ulna | 813 | 223 | 14 | 37 | 29 | 31 | 35 | 26 | 5 | | |
| Fracture of neck of femur | 820 | 1,278 | 34 | 85 | 69 | 95 | 192 | 330 | 47 | | |
| Certain fractures of femur | 821 | 1,381 | 136 | 209 | 136 | 173 | 198 | 227 | 30 | | |
| Fracture of tibia and fibula | ∂23 | 1,914 | 148 | 385 | 262 | 278 | 266 | 275 | 30 | | |
| Fracture of ankle | 824 | 410 | 24 | 55 | 49 | 54 | 71 | 63 | 9 | | |
| Fracture of one or more tareal | | f I | | | Į. | 1 | | | | | |
| and metatarsal bones | 825 | 337 | 10 | 51 | 36 | 57 | 63 | 58 | 6 | | |
| Certain, multiple, and ill-defined | | i l | | | l | | | l . | 1 | | |
| fractures of lower limb | 827 | 474 | 44 | 83 | 56 | 63 | 67 | 85 | , , | | |
| fultiple fractures in olving both | 1 | 1 ' | | | } | | 1 | 1 | 1 | | |
| lower limbs, lower with upper limb, | | | | | ł | | | | | | |
| and lower limb with rib and sternum | 828 | 1,698 | 161 | 328 | 209 | 235 | 250 | 258 | 25 | | |
| Sprains and strains of sacro- | | l | | | | | 1 | | | | |
| iliac regioa | 846 | 613 | 14 | 92 | 70 | 80 | 112 | 112 | 13 | | |
| Sprains and strains of certain and | l | | | | ļ | | 1 | l |] _ | | |
| unspecified parts of back | 847 | 303 | 4 | 49 | 34 | 30 | 51 | 56 | 7 | | |
| Concussion | 852 | 260 | 26 | 42 | 27 | 26 | 42 | 38 | 5 | | |
| Cerebral laceration and contusion | 853 | 244 | 50 | 51 | 28 | 37 | 38 | 21 | 1 | | |
| Certain and unspecified intracranial | ! | | | | 1 | | l | ł | ١. | | |
| haemorrhage following injury | 855 | 113 | 5 | 10 | 20 | 16 | 17 | 23 | 2 | | |
| Certain head injuries including those | 856 | ا ا | 46 | | 43 | | 41 | 52 | [3 | | |
| of unspecified nature | 856 869 | 345 107 | 15 | 77 31 | 10 | 50 15 | 14 | 111 | Ιί | | |
| Internal injuries, unspecified | 898 | 159 | 13 | 24 | 18 | 30 | 23 | 30 | 1 | | |
| Traumatic amputation of arm and hand | 898 | 330 | 37 | 60 | 46 | 56 | 50 | 47 | 1 | | |
| Traumat'c amputation of leg | , °"° | ا ۵۰۰ ا | ٠,٠ | 40 | l "° | ار ا | ٠, | ' ' | l ' | | |
| | 949 | 206 | 26 | 41 | 24 | 25 | 34 | 22 |] 3 | | |
| unspecified parts | , , , , | 406 | 10 | 41 | l " | l '' | I ~ | l '' | l - | | |
| of spinal bone injury | 958 | 450 | 77 | 101 | 56 | 55 | 60 | 59 | 4 | | |
| Other nerve injury, including nerve | ەر, | ا °۰۰ ا | '' | -01 | , ,, | ,, | I " | i '' | l ' | | |
| injury in several parts | 959 | 110 | 13 | 15 | 5 | 15 | 19 | 20 | l 2 | | |
| Certain and unspecified injury | 996 | 745 | 48 | 103 | 75 | 101 | 129 | 1 29 | 15 | | |
| Other | | 2,247 | 163 | 360 | 241 | 288 | 342 | 418 | 43 | | |
| | | ' | | | | | | | l - | | |
| 111 others 9 | | 197 | 6 | 14 | 11 | 31 | 42 | 39 | 5 | | |



Table 3.--Worker disability allowances: Number by age, sex, diagnostic group, and primary diagnosis, 1966
[Primary diagnoses relating to 100 or more workers shown separately]

| Diagnostic group | Inter- | L | | r | T | Age <u>1</u> / T | τ | | |
|--|------------------|----------------|-------------|----------|--------|---------------------|----------|-----------|-----------------------|
| and primary diagnosis | national code | Total | Under 30 | 30-39 | 40-44 | 45-49 | 50-54 | 55-59 | 60 an ove <i>t</i> |
| | | | | Ma | le | | | | |
| Total | | 206,398 | 4,793 | 16,881 | 15,581 | 21,680 | 31,893 | 49,023 | 66,54 |
| Infective and parasitic diseases | 001-138 | 9,616 | 401 | 1,484 | 1,203 | 1,479 | 1,644 | 1,846 | 1,55 |
| Pulmonary tuberculosis | 002 | 7,629 | 348 | 1,267 | 1,032 | 1,239 | 1,344 | 1,348 | 1,05 |
| active or unspecified | 012 | 132 | j 7 | 27 | 19 | 16 | 14 | 20 |] 2 |
| Cardiovascular syphilis except aorta | 023 | 109 | 0 | ٥ ا | 3 | 3 | 1 12 | 36 | 5 |
| Tabes dorsalis | 024 | 108 | 0 | 1 | 2 | 5 | 16 | 32 | 1 5 |
| Certain syphilis of central nervous | } | İ | 1 | 1 | | | | | |
| system 2/ | 026 | 205 | 1 | 9 | 9 | 23 | 38 | 54 | , |
| Acute poliomyelitis | 080 | 211 | 1 | 31 | 25 | 26 | 31 | 65 | : |
| Late effects of acute policuyelitis | 081 | 263 |) 3 | 24 | 22 | 31 | 55 | 72 | , |
| Other fungus in tions | 134 | 94 | 1 | 11 | 8 | 18 | 12 | 28 | 1 |
| Certain intect. and parasitic | l | ٠ | l . | | ۱ | l | | ì | |
| diseases | 138 | 106 759 | 9 31 | 33 81 | 15 | 15 103 | 13 | 15 176 | 19 |
| veneral in the second s | } | } | ł | } | } | *** | . *** | ł | · · |
| Neoplasms | 140-239 | 20,889 | 348 | 1,084 | 1,329 | 2,243 | 3,635 | 5,400 | 6,85 |
| Malignant neoplasm of tongue | 141 | 281. | 1 | 1 2 | 9 | 44 | 56 | 90 | ! ! |
| Malignant seeplasm of floor of mouth | 143 | 131 | 0 | '' | 7 | 16 | 37 | 36 | : |
| Malignant neoplasm of other parts | 144 | 186 | ١ ، | 2 | 1 . | ł ., | 1 | | Ι. |
| of mouth unspecified | 145 | 139 | l ö | 3 | 6 | 21 | 50 30 | 56 | 1 2 |
| Malignant neoplasm of oral mesopharynx | 1 147 | 1 139 | ľ | , | 1 " | 20 | 30 | 40 | ۱ ' |
| Malignant neoplasm of pharynx, | | | ١ , | 2 | 2 | i | ۱ | 1 | Ι. |
| unspecified | 148 | 123 | | 6 | | 13 | 28 | 39 |] .3 |
| Malignant neoplasm of oesophagus | 150 151 | i 395 i 717 | 1 2 | 34 | 10 | 34 68 | 100 | 114 | 12 |
| Malignant neoplasm of stomach | 1 191 | l '*' | 1 1 | ,,, | "" | " | 1 120 | 186 | • |
| Malignant neoplasm of large intestine, except rectum | 153 | 1.139 | 11 | 46 | 51 | 117 | 184 | 308 | 42 |
| Malignant neoplasm of rectum | 154 | 877 | 1 15 | 29 | 42 | 67 | 140 | 246 | 34 |
| Malignant neoplasm of biliary passages | 1 *** | 1 ", | 1 1 | i ' | ' ' | , ,, | 1 170 | 1 40 | 'n |
| and of liver | 155 | 114 | 1 2 |] 3 | 10 | 1. | 18 | 28 | 4 |
| Malignant neoplasm of liver | 1 156 | 171 | 1 2 | 8 | 17 | 18 | 36 | 48 | 1 4 |
| Malignant neoplasm of pancteas | 157 | 571 | 2 |]]8 | 43 | 64 | 112 | 143 | 18 |
| Halignant neoplasm of larynx | 161 | 873 | 1 5 | 1 8 | 33 | 82 | 148 | 250 | 33 |
| Malignant neoplasm of bronchus and | 1 | 0.5 | | ľ | \ | l "- | 1 *** | 1 *** | , " |
| traches, and of lung specified as | I | ł | | l | i | ŀ | | | |
| primary | 162 | 2,063 | 2 | 67 | 97 | 229 | 380 | 569 | 71 |
| Malignant neoplasm of lung, unspecified | 1 | | | 1 | l " | 1 | "" |] "" | \ '' |
| as to whether primary or secondary | 163 | . 3,334 | 6 | 99 | 175 | 362 | 603 | 943 | 1,14 |
| Malignant neoplasm of thoracic organs | 165 | 130 | 1 | 8 | 11 | 15 | 20 | 43 | 1 '': |
| Malignant neoplasm of breust | 170 | 66 | ٥ |) 3 | 3 | 12 | .2 | 20 | l i |
| Malignant neoplasm of prostate | 177 | 1.047 | l 0 | 1 |) 6 | 34 | 8.8 | 271 | 64 |
| Malignant neoplasm of testis | 178 | 142 | 32 | 41 | 22 | 1 12 | 10 | 18 | 1 |
| Malignant neoplasm of kidney | 180 | 441 | 1 | 15 | 40 | 5: | 77 | 115 | 14 |
| halignant necplasm of bladder and | | ŀ | 1 | | į. | | 1 | | l ' |
| other urinary organs | 181 | 598 | 2 | 4 | 22 | 52 | 92 | 163 | 1 26 |
| Malignant melanoms of stin | 190 | 191 | 11 | 27 | 1 23 | 30 | 26 | - 1 | l : |
| Malignant neoplasm of skin excluding | | | ļ | | | | | t | i |
| malignant melanoma, | 191 | 2 38 | 0 | 7 | 12 | 23 | 4.2 | 73 | 8 |
| Malignant neoplasm of brain and other | | i | 1 | | l . | l | 1 | 1 | |
| parts of nervous system | 193 | 992 | 40 | 138 | 113 | 162 | 177 | 2C 6 | 15 |
| talignant neoplasm of thyroid gland | 194 | 49 | 3 | 2 | 4 | 5 | 7 | 9 | [] |
| Kalignrut neoplasm of bore (excluding | 1 | | l | ! | l | i | | 1 | 1 |
| jav bone) | 196 | 217 | 15 | 19 | 17 | 2^ | 39 | 55 | ' |
| Malignent neoplasm of connective | 1 | l | Ι. | l | l | | 1 . | l . | 1 . |
| tissue | 197 | 159 | 6 | 17 | 23 | 18 | })I | 25 | 1 : |
| Malignant neoplasm of certain and | 1 | 1 | ۱ | ١ | | | | l | ! . |
| unspecified sites | 199 | 1,828 | 22 | 91 | 127 | 214 | 350 | 178 | 54 |
| Lymphosarcoma and reticulosarcoma | 200 | 553 | 20 | 4.2 | 4.2 | 76 | 104 | 127 | 14 |
| Hodgkin's disease | 201 | 514 | 73 | 115 | 80 | 64 | 57 | E2 | 1 |
| Lymphoma | 202 | 96 | į 3 | [€ | 1 9 | 1 12 | 1 18 | l 23 | . 2 |



Table 8.--Continued

| Diagnostic group | Inter- | | · | r <i>-</i> | .———-^ | ge <u>I</u> / | | , | |
|---|------------------|-----------------|-------------|------------|---------------------------------------|---------------|-----------|-----------|----------------|
| and primary diagnosis | rational code | Total | Under 30 | 30-39 | 40-44 | 45-49 | 50-54 | 55-59 | 60 and over |
| | | | _ | Malo | Continu | ed | | | |
| Multiple myeloma | 203 | 457 | 2 | 13 | 24 | j1 | 80 | 127 | 160 |
| Leukaemia and aleukaemia | 204 | 640 | 33 | 49 | 48 | 56 | 99 | 149 | 206 |
| enign neoplasm of brain and other parts | ì | | | | | 1 | | | 1 |
| of nervous system | 223 | 271 | 14 | 45 | 31 | 30 | 43 | 52 | 56 |
| coplasm of unspecified nature of brain | i | | | | | . | | ٠ | |
| and ceitain parts of nervous system | 237 | 237 909 | 14 22 | 31 76 | 34 86 | 34 103 | 44 174 | 34 213 | 2 3 5 |
| Allergic, endocrine system, | 1 | | | | ł | 1 | | i | ļ |
| metabolic, and nutritional | I | l | | | l | | | l | l |
| discases | 240-269 | 6,244 | 99 | 417 | 456 | 672 | 66ء | 1,572 | 2,06 |
| hyrotoxicosis with or wirhout goitre | 252 | 93 | 2 | 11 | 6 | ا وَ ` | 14 | 18 | ,.3 |
| vxoedema and cretinism | 253 | 45 | 1 | 2 | 3 | 6 | 6 | 12 | i |
| iabetes mellitus | 250 | 4 724 | 80 | 308 | 321 | 495 | 712 | 1,203 | 1,60 |
| iseases of pituitary gland | 272 | 100 | 3 | 10 | 15 | 13 | 15 | 23 | , ž |
| ertain avitaminoses and nutritional | | | | | | | | | |
| deficiency states | 206 | 73 | 2 | 7 | 4 | 8 | 14 | 18 | 2 |
| besity, not specified as of endocrine | | ŀ | | | | | 1 | l | |
| origin | 287 | 548 | 1 | 38 | 53 | 73 | 99 | 132 | 15 |
| out | 288 | 365 | 0 | 9 | 22 | 30 | 56 | 100 | 14 |
| ertain metabolic diseases | 289 | 146 | 6 | 18 | 16 | 23 | 25 | 33 | 2 |
| ther | | 150 | 4 | 14 | 16 | 15 . | 25 | 33 | 4 |
| Diseases of the blood and | ì | i | | j | ì | \ | l | ŀ | 1 |
| blood-forming organs | 290-299 | 535 | 10 | 45 | 53 | 50 | 7.7 | 112 | 1 |
| ertain anaemias | 292 | 148 | 6 | 18 | 15 | 19 | 14 | 33 | |
| olycythaemia | 294 | 89 | 2 | 3 | 2 | 8 | 22 | 18 | ' |
| naemia of unspecified type | 293 | y8 ¹ | 0 | 1 | 9 | 7 | 16 | 72 | 1 4 |
| ther | | 200 | 2 | 23 | 27 | 16 | 25 | 39 | 6 |
| Mental, psychoneurotic, and | 1 | | | | ŀ | ! | | ļ | |
| personality disorders | 300-329 | 21,413 | 1,287 | 4,252 | 2,994 | 3,107 | 3,100 | 3,440 | 3,23 |
| chizophrenic disorders (dementia | 1 | ĺ | | ĺ | | [' | ĺ | | |
| praecox) | 300 | 9,364 | 992 | 3,061 | 1,682 | 1,460 | 1,048 | 772 | 39 |
| Sanic-depressive reaction | 301 | 588 | 14 | 52 | 62 | 86 | 119 | 123 | 13 |
| avolucional melancholia | 302 | 679 | 0 | 3 | 19 | 54 | 130 | 219 | 45 |
| aranois and paranoid states | 303 | 85 | 2 | 8 | 17 | 17 | 9 | 16 | 1 |
| resentle psychosis | 305 | 169 | 0 | 0 | 1 | 15 | 33 | 55 | } 6 |
| sychosis with cerebral | 306 | | 0 | 0 | , , , , , , , , , , , , , , , , , , , | | 8 | 33 | |
| arterioscleros(s | 307 | 109 335 | 3 | 27 | 27 | 51 | 62 | 81 | |
| coholic psychosis | 307 | ,,,, | , | · ' | ' | ,,, | 02 | i °ʻ | ł ' |
| injury of brain 3/ | 308 | 223 | 19 | 48 | 42 | 24 | 22 | 38 | ١ . |
| ental deterioration and certain other | 1 ~~ | "" | ., | " | " | | 1 | 1 | ' |
| psychoses of unspecified etiology | 309 | 877 | 37 | 149 | 117 | 133 | 144 | 148 | 14 |
| nxiety reaction without mention of | ,,,, | ٠,, | " | 147 | l **′ | 1 | | 1 | 1 * |
| somatic symptoms | 310 | 1,258 | 24 | 123 | 208 | 269 | 229 | 219 | 18 |
| ysterical react on without ment_on of | , ,,,, | 1,124 | | | | | | | |
| anxiety reaction | 311 | 403 | 10 | 5.8 | 63 | 81 | 73 | 68 | l s |
| bsessive-compulsive reaction | 313 | 62 | 2 | 14 | 12 | 10 | 6 | 10 | _ |
| eurotic-depressive reaction | 314 | 1,239 | 12 | 98 | 125 | 171 | 237 | 298 | 25 |
| sychoneurosis with somatic symptoms | ł | ' | | | | | ĺ | | |
| affecting certain systems | 317 | 121 | 2 | 14 | 19 | ?ċ | 19 | 22 | 1 |
| ertain psychoneurotic disorders, other, | 1 | | | | | | ł | l | |
| mixed, and unspecified types | 318 | 395 | 9 | 51 | 49 | 54 | 63 | 92 | 1 |
| athological personality | 320 | 188 | 4 - | 28 | 27 | 35 | 29 | 33 | |
| meture personality | 321 | 159 | 4 | 20 | 27 | 3 | 21 | 27 | 2 |
| dcoholism | יי | 1,020 | 3 | 52 | 91 | 1 | 216 | 272 | 2 : |
| Sental deficiency | 325 | 1,033 | 54 | 193 | 175 | | 159 | 171 | 13 |
| Thronic brain syndrome | 328 | 2,823 | 89 | 222 | 198 | 260 | 426 | 716 | 91 |
|)ther | | 283 | 7 | 31 | 30 | 34 | 37 | 77 | 6 |



Table 8.--Continued

| Diagnostic group | Inter- | | ····· | | A | £e <u>1</u> / | r | r | _ |
|---------------------------------------|------------------|--------|-------------|-------|----------|---------------|------------|------------|---|
| and primery diagnosis | national code | Total | Under 30 | 30-39 | 40-44 | 45-49 | 5:)-54 | 55-59 | 60 and over |
| | | • | • | Male | Continu | ied | | | * |
| Diseases of the nervous system | | | [| | | | 1 | l | 1 |
| and cense organa | 330-398 | 25,097 | 477 | 1,789 | 1,714 | 2,408 | 3.860 | 6,197 | 8,652 |
| subarachnoid haemorrhage | 330 | 372 | 6 | 40 | 49 | 59 | 59 | 68 | 91 |
| Cerebral haemorrhage | 331 | 5,030 | 8 | 106 | 170 | 337 | 838 | 1,427 | 2,144 |
| erebral embolism and thrombosis | 332 | 3,895 | 14 | 75 | 147 | 294 | 678 | 1,106 | 1,581 |
| ertwin vascular lesions affecting | 1 | | 1 . | ١ | ! | l . | | | |
| cenfral nervous system | 334 | 2,348 | 11 | 41 | 58 | 109 | 243 | 636 | 1,250 |
| eningitis, excer meningococcal | | | 1 . | ١ | | l | ٠., | 25 | ١., |
| and tuberculous | 340 | 137 | 6 | 32 | 13 | 24 | 19 | , '' | 18 |
| ncephalitis, myelitis, and | 343 | | , , | | 1 | 22 | | 23 | ١., |
| encephalomyelitis | 1 | 120 | 15 | 14 | 12 | | 15 | | 19 |
| ultiple sclerosis | 345 | 1,158 | 67 | 271 | 225 | 189 | 174 | 147 491 | 85 |
| Paralysis agitans | 350 | 1,645 | 1 | 8 | 35 | 114 | 213 | 30 | 783 |
| erabral spastic infantile Paralysis | 351 | 192 | 8 | 48 | 21 | 32 | 29 | | 24 |
| ertain type; of cerebral paralysis | 352 | 120 | 10 | 11 | 7 | 1 14 | 22 | 31 | 25 |
| Epilepsy | 353 | 1,578 | 92 | 347 | 266 | 255 | 206 | 224 | 188 |
| Certain diseases of the brain | 355 | 1,603 | 36 | 132 | 327 | 163 | 287 | 415 | 441 |
| fotor neurone disease and muscular | i | | ١ . | | <u>.</u> | | | | |
| atrophy | 356 | 676 | 8 | 53 | 54 | 96 | 122 | 192 | 151 |
| Certain diseases of the spinal cord | | ļ | ł | 1 | 1 | ì | | | l . |
| including paralysis resulting from | | | 1 | | 1 | | 1 | 103 | |
| spinal cord injuries | 357 | 576 | 41 | 98 | 61 | 75 | 97 | | 101 |
| Sciatica | 363 | 1 3 2 | 1 | 20 | 14 | 13 | 20 | 26 | 38 |
| Polyneuritis and polyradiculitis | 364 | 164 | , | 25 | 17 | 19 | 24 | 34 | 40 |
| Certain and unspecified forms of | | | • | | | Ī | i | l | 1 |
| neuralgia and neuricis | 366 | 196 | 1 | 21 | 15 | 27 | 22 | 42 | 67 |
| Certain diseases of peripheral nerves | 368 | 646 | 12 | 59 | 62 | 98 | 114 | 153 | 148 |
| Certain inflammations of uveal tract | 376 | 175 | 6 | 28 | 17 | 23 | 31 | 40 | 30 |
| Refrective errors of the eye | 380 | 176 | 7 | 18 | 20 | 17 | 34 | 34 | 46 |
| Cataract of the eye | 385 | 458 | 2 | 18 | 12 | 31 | 64 | 122 | 209 |
| Detachment of retina | 386 | 157 | 3 | 13 | . 8 | 13 | 23 | 136 | 59 251 |
| Glaucoma | 387 | 578 | .4 | 24 | 33 | 36 | 94 | 232 | |
| Certain diseases of the eye | 388 | 1,089 | 48 39 | 114 | 97 74 | 123 | 145 100 | 136 | 330 163 |
| Blindness | 389 | 653 | " | 65 | /4 | 76 | 100 | 1,10 | 163 |
| Certain inflammatory diseases of | 394 | 69 | 0 | 1 | 5 | 4 | , | 15 | 37 |
| the ear | 395 | 137 | l o | 6 | 10 | 12 | 19 | 35 | 55 |
| Deaf mucism | 397 | 103 | 1 | 16 | 10 | 20 | 11 | 26 | 21 |
| | 398 | 348 | 2 | 26 | 26 | 42 | 56 | 85 | 111 |
| Deafness Other | | 566 | 23 | 59 | 50 | 71 | 92 | 1 25 | 146 |
| Achet | | 200 | 1 ., | " | ٠, ١ | ′* | '* | 1 | 1 '' |
| Diseases of the circulatory system. | 400-468 | 56,711 | 136 | 1,433 | 2,448 | 4,660 | 8,607 | 15.277 | 24,150 |
| Diseases of mitral valve | 410 | 1,045 | 16 | 104 | 124 | 153 | 177 | 232 | 239 |
| Diseases of aortic valve specified | ''' | 1,045 | 1 ** | | 117 | 1 .,, | l ''' | | 1 |
| as rheumatic | 411 | 500 | 10 | 54 | 48 | 70 | 94 | 110 | 114 |
| Certain heart diseases specified | 1 | 300 | l ** ' | ,,, | 7. | ,,, | 1 ′ |] ''' | |
| as rheumatic | 416 | 1,250 | 18 | 110 | 119 | 174 | 216 | 288 | 325 |
| Arteriosclerotic heart disease, | , ,,, , | 1,130 | | *** | *** | | ٠٠ | | 1 |
| including coronary disease | 420 | 36,955 | 15 | 605 | 1,411 | 2,844 | 5,529 | 10,153 | 16,399 |
| Chronic endocarditis not specified | 1 7.0 | 30,555 | ٠, | 007 | 1,411 | i *,°** | 1 7,717 | 10, | 10,277 |
| as rheumatic | 421 | 362 | 5 | 24 | 22 | 44 | 54 | 94 | 119 |
| Certain types of myocardial | 7 | 302 | 1 1 | • • • | 1 " | 1 77 | 1 ~ | 1 ′ | 1 ''' |
| degeneration | 422 | 1,196 | ١ , | 36 | 34 | 88 | 138 | 305 | 586 |
| Functional disease of heart | 433 | 173 | هٔ ا | 8 | 10 | l °, | 17 | 1 44 | 87 |
| Certain and unspecified diseases | •" | 1/3 | ľ | " | ٠, ا | l ' | l '' | '' | ľ |
| of heart | 434 | 958 | 11 | 38 | 3.6 | 96 | 163 | 249 | 343 |
| Hypertensive heart disease with | '` | ,,, | l ** | ا ٥٠ | , | ,,, | 1 193 | i ''' | ۱ ,4, |
| arteriolar nephrosclerosis | 442 | 241 | 1 | 14 | 16 | 24 | 43 | 57 | 86 |
| Certain and unspecified hypertersise | ''' | 444 | · • | | l '° | l '` | ٠, | l " | ! " |
| heart disease | 443 | 6,310 | 3 | 122 | 243 | 485 | 1,016 | 1,820 | 2,621 |



Table 8.--Continued

| Diagnostic group | Inter- | | | · | | ge <u>1</u> / | | | |
|--|------------------|------------|-------------|----------|------------------|---------------|---|-----------|----------------|
| and primary diagnosis | national code | Total | Under 30 | 30-39 | 40-44 | 45-49 | 50-54 | 55-59 | 60 and over |
| | 1 | <u> </u> | - | Male | Continu | ied | ·——- | 1, | |
| Essential benign hypertension | 444 | 1,138 | 1 | 26 | 53 | 97 | 189 | 300 | 472 |
| Essential malignant hypertension | 445 | 153 | 2 | 29 | 13 | 30 | 22 | 29 | 28 |
| nephrosclerosis | 446 | 116 | 1 | 9 | 9 | 17 | 10 | 27 | 43 |
| mention of heart | 447 | 399 | 0 | 8 | 16 | 32 | 55 | 106 | 182 |
| General arteriosclerosis | 450 | 2,647 | 3 | 28 | 61 | 160 | 339 | 702 | 1,354 |
| Aortic aneurysm, non-syphilitic, and dissecting aneurysm | 451 | 188 | 0 | 1 | 3 | 4 | 22 | 45 | 113 |
| Certain other aneurysm, except of | | 1 . | l . | | | | | | l |
| heart and aorta | 452 | 199 | 4 | 24 | 26 | 24 | 42 | 34 | 45 |
| Peripheral vascular disease | 453 | 572 | 7 | 36 | 32 | 51 | 95 | 126 | 225 90 |
| Arterial embolism and thrombosis | 454 | 247 | 0 | 6 | 11 | 37 34 | 47 | 56 82 | 90 |
| Certain diseases of arteries | 456 460 | 331 416 | 9 | 35 | 22 23 | 37 | 51 64 | 95 | 181 |
| Varicore veins of lower extremities Phlebitis and thrombophlebitis of | | | | 15 | | | l - | , | |
| lower extremities | 463 | 255 | 3 | 21 | 18 | 30 | 47 | 61 | 75 |
| Phlebitis and thrombophlebitis of | 464 | 1 | ١. | l | ۱ | 1 | 29 | 47 | 65 |
| certain sites | 467 | 213 382 | 5 | 15 16 | 21 25 | 31 34 | 62 | 107 | 137 |
| Certain diseases of circulatory system | 407 | 464 | 11 | 49 | 30 | 57 | 86 | 108 | 123 |
| | | | | | |] | | | ļ |
| Diseases of the respiratory | 470-529 | 13,723 | 30 | 282 | 561 | 1,229 | 2,801 | 5,688 | B,132 |
| Chronic bronchitis | 502 | 962 | <u>څ</u> ا | 48 | 58 | 98 | 147 | 266 | 340 |
| Pneumonconiosis due to silica | 1 200 | / /** | 1 | "" | ۳ ا | · 1 | 1 477 | | , ,,, |
| and silicates | 523 | 715 | 0 | 4 | 13 | 27 | 117 | 258 | 296 |
| Certain chronic interstitial pneumonia | 525 | 424 | 1 2 | 14 | 24 | 32 | 66 | 133 | 153 |
| Bronchiectasis | 526 | 169 | . 5 | 9 | 16 | 17 | 31 | 46 | 45 |
| Certain diseases of lung and pleural | | 1 | Ĭ | | l | 1 | l | | |
| cavity | 527 | 797 | 6 | 21 | 43 | 59 | 143 | 221 | 306 |
| Emphysems | <u>4</u> / 528 | 15,380 | , | 169 | 385 | 964 | 2,256 | 4,690 | 6,909 |
| Other | | 276 | 5 | 17 | 22 | 32 | 43 | 74 | 83 |
| Diseases of the digestive system | 530-58/ | 4,790 | 50 | 316 | 417 | 565 | 888 | 1,210 | 1,344 |
| Ulcer of stomach | 540 | 240 | 0 | 14 | 9 | 18 | 38 | 60 107 | 101 153 |
| Ulcer of duodenum | 541 544 | 429 | 4 | 14 | 35 24 | 45 31 | 71 47 | 62 | 72 |
| Disorders of function of stomach Certain digeases of stomach | , ,,,, | 253 | 1 | 10 | - 4 | " | • | l " | ۰ ۰ |
| and duodenum | 545 | 1 32 | 0 | 4 | 10 | 9 | 29 | 33 | 47 |
| Hernia of abdominal cavity without mention of obstruction | 5,0 | 333 | 1 | 8 | 10 | 26 | 49 | 90 | 149 |
| Chronic enteritis and ulcerative colitis | 572 | 393 | 27 | 67 | 39 | 35 |) 54 | 82 | 89 |
| Certain diseases of intestines | 1 . | | | | i | | | | |
| and peritoneum | 578 | 168 | 2 | 12 | 15 | 20 | 29 | 39 | 51 |
| Cirrhosis of liver | 581 | 2,165 | 8 | 108 | 206 | 292 | 457 | 590 | 504 |
| Other diseases of liver | 583 | 38 | 0 | 14 | 8 | 9 | 19 | 19 | 19 |
| Diseases of pancreas | 587 | 179 | 0 | 29 | 32 | 34 | 31 | 22 | 31 |
| Other | | 410 | 7 | 30 | 29 | 46 | 64 | 106 | 128 |
| Diseases of the genito-urinary | \$00-637 | 1 501 | ,, | 180 | 141 | 181 | 205 | 316 | 407 |
| system | 590-637 592 | 1,501 | 71 38 | 80 | 141 | 181 54 | 63 | 78 | 69 |
| Chronic nephritis | "" | 436 | 36 | |) [,] * | ا 4 ا | ۰, | /* | l °' |
| Nephritis not specified as scute or chronic | 593 | 216 | 16 | 42 | 30 | 35 | 16 | 37 | 40 |
| Infections of kidney | 600 | 275 | 14 | 20 | 26 | 31 | 48 | 70 | 76 |
| Certain diseases of kidney and ureter | 603 | 81 | ž | ÿ | 1 | 12 | 16 | 17 | 21 |
| Other | | 493 | 11 | 29 | 27 | 49 | 62 | 114 | 201 |



Table 8.--Continued

| Diagnostic group and primary diagnosis | Inter- | | | | | | | | | | |
|--|------------------|------------|-------------|------------|-----------|----------|-----------|-----------|---------|--|--|
| | national code | Total | Under 30 | 30-39 | 40-44 | 45-49 | 50-54 | 55-59 | 60 and | | |
| | | | | Male | Continu | ed | | | | | |
| Diseases of the skin and cellular | } | ĺ | | | | _ | | 1 | | | |
| tissue | 690-716 | 670 | 12 | 69 | .80 | 92 | 100 | 147 | 170 | | |
| rythematous conditions | 705 | 126 | 5 | 15 | 20 | 16 | 21 | 25 | 24 | | |
| Soriasis and similar disorders | 706 | 65 | 2 | 3 | 10 | 15 | 7 | 11 | 1 | | |
| Certain hypertrophic and acrophic conditions of skin | 710 | 122 | 2 | 16 | 17 | 22 | 13 | 30 | 2 | | |
| Chronic ulcer of skin | 715 | 88 |] - 2 | 7 | ii | 11 | ii | 22 | 2 | | |
| Other | | 269 | 1 | 28 | 22 | 28 | 48 | 59 | 8 | | |
| Diseases of the bones and | 1. | | ŀ | ł | ł | 1 | Ì | | l | | |
| organs of movement | 720-749 | 24,326 | 451 | 2,567 | 2,300 | 2,878 | 3,723 | 5,320 | 7,08 | | |
| cute arthritis due to pyogenic | 120 | 95 | 1 | 3 | 7 | ٠, | 14 | 23 | , | | |
| organisms | 720 | 95 | ١ ١ | , | i ' | 13 | l '* | 43 | , | | |
| conditions | 722 | 4,053 | 30 | 233 | 306 | 511 | 750 | 1,041 | 1,18 | | |
| steo-arthritis and allied | 1 | ', | | | | | ''' | · · | 1 | | |
| conditions | 723 | 7,074 | 14 | 108 | 201 | 406 | 898 | 1,963 | 3,48 | | |
| ertain forms of arthritis | 724 | 330 | 1 ? | 30 | 24 | 29 | 61 | 75 | 10 | | |
| rthritis, unspecified | 725 726 | 736 146 | 4 2 | 9 22 | 29 | 37 20 | 104 23 | 209 29 | 34 | | |
| steomyelitis and periostitis | 730 | 805 | 38 | 119 | 107 | 140 | 129 | 135 | 11 | | |
| steitis deformans | 731 | 94 | õ | l 116 | 2 | 3 | 12 | 30 | 4 | | |
| ertain diseases of bone | 733 | 1,100 | 39 | 198 | 156 | 167 | 159 | 179 | 20 | | |
| isplacement of intervertebral disc | 735 | 6,931 | 220 | 1,344 | 1,083 | 1,114 | 1,122 | 1,088 | 96 | | |
| ffection of sacro-iliac joint | 736 | 151 | .4 | 39 | 23 | 29 | 18 | 23 | 1 | | |
| nkylogis of joint | 737 738 | 526 646 | 21 21 | 115 131 | 70 104 | 92 | 91 91 | 73 96 | 10 | | |
| ertain diseases of joint | / / / / | 646 | ł *1 | 131 | 104 | 100 | ,,, | , ,, | 10 | | |
| without mention of occupational | 1 | Ì | ŀ | | Į. | | | | | | |
| origin | 741 | 117 | 0 | 15 | 6 | 10 | 14 | 24 | 4 | | |
| Certain diseases of muscle, tendon, | ſ | I | 1 | | | [| [| | ĺ | | |
| and fascia | 744 | 565 | 20 | 81 | 61 | 73 | 83 | 109 | 13 | | |
| Curvature of spine | 745 | 220 | , | 26 | 19 | 29 | 29 | 42 | 6 | | |
| Residual deformations of the bones and joints 5/ | 749 | 530 | 16 | 68 | 49 | 73 | 88 | 122 | 1 11 | | |
| Other | 1 ::: | 207 | 5 | 36 | 30 | 52 | 37 | 39 | 2 | | |
| Congenital malformations | 750-759 | 1,697 | 89 | 341 | 230 | 254 | 254 | 292 | 24 | | |
| Congenital cataract and other | | l ' | | i | i | | | | 1 | | |
| congenital malformations of nervous | 1 | l | ١., | ١ | | | ١, | | , | | |
| system and sense organs | 753 | 368 | 23 | 73 | 52 | 12 | 60 | 48 | 1 | | |
| circulatory system | 754 | 245 | 17 | 6.8 | 15 | 27 | 14 | 44 | , | | |
| Congenital malformations of genito- | '' | 1 ''' | · · | | " | l *′ | 1 1 | i '' | ` | | |
| urinary system | 757 | 136 | 4 | 24 | 16 | 25 | 28 | 25 | 1 | | |
| Congenital malformations of bone | · | | | | | | | | l | | |
| and joint | 758 | 823 | 4.2 | 152 | 118 | 120 | 120 | 135 | 13 | | |
| Certain and unspecified congenital malformations | 759 | 80 | , | د: ا | ۱ ۵ | 16 | 9 | 21 | ١, | | |
| Other | | 45 | i | ii | 5 | 104 | دُ إ | 9 | i | | |
| Alternative classification of | ł | ł | í | ì | ł | 1 | ł | ł | l | | |
| accidents, poisonings, and | ì | ŀ | 1 | | | | | | l | | |
| violence | 800-999 | 14,049 | 1,328 | 2,613 | 1,648 | 1,840 | 2,005 | 2,190 | 2,42 | | |
| ertain and unqualified skull fractures. | 803 | 225 | 22 | 44 | 29 | 31 | 33 | 33 | 1 3 | | |
| fultiple fractures involving skull | Į . | | | | | İ | } | | Ι. | | |
| or face with other bones | 804 | 167 | 22 | 34 | 21 | 26 | 24 | 18 | 2 | | |
| racture and fracture dislocation of | 1 | 1 | | I | l . | 1 | ! | l | I | | |
| vertebral column without mention of spinal cord lesion | 805 | 878 | 45 | 119 | 75 | 98 | 127 | 173 | 2 : | | |
| Fracture and fracture dislocation of | 1 *** | l "" | 1 " | l ''' | [`` | | ''' | 1 ''' | ٠ · · · | | |
| vertebral column with spinal cord | 1 | i | ì | 1 | E | ! | ĺ | 1 | ľ | | |
| leaion, | 806 | 472 | 118 | 134 | 64 | 50 | 33 | 44 | 2 | | |
| 144108 | | ''- | *** | | " | 1 ~ | i " | '' | 1 | | |



Table 8.--Continued

| Diagnostic group and primary diagnosis | Inter- | | | | | | | | | | | |
|--|------------------|-------------|-------------|-------|-------|-------|-------|-------|----------------|--|--|--|
| | national code | Total | Under 30 | 30-39 | 40-44 | 45-49 | 50-54 | 55-59 | 60 and over | | | |
| | MaleContinued | | | | | | | | | | | |
| Fracture of pelvis | 808 | 224 | 9 | 38 | 24 | 37 | 3" | 32 | 49 | | | |
| Multiple and ill-defined fractures | | | | | l | | | i . | Î | | | |
| of trunk | 809 | 542 | 51 | 98 | 61 | 77 | 82 | 84 | 89 | | | |
| Fracture of humerus | 812 | 171 | 10 | 25 | 19 | 19 | 26 | 28 | 44 | | | |
| Fracture of radius and Ilna | 813 | 180 | 14 | 34 | 25 | 28 | 28 | 22 | 2' | | | |
| Fracture of neck of femur | 820 | 726 | 31 | 77 | 59 | 60 | 110 | 170 | 21 | | | |
| Certain fractures of femur | 821 | 1,031 | 127 | 189 | 117 | 141 | 132 | 144 | 18 | | | |
| Fracture of tibia and fibula | 823 | 1,672 | 139 | 361 | 243 | 241 | 227 | 218 | 24 | | | |
| Fracture of ankle | 824 | 29 <i>2</i> | 23 | 49 | 38 | 40 | 46 | 42 | 5 | | | |
| Fracture of one or more tarsal | 1 | | | | | | | | | | | |
| and metatarsal bones | 825 | 306 | 10 | 48 | 35 | 54 | 54 | 53 | 5. | | | |
| Certain, multiple, and ill-defined | | | - | | l | | | ł | | | | |
| fractures of lower limb | 827 | 299 | 43 | 77 | 52 | 50 | 53 | 68 | 5 | | | |
| fultiple fractures involving both | 1 | | | | ļ | | | | | | | |
| lower limbs, lower with upper limb, | | | | | 1 | | | | | | | |
| and lower limb with rio and sternum | 828 | 1,402 | 157 | 309 | 180 | 198 | 199 | 177 | 18 | | | |
| Sprains and strains of sacto-iliac | , | | | l | 1 | | ł | Į. | 1 | | | |
| region | 646 | 506 | 14 | 87 | 54 | 63 | 92 | 89 | 10 | | | |
| Sprains and strains of certain and | | **** | | 1 | l | | | 1 | 1 | | | |
| unspecified parts of back | 847 | 214 | 3 | 42 | 24 | 20 | 31 | 40 | 1 5 | | | |
| Concussion | 852 | 218 | 22 | 39 | 22 | 20 | 33 | 33 | 4 | | | |
| Cerebral laceration and contusion | 853 | 219 | 45 | 47 | 27 | 33 | 30 | 19 | l 1 | | | |
| Certain and unspecified intracranial | | | |] |] | | | 1 | J | | | |
| haemorrhage following injury | 855 | 93 | 4 | 9 | 16 | 14 | 12 | 19 | 1 1 | | | |
| Certain head injuries including those | 1 | | | | | | | | l | | | |
| of unspecified nature | 856 | 302 | 43 | 65 | 39 | 38 | 37 | 47 | l 3 | | | |
| Internal injuries, unspecified | 869 | 101 | ذ 1 | 29 | 1 8 | 15 | 13 | 10 | ! 1 | | | |
| Fraumatic amputation of arm and hand | 888 | 151 | 13 | 23 | 16 | 28 | 22 | 29 | l 2 | | | |
| Traumatic amputation of leg | 898 | 313 | 36 | 60 | 43 | 52 | 46 | 43 | ā | | | |
| Burn involving certain and | 1 | | | ĺ | | | | ĺ | ĺ | | | |
| unspecified arts | 949 | 161 | 22 | 36 | 20 | 16 | 26 | 17 | 2 | | | |
| Spinal cord lesion without evidence | 1 | | | | | | | _ | l | | | |
| of spinal bone injury | 958 | 403 | 72 | 95 | 50 | 51 | 51 | 47 | 1 3 | | | |
| Other nerve injury, including nerve | 1 | | l | | l ' | | | 1 | 1 | | | |
| injury in several parts | 959 | 89 | 11 | 15 | 4 | 10 | 14 | 15 | 1 1 | | | |
| Certain and unspecified injury | 996 | 6.58 | 45 | 93 | 64 | 93 | 104 | 128 | 13 | | | |
| Other | | 1,934 | 158 | 337 | 219 | 237 | 285 | 347 | 35 | | | |
| | 1 | -,,,,, | | l '*' | *** | "" | 107 | " | • " | | | |
| All others 6/ | I 3 | 137 | 4 | ن ا | 7 | 22 | 28 | 26 | 4 | | | |



Table 8.--Worker disability allowances: Number by age, sex, diagnostic group, and primary diagnosis, 1966
[Primary diagnoses relating to 100 or more workers shown separately]

| Diagnostic group | Inter- | | | | | ge <u>1</u> / | | | | |
|---|------------------|------------|-------------|-------|-------|---------------|-----------|-----------|---------------|--|
| and primary diagnosis | national code | Total | Under 30 | 30-39 | 40-44 | 45-49 | 50-54 | 55-59 | 60 ar ovet | |
| | | | | I | enale | | | | | |
| Total | | 67,115 | 903 | 1,241 | 4,763 | 7,809 | 12,323 | 18,033 | 19,04 | |
| Infective and parasitic diseases | 001-138 | 1,632 | 91 | 248 | 215 | 249 | 285 | 312 | 2: | |
| Pulmonary tuberculosis | 002 | 1,014 | 75 | 193 | 155 | 164 | 172 | 145 | 1: | |
| active or unspecified | 012 | 36 | 0 | 5 | 4 | 6 | 6 | 7 | l | |
| ardiovascular syphilis except aorta | 023 | 17 | 0 | 0 | 0 | 0 | 1 | 11 | | |
| abes dorsalis | 024 | 16 | 0 | 0 | 1 | ٥ | 3 | 11 | | |
| Certain syphilis of central mervous system 2/ | 026 | 27 | 0 | 1 | 1 | 1 2 | 5 | 3 | } | |
| cute poliomyelitis | 080 | 117 | l ő | 12 | 17 | 20 | 18 | 29 | l | |
| *** effects of acute poliomyelitis | 081 | 142 | l ĭ | 8 | 17 | 17 | 34 | 41 | ŀ | |
| ther fungus infections | 134 | 8 | Ιō | l ŏ | l "i | 1 4 | 1 | l i | 1 | |
| ertain infective and parasitic | | 1 | | | _ | | · - | _ | ĺ | |
| diseases | 138 | 75 | 7 | 8 | 5 | 13 | 13 | 19 | l | |
| ther | | 180 | 8 | 21 | 14 | 23 | 32 | 46 | ĺ | |
| Neoplasms | 140-239 | 6,352 | 64 | 416 | 584 | 1,210 | 1,700 | 2,281 | 2,0 | |
| Malignant neoplasm of tongue | 141 | 32 | 0 | 0 |) | 1 4 | 11 | ! ? | | |
| alignant neoplasm of floor of mouth | 143 | 16 | ٥ | 0 | 2 | 4 | 3 | 5 | | |
| Malignant neoplasm of other parts | | ٠., | ں ا | 1 . | · | ١ . | Ι. | 1. | | |
| of mouth unspecified | 144 | 23 | 0 | 0 2 | 4 | 2 1 | 5 2 | 7 5 | | |
| alignant neoplasm of oral mesopharynx | 145 | 14 | " | 1 1 | 1 | | l ' | , | 1 | |
| lalignant neoplasm of pharyax, | 148 | 15 | ن ا | ٥ ا | 1 | 2 | ١, | 1 | 1 | |
| alignant necplasm of oesophagus | 150 | 56 | l ŏ | 1 1 | l i | 6 | 15 | 19 | 1 | |
| alignant neoplasm of stomach | 151 | 144 | i | 1 4 | 5 | 13 | 28 | 46 | 1 | |
| alignant noplasm of large intestine, | 1 | 1 | _ | | 1 | 1 | 1 | 1 " | ł | |
| except rectum | 153 | 528 | 1 | 12 | 27 | 49 | 97 | 163 | 1 | |
| alignant neoplasm of rectum, | 154 | 307 | 1 | 8 | 14 | 42 | 57 | 96 | 1 | |
| lalignant neoplasm of biliary passages | | l | | | | | | | | |
| and of liver | 155 | 41 | 0 | 3 | 1 | 5 | 4 | 13 | | |
| Salignant neoplasm of liver | 156 | 64 | 2 | 1 | 2 | 7 | 14 | 20 | l | |
| Calignant neoplasm of pancreas | 157 161 | 135 | 0 | 1 0 | 6 | 15 | 21 | 37 | l | |
| alignant ncoplasm of larynx | 161 | 5 5 | 1 ° | ١ ٠ | , | l ° | 16 | 18 | l | |
| ialignant neoplasm of bronchus and | | | | 1 | 1 | Į. | l | 1 | l | |
| traches, and of lung specified as primary | 162 | 143 | 0 | 6 | 13 | 23 | 27 | 39 | l | |
| alignant neoplasm of lung, urspecified | 1 | 1 *** | 1 | ľ | 1 ** | 1 | l •' | 1 " | l | |
| as to whether primary or secondary | 163 | 328 | 0 | 8 | 30 | 39 | 76 | 84 | l | |
| talignant sm of thoracic organs | 165 | 35 | 0 | 1 | 1 | 4 | 8 | 13 | 1 | |
| falignant toplasm of breast | 170 | 1,874 | 4 | 51 | 123 | 292 | 426 | 521 | 4 | |
| Calignant neoplasm of cervix uteri | 171 | 795 | 4 | 77 | 84 | 142 | 156 | 195 | 1 | |
| Kalignant neoplasm of uterus, | 1 | | ١. | | | | | | | |
| unspecified | 174 | 132 | 0 | 4 | 4 | 21 | 19 | 39 | l | |
| dalignani neoplasm of overy, Fallopian | ,,,, | 1 | 2 | 15 | , , | | 1 | 1 ,,, | , | |
| tube, and broad ligament | 175 180 | 477 71 | هٔ ا | 13 | 36 | 86 | 103 15 | 129 25 | 1 1 | |
| dalignant neopiasm of kidnev | 1 400 | 1 ' | l ĭ | ľ | , | · ' | 1 . | | | |
| other urinary organs | 181 | 69 | 0 | ٥ ا | 6 | 4 | 14 | 20 | | |
| islignant melanoma of skin | 190 | 81 | 2 | 1 11 | 7 | 10 | 10 | 20 | | |
| alignant neoplasm of skin excluding | 1 | 1 | ľ | 1 | l | 1 | ł | 1 | l | |
| malignant melanoma | 191 | 72 | 0 | 3 | 4 | 14 | 14 | 19 | Ī | |
| alignant propless of brain and other | | ł | ŀ | | | | ì | | l | |
| parts of nervous system | 193 | 228 | 8 | 23 | 25 | 31 | 53 | 40 | 1 | |
| salignant necplasm of thyrold gland | 194 | 52 | 0 | 5 | 5 | 6 | 11 | 11 |) | |
| Malignant memplass of bone (excluding | 1 | 1 | 1 . | l . | l . | l . |] | 1 | ł | |
| jav bone) | 196 | 79 | 2 | 6 | 4 | 18 | 11 | 17 | 1 | |
| Calignant neoplasm of connective | | | _ | | | ١ . | | | | |
| t1880e | 197 | 65 | 0 | 7 | 4 | 9 | 12 | 17 | | |
| Malignant neoplasm of certain and | 199 | 1,053 | | 46 | 72 | 156 | 216 | 301 |] 2 | |
| unspecified sites | 199 | 1,053 | ١, ١ | I "° | 1 " | 156 | (1) | 371 | l ' | |
| | | | | | | | | | | |



Table 8.--Continued

| Diagnostic group | Inter- | | | | , | ge <u>1</u> / | | _ | |
|--|------------------|-------|-------------|----------|---------|---------------|-------|-------|----------|
| and primary diagnosis | national code | Total | Under 30 | 30-39 | 40-44 | 45-49 | 50-54 | 55-59 | 60 and |
| | | | | Femal | eContin | ued | · | | <u> </u> |
| Lymphosarcoma and reticulosarcoma | 200 | 191 | 5 | 10 | 17 | 24 | 33 | 62 | 40 |
| Hodgkin's disease | 201 | 127 | 9 | 31 | 13 | 15 | 15 | 26 | 15 |
| Lymphoma | 202 | 40 | 0 | 2 | 1 | 6 | 6 | 12 | 13 |
| Multiple myelome | 203 | 168 | 1 | [1 | 16 | 12 | 39 | 59 | [46 |
| Leuksemia and aleukaemia | 204 | 192 | 4 | 10 | 12 | 26 | 35 | 50 | 5.5 |
| Benign neoplasm of brain and other parts | | | | l | | | | | ļ |
| of nervous system | 223 | 174 | 4 | 24 | 16 | 31 | 36 | 35 | 2.5 |
| Neoplasm of unspecified nature of brain | | | | | | | | | i |
| and certain parts of nervous system | 237 | 91 | 3 | 11 | 9 | 15 | 14 | 15 | 24 |
| Other | | 385 | 8 | 32 | 20 | 66 | 71 | 90 | 98 |
| Allergic, endocrine system, metabolic, and nutritional | | | | | | | 1 | | |
| diseases | 240-289 | 3,799 | 34 | 155 | 197 | 407 | 720 | 1,150 | 1,136 |
| Thyrotexicosis with or without goitre | 252 | 131 | 0 | 6 | 8 | 21 | 29 | 38 | 25 |
| fyxoed ma and cretinism | 253 | 69 | 2 | 0 | 2 | . 8 | 12 | 19 | 24 |
| Diabetes mellitus | 260 | 2,121 | 22 | 87 | 93 | 202 | 377 | 656 | 684 |
| Diseases of pituitary gland | 2/2 | 38 | 4 | 6 | 3 | 3 | 5 | 12 | |
| Certain avitamineses and nutritional | | | | | l | ļ | | ļ | |
| deficiency states | 286 | 54 | 0 | 2 | [3 | 8 | 11 | [13 | [17 |
| Obesity, not specified as of endocrine | | | ļ | ł | ł | ţ | | l | 1 |
| origin | 287 | 1,118 | 1 | 21 | 67 | L23 | 2 34 | 356 | 316 |
| Gout | 288 | 40 | 0 | 0 | 1 0 | 1 | 4 | 1.5 | 20 |
| Certain metabolic diseases | 289 | 9.5 | 0 | 22 | 10 | 17 | 20 | 14 | 13 |
| Tther | | 133 | 5 | 11 | 11 | 24 | 23 | 27 | 21 |
| Piseases of the blood and | 290-299 | 2.20 | . 5 | 10 | ١,, | ,, | 41 | ء ا | 59 |
| blood-forming organs | 290-299 | 209 | | | 15 | 23 | _ | 56 | |
| Certain anacmias | 292 | 53 | 5 | 2 0 | 5 | 4 5 | 12 | 10 | 16 |
| Anaemia of unspecified type | 293 | 20 | 0 | ľő | 1 6 | ĺi | 1 2 | ii | 1 6 |
| Other | | 94 | ŏ | 8 | 6 | 13 | 21 | 24 | 22 |
| Mental, psychoneurotic, and | | ŀ | | | | | | | |
| personality disorders | 300-329 | 9,076 | 307 | 1,353 | 1,084 | 1,336 | 1,602 | 1,942 | 1,452 |
| Schizophrenic disorders (dementia | 1 | 1 | } | 1 | l ' | } -, | } -, | } ~ | } -, |
| praec>x) | 300 | 3,733 | 241 | 975 | 649 | 598 | 546 | 464 | 260 |
| Manic-depressive reaction | 301 | 286 | 3 | 32 | 25 | 36 | 66 | 69 | 5.5 |
| Involutional melancholia | 302 | 781 | 0 | 4 | 44 | - 56 | 201 | 251 | 195 |
| Paranois and paranoid states | 303 | 42 | 0 | 5 | 3 | 6 | 11 | 11 | , |
| Fresenila psychosis | 305 | 54 | 0 | 1 | 1 1 | 2 | 9 | 30 | 1. |
| Psychosia with perebral | 1 | ļ | l | | ł | | | ļ | |
| Artericsclerosis | 306 |] 28 | 0 | 0 | 0 | 0 | 3 | 7 | 16 |
| Alcoholic psychosis | 307 | 56 | e | 5 | 4 | 14 |) 9 | 13 | 11 |
| Psychosis due to any disease o | | | | | | | | | L |
| injury of brain 3/ | 308 | 52 |] 2 | 14 |] 4 |) 7 | , , | 13 | 5 |
| Mental deterioration and certain other | | 1 | Í - | İ | | 1 | l | | 1 |
| psychoses of unspecified ethology | 209 | 424 | 7 | 46 | 41 | 71 | 90 | 93 | 76 |
| Anxiety reaction without mention of | | | ł. | | l | i | i | | l |
| somatic symptoms | 310 | 645 | 4 | 45 | 59 | 93 | 124 | 173 | 147 |
| Systerical reaction without mention of | 31.1 | 279 | , | 24 | 38 | 56 | 45 | 67 | 1 6 |
| anxiety reaction | 313 | 53 | 1 | - : | | 11 | 47 | 111 | |
| Obsessive-compulsive reaction | 31. | | 15 | 96 | 96 | 145 | , , | | 227 |
| Seurotic-depressive reaction | 1 314 | 1,053 | 1 , | "" | , ,, | 147 | 175 | 294 | 2 34 |
| Psychoneurosis with Somatic symptoms | 317 | 114 | 1 | 3 | 6 | 18 | 22 | 41 | 1 2 |
| affecting certain systems |] 31/ | 1 *** | 1 1 | ١, | ۰ ا | l '' | l " | i "' | l ' |
| mixed, and unspecified types | 318 | 273 | 6 | 16 | 20 | 35 | 65 | 77 | 51 |
| Pathological personality | 320 | 55 | l s | 1 3 | 1 3 | 14 | 13 | 11 | 1 7 |
| Immature personality | 321 | 58 | ا | 5 | 10 | 1 78 | ii | 1 13 | 1 3 |
| temperate bergomerrelities and transfer and | 72. | 1 20 | 1 7 | 1 1 | 1 . | ı ı | ı ., | ٠, | Ι ' |



Table 8.--Continued

| Diagnostic group | Inter- Age 1/ | | | | | | | | | |
|---|------------------|---|-------------|-------|---------|--------------|-----------------|----------|-------|--|
| and primary diagnosis | national code | Total | Under 30 | 30-39 | 40-44 | 45-49 | 50-54 | 55-59 | 60 an | |
| | | | | Femal | eContin | ued | | | | |
| Alcoholism | 322 | 101 | 0 | 8 | 8 | 14 | 28 | 28 | 15 | |
| Mental deficiency | 325 | 209 | 9 | 30 | 2.9 | 40 | 36 | 34 | 31 | |
| Chronic brain syndrome | 328 | 623 | 4 | 26 | 29 | 60 | 106 | 190 | 208 | |
| Other | | 157 | 3 | 9 | 10 | 19 | 26 | 52 | 38 | |
| Diseases of the nervous system | | | | | ţ | l | | \ | | |
| and sense organs | 330-398 | 7,874 | 148 | 584 | 615 | 915 | 1,312 | 2,078 | 2,222 | |
| Subarachnoid haemorrhage | 330 | 167 | 3 | 9 | 19 | 30 | 43 | 38 | 25 | |
| Cerebral haemorrhage | 331 | 1,329 | 2 | 33 | 44 | 143 | 234 | 405 | 468 | |
| Cerebral embolism and thrombosis | 332 | 859 | 6 | 24 | 39 | 83 | 141 | 266 | 302 | |
| Certain vascular lesions affecting | 1 22/ | 627 | 3 | J | J ,, | J 50 |] , | | | |
| central nervous system | 334 | 627 | , | 14 | 17 | 39 | 76 | 170 | 308 | |
| Meningitia, except meningococcal | 340 | 43 | 0 | 4 | 3 | و | 10 | 11 | 6 | |
| and tuberculous | 240 | 43 | ٥ | 4 | , | , | 70 | 1 11 | ۰ ا | |
| Encephalitis, myelitis, and encephalomyelitis | 343 | 46 | 0 | 6 | 5 | l 8 | 10 | 10 | Ι, | |
| Ultiple sclerosis | 345 | 878 | 65 | 205 | 170 | 159 | 149 | 91 | 39 | |
| Paralysis agitans | 350 | 518 | 1 | 1 "3 | 111 | 37 | 73 | 157 | 2 36 | |
| Cerebral spastic infantile paralysis | 351 | 59 | 4 | 6 | 12 | 3 | 13 | 15 | 1 24 | |
| Certain types of cerebral paralysis | 352 | 22 | l i | ĺž | 1 74 |) ź | 1 6 | 2 | 3 | |
| p!lepsy | 353 | 445 | 10 | 79 | 66 | 1 20 | 70 | 88 | 54 | |
| Certain diseases of the brain | 355 | 475 | 10 | 39 | 35 | 63 | 83 | 133 | 112 | |
| btor neurone disease and muscular | | | | 1 | | 1 | | | '`` | |
| at rophy | 356 | 154 | 1 | 5 | 12 | 19 | 31 | 4.7 | 39 | |
| Certain disea as of the spinal cord | 1 | | | } | i | 1 | 1 | | l | |
| inclusé g paralysis resulting from | | | | I | | l | ļ | | l | |
| spinal cord injuries | 357 | 130 | 3 | 13 | 12 | 15 | 28 | 31 | 20 | |
| sciatice | 363 | 52 | 1 | 4 | 5 | 5 | 10 | 18 |] 9 | |
| Olyneveitis and polyradiculitis | 364 | 51 | 2 | 7 | 7 | 8 | 11 | 11 | 5 | |
| ervain and unspecified forms of | | | _ | l . | | | | | ١ | |
| neuralgia and neuritis | 366 | 83 | 2 | 7 |] .7 | .3 | 14 | 23 | 17 | |
| Certain diseases of peripheral nerves | 376 | 181 68 | 0 | 12 | 27 | ۱ " <u>.</u> | 33 | 10 | 32 | |
| Certain inflammations of uveal tract | 380 | 76 | 1 | 11 2 | 8 2 | 9 | 18 | 16 24 | 27 | |
| Refractive errors of the eye | 365 | 181 | ٥ | ا و | 11 | | 11 | 61 | 78 | |
| Cataract of the eye | 386 | 38 | 2 | 4 | 1 4 | 6 2 | 5 ء 5 | 1 01 | 12 | |
| Glaucoma | 367 | 232 | 4 | 1 7 | , , | 1 17 | 39 | 67 | 94 | |
| Certain diseases of the eye | 388 | 363 | 1 3 | 38 | 21 | 34 | 51 | 118 | 95 | |
| Blindness | 389 | 194 | 10 | 17 | 20 | 25 | 31 | 47 | 44 | |
| Certain inflammatory diseases of | 1 *** | • | | 1 * | 1 | 1 | 1 | 1 ''' | | |
| the ear | 394 | 39 | | 1 | 1 | 5 | l 8 | 10 | 1 14 | |
| Meniere's diseaso | 3 25 | 116 | lo | 3 | 4 | 13 | 19 | 4.2 | 35 | |
| eaf mutism | 397 | 43 | 1 | 5 | 5 | 1 4 | 1 7 | 7 | 1 14 | |
| Deafness | 398 | 158 | 0 | 11 | 12 | 19 | 24 | 1 53 | 49 | |
| Other | | . 237 | ٥ | 16 | 25 | 30 | 39 | 68 | 54 | |
| Diseases of the circulatory system. | 400-468 | 17,054 | 58 | 397 | 631 | 1,469 | 3,049 | 5,161 | 6,229 | |
| diseases of mitral valve | 410 | 797 | 10 | 69 | 66 | 123 | 176 | 214 | 119 | |
| Diseases of acrtic valve specified | 1 | 1 | l | | | | | | l | |
| as rheumatic | 411 | 148 | 0 | 17 | 18 | 16 | 28 | 37 | 32 | |
| Certain heart diseases specified | i | 1 | l | _ | | | | l | į. | |
| as rheumatic | 416 | 931 | 10 | 67 | 85 | 131 | 198 | 248 | 189 | |
| Arteriosclerotic heart disease, | | | | | | | l | 1 | l | |
| including coronary disease | 420 | 8,758 | 2 | 64 | 228 | 632 | 1,465 | 2,732 | 3,635 | |
| Chronic endicarditis not specified | | | l . | 1 , | | ١. | | l | l . | |
| as rheumatic | 421 | 81 | 5 | 6 | 6 | 8 | 13 | 19 | 24 | |
| Certain types of myccardial | 1 , | 3.07 | Ι. | ١. | | J | | | | |
| degeneration | 422 | 296 | 1 | 5 | 8 | 15 | 45 | 5.7 | 125 | |
| | 4 2 2 | 7/ | | | | | | 3.0 | | |
| Functional disease of heart | 433 | 76 | 1 | 2 | 3 | 9 | 11 | 30 | 21 | |



Table 8.--Continued

| Diagnostic group | Inter- | | | | A | ge <u>1</u> / | | | |
|---|------------------|-------------|-------------|---|---------|---------------|------------|-----------|----------------|
| and primary diagnosis | national code | Total | Under 30 | 30-39 | 40-44 | 45-49 | 50-54 | 55-59 | 60 and over |
| | | | | Femal | eContin | ued | <u></u> | | 1 |
| Hypertensive heart disease with | |] أ | | Į. | | | | | |
| arteriolar nephrosclerosis | 442 | 75 | 0 | 1 | 3 | 13 | 15 | 25 | 18 |
| Certain and unspecified hypertensive heart disease | 443 | 2,888 | 4 | 37 | 94 | 222 | | 943 | 1,067 |
| Essential benigh Lypertension | 444 | 620 | i | 14 | 17 | 36 | 521 103 | 202 | 247 |
| Essentia malignant hypertension | 445 | 53 | ô | 1 3 | 5 | 8 | 10 | 9 | 1 12 |
| Hypertensic with arteriolar | | | | | | | | i - | |
| nephrosclerosis | 446 | 47 | 0 | 6 | 4 | 5 | 14 | 10 | a |
| Certain hypertensive disease without mention of heart | 447 | 160 | 1 | 4 | 5 | 10 | 26 | 43 | ١ . |
| General arteriosclerosis | 450 | 404 | 9 | 6 | 8 | 29 | 70 | 118 | 71 173 |
| Aortic aneurysm, non-syphilitic, and | 1 | 707 | , | | | ., | ۰° ا | 110 | 1/3 |
| dissecting aneurysm | 451 | 18 | 0 | 0 | 2 | 3 | 0 | 6 | 7 |
| Certain other aneuryst, except of | | | | | | | ł | | |
| heart and aorta | 452 | 124 | 2 | 6 | 13 | 23 | 27 | 24 | 29 |
| Peripheral vascular disease | 453 | 115 39 | 3 | 6 | 8 | 22 | 17 13 | 25 | 34 14 |
| Certain diseases of arteries | 456 | 174 | 9 | 24 | 17 | 18 | 32 | Z 4 | 30 |
| Varicose veins of lower extremities | 460 | 301 | 1 | j | 12 | 31 | 64 | 82 | 104 |
| Fhlebitis and thrombophiebitis of | | | | 1 | | | 1 | | |
| lower extremities | 463 | 172 | 2 | | 1' | 19 | 46 | 48 | 38 |
| Phlebi'is and thrombophlebitis of certain sites | 1 | 3.63 | • | , , | | ., | ٠,, | | l |
| Certain diseases of circulatory system. | 464 467 | 141 147 | 0 | 9 | 6 | 14 | 31 30 | 40 43 | 41 |
| Other | 1 1 | 201 | 2 | 14 | 17 | 15 26 | 58 | 51 | 33 |
| | | | - | • | • • • | 20 | ~ | · ^ |] " |
| Diseases of the respiratory | 1 1 | | | | | i | 1 | } | } |
| system | 470-529 | 2,615 | 8 | 74 | 145 | 275 | 541 | 783 | 769 |
| Chronic bionchitis | 502 | 542 | 4 | 24 | 35 | 73 | 114 | 133 | 1.18 |
| Pneumoroniosis due to silica and silicates | 523 | 7 | 0 | . 0 | 0 | ι | 2 | 2 | 2 |
| Certain chronic interstitial pneumonia | 525 | 107 | ĭ | ا ن | , | 9 | 28 | 39 | 22 |
| Pronchiectasis | 526 | 102 | i i | Š | 10 | g | 27 | 20 | 30 |
| Certain diseases of lung and pleural | | | | ì | | | | | |
| cavity | 527 | 169 | 0 | 10 | 14 | 16 | 33 | 52 | 44 |
| Emphysema | 4/ 528 | 1,618 | 0 | 28 | 77 | 156 | 324 | 518 | 515 |
| Other | | 70 | 2 | 3 | 4 | 11 | 13 | 19 | 18 |
| Diseases of the digestive system | 53087 | 1,444 | 13 | 86 | 102 | 203 | 292 | 362 | 386 |
| Ulcer of stomach | 540 | 64 | 0 | . 2 | 7 | 13 | 13 | 14 | 15 |
| Ulcer of Juodenum | 541 | 96 | 0 | 6 | 6 | 13 | 13 | 28 | 30 |
| Disorders of function of stomach | 544 | 103 | 0 | 8 | 6 | 18 | 19 | 32 | 20 |
| Certain diseases of stomach and duodenum | 545 | 29 | 0 | 2 | 1 | 2 | 6 | ' g ! | 10 |
| dernia of abdominal carity without | -43 | · ''[| ٠ | 1 | | 4 | ٥ | | 10 |
| mention of obstruction | 5.0 | 126 | С | 1 | 5 | 11 | 24 | 3.8 | 47 |
| Chronic enteritis and ulcerative | 1 1 | | | | | | | | |
| celitis | 572 | 224 | εj | 24 | 17 | 32 | 39 | 38 | 66 |
| Certain diseases of intestines | | ا ا | | , | , | | ,, | | |
| and peritoneum | 578 581 | 88] 414 | 1 | 18 | 3 3 | 8 65 | 22 101 | 21 108 | 29 1.8 |
| Other diseases of liver | 583 | 37 | 2 | 0 | 3 | 7 | 3 1 | 13 | 7 |
| Diseases of pancress | 587 | 61 | ī | 6 | 7 | 15 | 12 | 3 | 11 |
| Other | | 202 | 0 | 15 | 14 | 19 | 38 | 53 | 63 |
| Diameter of all and the second | 1 | : 1 | | | | i | | | |
| Diseases of the genito-urinary system | 590-637 | 767 | 9 | 64 | 63 | 110 | 159 | 189 | |
| Chronic nephritis | 592 | 87 | 1 | 12 | 12 | 110 | 16 | 21 | 182 13 |
| Sephritis not specified as acute | " | ٠, ١ | 1 | · · · I | ** | - '* | • • | •• | 1, |
| | | | | | 6 | | | | |



Table 8.--Continued

| Diagnostic group | Inter- | | | | | ge <u>1</u> / | | | |
|--|--|-----------|-------------|------------|----------|---------------|----------|-----------|----------------|
| and primary Jiagnosia | national code | Total | Under 30 | 30-39 | 40-44 | 45-49 | 50-54 | 55-59 | 60 and over |
| | | | L | Femal | eContin | ued | | | |
| Infections of kidney | 600 | 263 | 4 | 25 | 19 | 31 | 50 | 72 | 62 |
| Certain diseases of kidney and wreter | 603 | 50 | ō | l ś | ĺ | 7 | 1 | 14 | 16 |
| Cther | | 319 | ž | 15 | 25 | 50 | 74 | 68 | 84 |
| Diseases of the skin and cellular | | | ĺ | | | 1 | İ | ł | |
| tissue | 690-716 | 428 | 8 | 3 0 | 54 | 65 | 78 | 91 | 82 |
| Erythematous conditions | 795 | 131 | 6 | 26 | 22 | 18 | 23 | 22 | 14 |
| Psoriasis and similar disorders | 706 | 35 | Ú | 1 | 0 | 5 | 6 | 13 | 10 |
| Certain hypertrophic and atrophic | 710 | | 2 | 14 | ٠ | 30 | 26 | 25 | 28 |
| conditions of skin | 715 | 146 27 | 1 6 | 1 2 | 21 | 30 | 20 | 1 43 | 1 "7 |
| Other | 713 | 89 | ő | 7 | 6 | 12 | 19 | | 23 |
| other, | | 67 | ١ | i ' | ľ | 12 | 1,7 | 22 | " |
| Diseases of the bones and | | | | | | | | | |
| and organs of movement | 720-749 | 10,148 | 60 | 490 | 689 | 1,067 | 1,889 | 2,801 | 3,152 |
| organisms | 720 | 32 | ٥ | 1 | ı | 3 | 3 | 14 | 10 |
| Rheumatoid arthritis and allied conditions | 722 | 2,975 | 28 | 141 | 227 | 361 | 620 | 822 | 176 |
| Osteo-arthritis and allied | 723 | | _ | i | ٠ | | | i , ,,, | |
| conditions | | 3,262 | 0 | 26 | 55 | 143 | 479 | 1,057 | 1,502 |
| Certain forms of arthritis | 724 725 | 94 | 0 | 6 7 | 8 7 | 14 | 15 57 | 25 118 | 26 151 |
| Arthritis, unspecified | 726 | 371 87 | l ĭ | 1 1 | 1 7 | 111 | 20 | 17 | 20 |
| Osteomyelitis and periostitis | 730 | 152 | 6 | 1 14 | 12 | 25 | 1 35 | 36 | 30 |
| Osteitis deformans | 731 | 36 | ň | 0 | 10 | 23 | ا ا | 13 | 17 |
| Certain diseases of bone | 733 | 605 | l š | 28 | 49 | 63 | 97 | 168 | 197 |
| Displacement of intervertebral disc | 735 | 1,613 | 16 | 170 | 229 | 283 | 371 | 306 | 233 |
| Affection of sacro-iliac joint | 736 | 47 | ا آه | l ''2 | 5 | 1 7 | lii | 12 | 10 |
| Ank losis of joint | 737 | 136 | 2 | 12 | 19 | 32 | 33 | 23 | 15 |
| Cercain diseases of join | 738 | 171 | ٥ | 21 | 21 | 17 | 38 | 34 | 40 |
| Synovitis, bursitis, and tenosynovitis without mention of occupational | İ | | İ | | { } | ĺ | | | |
| origin | 741 | 72 | ٥ | ٥ | 6 | 6 | 13 | 24 | 23 |
| Certain diseases of ruscle, tendon, | 744 | 187 | 5 | 27 | 27 | 26 | 40 | 39 | 23 |
| and fascia | 745 | 151 | ; | ٠ <u>′</u> | , , | 19 | 25 | 50 | 42 |
| Residual deformities of the bones | ! '*' | 131 | • | '; | ' | 1 1 | | . ,, | 72 |
| and jrints 5/ | 749 | 77 | 2 | 8 | 3 | 15 | 11 | 21 | 17 |
| Other | | 80 | 2 | 3 | 6 | 9 | 17 | 22 | 21 |
| Congenital malformations | 750-723 | 61.6 | 18 | 87 | 80 | 110 | 122 | 178 | 71 |
| congenital malformations of nervous system and school organs | 753 | 134 | | 27 | 18 | 18 | 25 | 27 | 15 |
| Congenital malformations of circulatory system | 754 | 117 | ь | 21 | 14 | 25 | 30 | 16 | 3 |
| Congenital malformations of genito- | 757 | 7.0 | 1 | 5 | 10 | 17 | 16 | 21 | 8 |
| Congenital malformations or bone | 758 | 78 247 | 4 | 25 | 31 | 45 | 47 | 56 | 39 |
| Cettain and unspecified congenital | ì | - | | | | | } | i | |
| malformations | 759 | 28 12 | 0 | 6 3 | 5 2 | 3 | 1 | 6 2 | 5 |
| Alternative classification of | | | | | | | | | |
| actidents, poisonings, and | | | | | | | | | |
| violence | 800-999 | 3,041 | 76 | 222 | 225 | 361 | 528 | 686 | 941 |
| Certain and unqualified skull fractutes. | 803 | 16 |] 3 |] 3 | 1 | 3 | 1 | 1 4 | 1 |
| Multiple fractures involving skull | 201 | ١ , | Ι, | Ι, | Ι. | Ι, | ١. | ١. | 2 |
| or face with other hones | 804 | 29 | 4 | 6 | l 3 | l 6 | 3 | 1 5 | |



Table 8.--Continued

| Diagnostic group | Inter- | | _ | | A | ge <u>1</u> / | | | |
|--------------------------------------|------------------|-------|-------------|-------|---------|---------------|-------|-------|----------------|
| and primary diagnosis | national code | Total | Under 30 | 30-39 | 40-44 | 45-49 | 50-54 | 55-59 | 60 and over |
| | | | | Femal | eContin | ued | | | |
| racture and fracture dislocation of | | | | | | | | | |
| vertebral column without mention | Į l | | | | | i i | ' | | İ |
| of spinal cor! lesion | 805 | 182 | 3 | 10 | 8 | 15 | 17 - | 47 | 82 |
| racture and fracture dislocation of | ļ l | | | | | | 1 | | |
| vertebral column with Spinal cord | 1 | | | | | | l . | i | |
| lesion | 806 | 38 | 2 | 14 | 4 | 5 | 9 . | 4 | 1 0 |
| racture of pelvis | 808 | 45 | 1 | - 4 | 8 | 6 | a | 4 | 14 |
| ultiple and ill-defined fractures | 1 *** | | _ | | ľ | Ť | 1 | | |
| of trunk | 809 | 113 | 4 | 16 | 10 | 16 | 20 | 14 | 33 |
| racture of humerus | 812 | 41 | i | 1 | 3 | ž | l ž | 16 | l 17 |
| racture of radius and ulna | 813 | 43 | ň | 3 | 4 | 3 |] 7 | 4 | 22 |
| racture of neck of femur | 820 | 552 | š | 8 | 10 | 35 | 82 | 160 | 254 |
| ertain fractures of femur | 821 | 350 | 9 | 20 | 19 | 12 | 66 | 83 | 121 |
| racture of tibia and ibula | 823 | 242 | 9 | 24 | 19 | 37 | 39 | 57 | 57 |
| | 824 | 118 | í | 6 | ii | 14 | 25 | 21 | 40 |
| racture of ankle | 024 | 110 | 1 | ٥ | *1 | 14 | , " | | 1" |
| racture of one or more tarsal | € 25 | 31 | n | 3 | 1 | 3 | 9 | 5 | 1 10 |
| and metatarsal bones | L 6:3 | 3, | U | , | 1 | Ι, | , | , | 1 10 |
| Certain, multiple, and ill-defined | | l' | ١, | | 4 | ١ ,, ١ | 14 | 17 | 20 |
| freetures of lower limb | 827 | 75 | 1 | 6 | i " | 13 | 1 14 | 17 | ۱ '' |
| Sultiple fractures involving both | | | | 1 | | | | 1 | l |
| lower limbs, lower with upper limb, | 1 | | | | | | } | | ١ |
| and lower limb with rib and sternum | 828 | 296 | 4 | 19 | 29 | 37 | 51 | 79 | 77 |
| prains and strains of sacro-iliac | | | _ | i | | | | | ١ |
| region | 846 | 107 | 0 | 5 | 16 | 17 | 20 | 22 | 27 |
| prains and strains of certain and | | | | _ | | | | | l |
| unspecified parts of back | 847 | 89 | 1 | 7 | 10 | 10 | 20 | 19 | 2 2 |
| Concussion | 852 | 42 | 4 | 3 | 5 | 6 | 9 | 5 | 10 |
| Gerebral laceration and contusion | 85 3 | 25 | 5 | 4 | 1 | 4 | 8 | 2 | l 1 |
| Ce.tain and unspecified intracranial | | | | Ì | | Į. | | l : | i . |
| aemorrhage following injury | 855 | 20 | 1 | 1 | 4 | 2 | 5 | 4 | 3 |
| ertain head injuries including those | 5 | 1 | | l . | | i | | , , | ļ |
| of unspecified nature | 856 | 43 | 3 | 12 | 4 | 12 | 4 | 5 | 3 |
| nternal injuries, unspecified | 869 | 6 | O | 2 | 2 | 0 | 1 | 1 1 |] 0 |
| raumatic amputation of arm and hand | RRR | 8 | 0 | 1 | 1 2 | 2 | 1 | 1 | 1 |
| raumatic amputation of leg | 898 | 17 | 1 | 0 | 1 3 | 4 | 4 | 4 | 1 |
| turn involving certain and | | | | | | l | ļ | | ŀ |
| unspecified parti | 949 | 45 | 4 | 5 | 4 | 9 | ! 8 | 5 | 10 |
| pinal cord lesion without evidence | | | | | l . | | 1 | | ! |
| of spinal bone injury | 958 | 47 | 5 | 6 | 6 | 4 | 9 | 1 12 | 5 |
| ther negratingury, including nerve | 1 775 | i " | | l | Ι " | i ' | 1 | | , |
| injury of several parts | 959 | 21 | 2 | 0 | lι | 5 | 5 | 4 | 1 4 |
| ertain and unspecified injury | 996 | 87 | 3 | 10 | l ii | 8 | 25 | l ii | 1 19 |
| ertain and unspecified injury | | 313 | 5 | 23 | 22 | 51 | 56 | 71 | 85 |
| EDCI, | | ,,,, | , | ١ ' ا | '' | l " | 1 | ' ' | ľ |
| 11 others <u>6</u> / | | 59 | . 2 | 5 | 4 | 9 | 14 | 13 | 1 12 |



^{1/} Age on birthday in 1966.
2/ Other than takes dorsalis and general paralysis of insane.
3/ Excludes senile psychosis (code 304), presentle psychosis (code 305, psychosis with cerebral arterioaclerosis (code 306), and mental deterioration and certain other psychoses of unspecified etiology (code 305).
4/ Special modification of the international code.
5/ Deforminies, such as malumion or nomumion of a fracture, amputation, or shortened extra ity, resulting from traumatic conditions.
6/ Diagnoses not included in diagnostic groups shown above.

Table 9.--Worker disability sl.ouances: Number by diagnostic group and age, and percentage distribution by year of onset of disability, 1966

| Diagnostic group | Tot | -1 | Per | | e distri | | by year Ity |
|--|--|---|---|--|--|---|--|
| , and the second | Number | Per- cent | 1966 | 1965 | 1964 | 1963 | 1962 and earlier |
| Totel | 273,513 | 100.0 | 21.9 | 54.0 | 13.8 | 4.4 | 5.9 |
| Infective and perestitic Usecases Under 35 | 11,248 1,204 4,166 4,087 1,644 | 100.0 100.0 100.0 100.0 100.0 | 24.1 26.2 25.4 24.0 21.2 4.8 | 55.0 55.6 54.7 54.7 56.8 45.6 | 13.1 13.9 13.0 12.8 12.5 26.5 | 3.3 2.8 2.8 3.6 3.8 6.1 | 4.5 1.3 4.0 5.1 5.8 17.1 |
| Neoplasms. Under 35. 35-49. 50-59. 60-64. 65 and over. | 29,241 945 6,333 13,016 8,258 689 | 100.0 100.0 100.0 100.0 100.0 | 28.5 30.2 28.6 29.2 29.1 5.4 | 58.9 56.0 58.1 59.3 58.5 64.4 | 9,3 9,9 9,7 8,4 9,4 | 2.0 1.5 2.2 2.0 1.7 6.2 | 1.3 2.4 1.3 1.1 1.1 4.6 |
| Allergic, endocrire system, metabolic, and nutritional diceases. Under 35. 35-49. 50-59. 60-64. 65 and over. | 10,043 355 2,082 4,408 2,985 213 | 100.0 100.0 100.0 100.0 100.0 | 20.8 22.8 21.1 21.2 20.7 6.1 | 53.7 54.1 51.1 53.8 55.7 47.9 | 14.9 12.4 16.0 14.5 14.1 27.7 | 4.9 5.6 5.3 5.0 3.8 12.2 | 5.7 5.0 6.5 5.5 5.6 6.0 |
| Mental, prychoneurotic, and personality disorders | 30,489 4,010 11,710 10,084 4,367 318 | 100.0 100.0 100.0 100.0 100.0 | 11.9 12.5 11.1 11.7 14.8 2.2 | 45.8 46.7 -2.6 47.9 49.3 35.2 | 19.3 21.3 19.2 19.5 17.4 22.0 | 7.2 8.7 7.4 6.7 6.2 11.9 | 15.8 10.9 15.8 14.1 12.2 28.6 |
| Disease of the nervous system and sense organs | 32,9/1 1,531 7,119 13,447 9,881 993 | 100.0 100.0 100.0 100.0 100.0 | 26.0 21.4 23.3 28.0 28.0 4.9 | 51.5 48.0 48.6 52.0 53.7 48.2 | 11.2 15.3 12.1 10.3 10.0 22.0 | 3.9 4.9 4.7 3.5 3.2 11.2 | 7.6 10.4 11.3 6.3 5.1 13.6 |
| Disease of the risculatory system 'nder 35 | 73,765 698 10,594 22,094 27,922 2,457 | 100.0 100.0 100.0 100.0 100.0 | 25.4 25.9 24.6 26.3 26.6 3.7 | 56.5 54.7 56.5 56.5 56.8 52.8 | 11.2 11.2 12.1 11.0 10.4 22.5 | 3.4 4.9 3.3 3.1 3.0 10.7 | 3.5 3.2 3.5 3.2 3.1 10.3 |
| Disease of the respiratory system Under 35 | 21,338 132 2,472 9,813 8,257 664 | 100.0 100.0 100.0 100.0 100.0 | 22.1 15.9 20.8 22.7 23.4 3.6 | 55.9 59.8 55.4 57.1 55.8 42.6 | 13.7 15.2 14.5 12.8 13.3 28.6 | 4.4 6.8 5.2 3.9 3.8 14.8 | 3.9 2.4 4.1 3.4 3.7 10.6 |
| Disease of the digestive system | 6,234 204 1,548 2,752 1,605 125 | 100.0 100.0 100.0 100.0 100.0 | 16.4 16.2 13.8 16.8 19.3 4.0 | 55.2 54.4 56.3 54.4 56.0 49.6 | 18.3 19.6 19.2 19.0 15.6 25.6 | 5.1 6.4 5.4 4.8 4.6 12.0 | 5.0 3.5 5.4 5.2 4.3 8.8 |
| Disease of the bones and organs of movement. Under 35. 35-49. 50-59. 60-64. 65 and over. | 34,474 1,613 8,889 13,733 9,574 665 | 100.0 100.0 100.0 100.0 100.0 | 17.1 15.0 14.4 17.7 20.2 3.3 | 57.6 52.9 50.5 53.2 54.4 44.7 | 17.7 22.6 20.2 17.0 15.1 24.1 | 6.5 6.3 8.0 6.1 5.1 12.9 | 6.1 3.0 6.9 6.1 5.2 |
| Accidents, poisonings, and violence Under 35 | 17,090 2,663 5,652 5,409 3,054 312 | 100.0 100.0 100.0 100.0 100.0 | 16.4 20.8 15.1 16.2 16.4 3.8 | 55.3 59.5 55.4 53.8 54.6 47.8 | 14.0 18.7 18.2 18.6 30.1 | 5.5 3.6 5.6 6.0 5.2 9.9 | 4.9 2.1 5.1 5.8 5.1 8.2 |
| Other | 6,620 | 100.0 | .1.0 | 52.2 | 14.4 | 4.7 | 7.8 |

Table 10.--Worker disability allowances: Fifteen primary diagnoses occurring most often among workers by sex, and percent of total, 1966

| | Primary diagnosis | Inter- uational code | Number | Per- cent | Cumu- lative per- cent |
|------------------------|---|----------------------------|-------------------------|-------------------|---------------------------------|
| | | Ţ | Total | | |
| 1. | Arteriosclerotic heart disease, | | · | [| |
| | including corciary disease | 420 | 45,714 | 16.7 | 16.7 |
| 2. | Emphysema | 528 | 16,998 | 6.2 | 22.9 |
| | pra.co>) | 300 | 13,097 | 4.8 | 27.7 |
| 4. | Osteo-arthritis and allied conditions | 723 | 10,336 | 3.8 | 31.5 |
| 5. | Hypertensive heart discase, with clinical type unspecified | 443 | 9,193 | 3.4 | 34.8 |
| 6. | Pulsonary tuberculosis | 002 | 8,643 | 3.2 | 38.0 |
| 7. 0. | Displacement of intervertebral disc | 735 | 8,544 | 3.1 | 41.1 |
| ű. | Rheumatoid arthritis and allied conditions | 722 | 7,028 | 2.6 | 43.7 |
| 9. | Diabetes mellitus | 260 | 6,845 | 2.5 | 46.2 |
| 10, | Cerebral haemorrhage | 331 | 6.358 | 2.3 | 48.5 |
| 11. | Cerebral embolism and thrombosis Malignant neoplasm of lung and | 332 | 4,754 | 1.7 | 50.2 |
| 14. | bronchus, not specified as | | | [| |
| | primary or secondary | 163 | 3,662 | 1.3 | 51.5 |
| 13. 14. | Chronic brain syndrome | 328 450 | 3,446 | 1.3 | 52.8 53.9 |
| 15. | Certain Vascular lesions allecting | 1 130 | 1 3,031 | 1 | 33.9 |
| | central nervous system | 334 | 2.975 | 1.1 | 55.0 |
| | | | Male | ! | |
| 1. | Arteriosclerotic heart disease, | | | | |
| | including coronary disease | 420 | 36,956 | 17.9 | 17.9 |
| 2. | Ehysema | 523 | 15,3. | 7.5 | 25.4 |
| 3. | Schizophrenic disorders (dementia praecox) | 30c | 9,364 | 4.5 | 29.7 |
| 4. | Pulmonsty tuberculosis | 002 | 7,629 | 3.7 | 33.6 |
| 5. | Ostec-arthritis and allied conditions | 723 | 7,074 | 3.4 | 37.0 |
| 6 7. | Displacement of intervertebral disc, | 735 | 6,931 | 3.4 | 41.+3 |
| ٠. | Hypertensive heart disease, with clinical type unspecified | 443 | 6,310 | 3.1 | 43.4 |
| В. | Cerebral haemorthage | 331 | 5,029 | 2.4 | 45.8 |
| 9. 10. | Diabetes mellitus | 260 | 4,724 | 2.3 | 48.1 |
| 10. | conditions | 722 | 4,053 | 2.0 | 50.1 |
| 11. | Cerebral embolism and thrombosis | 332 | 3,895 | 1.9 | 51.9 |
| 12 | Malignant neoplasm of lung and bronchus, not specified as | 1 | | 1 | |
| | primary or secondary | 163 | 3,334 | 1.6 | 53.6 |
| 13. | Chronic brain syndrome | 328 | 2,823 | 1.4 | 54.9 |
| 14. | General arteriosclerosis | 450 | 2,647 | 1.3 | 56.2 |
| 15. | Certain vascular lesions affecting central nervous system | 334 | 2.348 | 1.1 | 57.3 |
| | | | Female | L | |
| 1. | Arteriosclerotic heart disease, | | | | |
| •• | including coronary disease | 420 | 8,758 | 13.0 | 13.0 |
| 2. | Schizophrenic disorders (dementia | 1 | 1 | | |
| 3. | Osteo-estheitie and allied conditions | 300 723 | 3,733 3,262 | 5.6 4.9 | 18.6 23.5 |
| 4. | Osteo-arthritis and allied conditions Rheuma'nid arthritis and allied | 1 '4' |],,,,,,, | | 43.3 |
| | conditions | 727 | 2,975 | 4.4 | 27.9 |
| 5. | Hypertensive heart disease, with | l | , | 4,3 | 32.2 |
| 6. | clinical type unspecified | 443 260 | 2,888 | 3.2 | 35.4 |
| | Malignant neoplasm of breast | 170 | 1.874 | 2.5 | 38.1 |
| 7. | Emphysema | 528 | 1.618 | 2.4 | 40.6 43.0 |
| В. | Na-1 | 735 | 1,613 1,329 | 2.4 | 44.9 |
| 8. 9. | Displacement of intervertebral disc | 331 | | | |
| В. | Displacement of intervertebral disc Cerebral haemorrhage Obesity, not specified as of | 331 | ł | j , | |
| 8. 9. 10. 11. | Displacement of intervertebral disc Cerebral haemorthage Obesity, not specified as of endocrine origin | 331 287 | 1,118 | 1.7 | 46.6 |
| 8. 9. 10. 11. | Displacement of intervertebral disc Cerebral haemorrhage Obesity, not specified as of endocrine origin Malignant neoplasw of certain and unspecified sites | 287 199 | 1,118 | 1.7 | 46.2 |
| 8. 9. 10. 11. | Displacement of intervertebral disc Cerebral haemorrhage Obesity, not specified as of endocrine origin Malignant neoplasm of certain and unspecified sites Neurotic-depressive reaction | 287 199 314 | 1,118 1,053 1,053 | 1.7 1.6 1.6 | 4d.2 49.7 |
| 8. 9. 10. 11. | Displacement of intervertebral disc Cerebral haemorrhage Obesity, not specified as of endocrine origin Malignant neoplasw of certain and unspecified sites | 287 199 | 1,118 | 1.7 | 46.2 |

Table 11.--Worker disability allowances: Ten ptimary diagnoses occurring most often among workers, by age, \underline{M} and percent of total, 1966

| Primary diagnosis | Inter- national code | Number | Per- cent | Circu+ lative percent |
|---|----------------------------|-----------------|--------------|-----------------------------|
| | | Voder #g | e 40 | |
| chizophrenic disorders (dementia praecox) | 300 | 5,269 | 19.6 | 19.6 |
| ulmonary tubetculosis | 502 | 1,883 | 7.0 | 26.7 |
| displacement of intervertebral disc | 735 | 1,756 | 6.5 | 33,2 |
| rteriosclerotic heart diseass, including | | l | | |
| coronary disease | 420 | 686 608 | 2.6 | 35.8 38.0 |
| ultiple sclerosispilepsy | 345 353 | 536 | 2.3 | 40.0 |
| racture of tibis and fibuls | 823 | 533 | 2.0 | 42.0 |
| ighetes mellitus | 260 | 497 | 1.9 | 43.9 |
| lower with upper limb, and lower limb with | 828 | 489 | 1.2 | 45.7 |
| rib and sternum | 722 | 432 | 1.6 | 47.3 |
| | - | <u> </u> | i | 472 |
| | <u></u> | Aged 4 | 0-49 | 1 |
| rteriosclerotic heart disease, including | 420 | 5,115 | 10.3 | 10.3 |
| chizophrenic disorders (dementis praecox) | 300 | 4,389 | 8.8 | 19.1 |
| isplacement of intervettebral disc | 735 | 2,709 | 5.4 | 24.5 |
| ulmonary tuberculosis | 002 | 2.590 1,582 | 5.2 3.2 | 29.7 32.9 |
| mphysemaheumatoid arthritis and allied conditions | 1/ 528 722 | 1,405 | 2.8 | 35.7 |
| isbetes mellitus | 250 | 1,111 | 2.2 | 37.9 |
| ertain and unspecified hypertensive | | 1 | | 1 |
| heart disease | 443 | 1,044 | 2.1 | 40.0 |
| steo-arthritis and silied conditionsultiple scierosis | 723 345 | 805 743 | 1.6 1.5 | 41.6 43.1 |
| | | Aged | :4 | <u> </u> |
| | - - | г — | I | |
| rteriosclerotic heart disease, including | 1 | | | ١ |
| coronary disease | 426 1/ 528 | 7.002 2,580 | 15.8 | 15.8 21.7 |
| aphysema | 300 | 1,594 | 3.8 3.6 | 25.3 |
| ertain and unspecified hypertensive | | -, | | 1 |
| heart disease | 443 | 1,537 | 3.5 | 28.8 |
| ulmonary tuberculosis | 002 | 1,516 | 3.4 | 32.2 |
| displacement of intervertebral discsteo-arthritis and allied cooditions | 735 723 | 1,493 1,377 | 3.4 | 35.6 36.7 |
| theuratoid arthritis and allied conditions | 722 | 1,370 | 3.1 | 41.7 |
| Habetes mellitus | 260 | 1,089 | 2.5 | 44.2 |
| erebral haemorrhage | 331 | 1,072 | 2.4 | 46.7 |
| | | Aged 5 | 5-59 | |
| rterioaclerotic heart disease, including | | | _ | |
| coronaty disease | 420 1/528 | 12,885 5.208 | 19.2 7.8 | 19.2 27.0 |
| steo-arthritie and allied conditions | 1/ 7/23 | 3.020 | 4.5 | 31.5 |
| ertain and unapositied hypertensive | | | | |
| heart disease | 443 | 2,763 | 4.1 | 35.6 |
| heumatoid arthtiis and allied conditions | 722 | 1,863 | 2.8 | 38.4 |
| elsbetes mellitusetebral haemorrhäge | 260 331 | 1,859 1,832 | 2.8 | 41.2 43.9 |
| ulmonary tuberculosis | 002 | 1,493 | 2.2 | 46.1 |
| isplacement of intervertebral disc | 735 | 1,394 | 2.1 | 48.2 |
| erebral embolism and thrombosis | 332 | 1,372 | 2.0 | 50.2 |
| | | Aged 60 e | ind over | _ |
| arterioscierotic heart diseass, including | 420 | 20,026 | 23.4 | 23.4 |
| coronary disasse | 1/ 528 | 7,424 | 8.7 | 32.1 |
| eteo-arthritis and allied conditions | 723 | 4,986 | 5.8 | 37.9 |
| ertain and unapecified hypettensive |] | | | l |
| beart disesse | 143 | 3,688 | 4.3 | 42.2 |
| erebral haemorrhage | 331 | 2,612 | 3.1 | 45.3 47.9 |
| riabetes mellitue | 722 | 2,289 1,955 | 2.7 | 50.2 |
| erebral subplish and thromboais | 332 | 1,883 | 2.2 | 52.4 |
| ertain vascular lesions affecting central | l *** | l | | l |
| | 334 | 1,558 | 1.8 | 54.2 |
| nervous system | 450 | 1.527 | 1.8 | 56.0 |

^{1/} Special modifitation of the international code.



Table 12. -- Worker disability allowances: Leading causes of disability by sex, 1957-66

| | | Arterior hea | | Emphy (52 | | Schizor disor (30 | dera | Hyperte hea (44 | rt | Osteo-a: (72 | | tuberco | |
|--------------|----------------------|------------------|-----------------------------|------------------|-----------------------------|-------------------------|-----------------------------|-----------------------|--|-----------------|-----------------------------|-----------------|-----------------------------|
| Year | Worker allowances | Number | Per- cent of total | Number | Par- cent of total | Number | Per- cent of total | Number | Per- cent of total | Number | Fer- cent of total | Fumber | Per- cent of total |
| | | | | | | | To | tal . | | | | | |
| 1957 | 165,003 | 29,920 | 18.1 | 8,835 | 5.4 | 6,439 | 3.9 | 10,217 | 6.2 | 4,654 | 2.8 | 8,618 | 5.2 |
| 1958 | 1.84 , 476 | 32,830 | 17.8 | 10.905 | 5.9 | 11,180 | 6.1 | 9,542 | 5.2 | 4,187 | 2.3 | 11,210 | 1.1 |
| 1959 | 178,952 | 34,172 | 19.1 | 11,541 | 6.7 | 10,183 | 5.7 | 8,704 | 4.9 | 5,494 | 3.1 | 9,134 | 1.1 |
| 1960 | 172,419 | 35,685 | 19.9 | 12,343 | 6.9 | 7,745 | 4.3 | 8,439 | 4.7 | 6,449 | 3.6 | 7,456 | 4.2 |
| 1961 | 241,060 | 43,814 | 18.2 | 15,271 | 6.3 | 14,281 | 5.9 | 10,933 | 4.5 | 6,748 | 2.8 | 10,775 | 4.5 |
| 1962 1963 | 286,434 | 49,023 | 17.1 18.4 | 17,630 14,897 | 6.2 | 19,870 | 6.9 | 13,578 | 4.7 | 9,378 7,255 | 3.3 | 11,206 8,009 | 3.9 |
| 1964 | 209,475 | 39,425 | 18.8 | 13,780 | 6.6 | 11,038 | 3.3 | 9,092 | 4.3 | 7,223 | 3.4 | 5,936 | 2.8 |
| 1965 | 267,738 | 45,529 | 17.0 | 16,879 | 6.3 | 16,335 | 6.1 | 10,667 | 4.0 | 3,817 | 3.7 | 7.870 | 2 9 |
| 1966 | 273,513 | 43,714 | 16.7 | 16,998 | 6.2 | 13,097 | 4.8 | 9,198 | 3.4 | 336 | 3.8 | 8,643 | 3.2 |
| | | L | 11 | | · | 1 | Х. | .le | <u>. </u> | L | l | 1 | |
| 1957 | 134,621 | 25,666 | 19.1 | 8,291 | 6.2 | 4,958 | 3.7 | 7,459 | 5.5 | 3.605 | 2.7 | 8,011 | 1 6.0 |
| 1958 | 151.519 | 28,454 | 18.8 | 10.228 | 6.8 | 8,558 | 3.6 | 7.178 | 4.7 | 3.227 | 1 ::1 | 10,409 | 6.5 |
| 1959 | 146,898 | 29,357 | 20.0 | 11,196 | 7.6 | 7,692 | 5.2 | 6,523 | 4.4 | 4.283 | 2.9 | 8,477 | 5.8 |
| 1960 | 147,504 | 30,805 | 20.9 | 11,613 | 7.9 | 5,799 | 3.9 | 5,445 | 4.3 | 5,066 | 3.4 | 6,937 | 4.7 |
| 1961 | 193,616 | 37,411 | 19.3 | 14,222 | 7.3 | 10,824 | 5.6 | 71 | 4.2 | 5,275 | 2.7 | 9,803 | 5.1 |
| 1962 | 224,519 | 40.552 | 18.1 | 16,254 | 7.2 | 15,028 | 6.7 | 9,674 | 4.3 | 6,919 | 3.1 | 10,186 | 4.5 |
| 1963 1964 | 174,186 161,967 | 33,682 32,248 | 19.3 | 13,656 12,535 | 7.8 | 9,427 8,202 | 5.4 5.1 | 7,473 6,419 | 4.3 | 5,212 5,187 | 3.0 | 7,263 5,327 | 3.3 |
| | l ' | | | • | | 1 | | | | ' | | ' | ŀ |
| 1965 1966 | 201,094 206,398 | 36,390 36,956 | 18 1 17.9 | 15,161 15,380 | 7.5 | 9,364 | 5.8 4.5 | 7.264 6.310 | 3.6 3.1 | 6,720 7,074 | 3.4 | 7,044 7,629 | 3.7 |
| | | | | | | · | Fet | ule | | | · | | ··· |
| 1957 | 30,382 | 4,254 | 14.0 | 544 | 1.8 | 1,461 | 4.9 | 2,758 | 9.1 | 1,049 | 3.5 | 607 | 2.0 |
| 1958 | 32,957 | 4,376 |] 13.3 J | 677 | 2.1 | 2,622 | 8.0 | 2,364 | 7.2 | 960 | 2.9 | 801 | 2.4 |
| 1959 | 32,004 | 4,815 | 15.0 | 745 | 2.3 | 2,491 | 7.8 | 2,181 | 6.8 | 1,211 | 3.8 | 65? | 2.0 |
| 1960 | 31,815 | 4,880 | 15.3 | 730 | 2.3 | 1,946 | 6.1 | 1,994 | 6.3 | 1,383 | 4.5 | 519 | 1.6 |
| 1961 | 47.444 | 6,403 | 13.5 | 1,049 | 2.2 | 3,457 | 7.3 | 2,862 | 6.0 | 1,473 | 3.1 | 972 1.020 | 2.0 |
| 1962 1963 | 61,915 50,043 | 8,471 7,486 | 13.7 15.0 | 1,376 | 2.2 | 4,842 3,285 | 7.8 | 3.904 3.043 | 6.3 6.1 | 2,459 | 4.0 | 746 | 1.5 |
| 1964 | 47,508 | 7,177 | 15.1 | 1,245 | 2.6 | 2,836 | 6.0 | 2,673 | 5.6 | 2,036 | 4.3 | 609 | 1.3 |
| | • | ĺ | 1 | | i | ł | 1 | 1 | 1 | 1 | i | 826 | 1.2 |
| 1965 | 66,644 67,115 | 9,139 8,758 | 13.7 13.0 | 1,718 | 2.6 | 4,685 3,733 | 7.0 5.6 | 3,403 2,888 | 5.1 | 3,097 3,262 | 4.6 | 1,014 | 1.5 |



Table 13.--Worker disability allowances: Number and percentage distribution by diagnostic group and mobility status, 1966

| | F | - | Institution- | -tton- | Hospital- | -la: | | | Ambula | itory out | Ambulatory outside the home | оте |
|--|---------|--------------|--------------|--------------|--------------|--------------|------------|--------------|-----------|--------------|-----------------------------|--------------|
| Diagnostic group | .0tal | 1 | alized 1/ | 7. | fzed 2/ | 77 | Housebound | Dumo | With help | ešp | By se | self |
| | Number | Per- cent | Number | Per- cent | Number | Per- cent | Number | Per- cent | imber | Per- cent | Number | Per- cent |
| Total | 273,513 | 100.0 | 22,725 | 100.0 | 12,621 | 100.0 | 17,782 | 107.0 | 46,673 | 100-0 | 217,871 | 100.0 |
| Infective and parasitic diseases | 11,248 | 4.1 | 5,833 | 25.7 | 865 3,568 | 6.9 | 355 | 27.3 | 706 | 9.3 | 3,489 | 2.0 |
| Allergic, endocrine system, meta- uolic, and nutritional diseases. | 10,043 | 3.7 | 241 | 1.1 | 383 | 3.0 | 909 | 3.4 | 2,302 | 6.4 | 6,513 | 3.7 |
| forming organs | 744 | ε. | 23 | .1 | 36 | ú | 36 | .2 | 114 | 7. | 535 | e. |
| personality disorders | 30,489 | 11.1 | 10,100 | 4.5.4 | 269 | 5.5 | 217 | 4.0 | 2,939 | 6.3 | 16,038 | 4.2 |
| and sense organs | 12,971 | 12.1 | 1.562 | 6.9 | 1,618 | 12.8 | 3,149 | 17.7 | 096'6 | 21.3 | 16,682 | 9.6 |
| Massass of the circulatory system. Diseases of the respiratory system. | 21,338 | 7.8 | 438 | 5.0 | 2,059 | 3.5 | 3,761 | 3.5 | 1,390 | 3.0 | 18,455 | 33.4 |
| Diseases of the digestive system Diseases of the senito-unionary | 6,234 | 2.3 | | 1.4 | 997 | 3.7 | 777 | 2.5 | 148 | 1.6 | 4,268 | 2.5 |
| Byscen. | 2,268 | ω, | 76 | E. | 148 | 1.2 | 155 | 6. | 282 | 9. | 1,607 | 6. |
| Cellular Cissue | 1,098 | 4. | 32 | .1 | 28 | ٠. | 76 | 4. | 172 | ₹. | 260 | 4. |
| organs of movement | 34,474 | 12.6 | 518 | 2.3 | 877 | 6.9 | 1,428 | 8.0 | 7,846 | 16.8 | 23,805 | 13.7 |
| Congenital malformations | 2,313 | ж. | 52 | .2 | 67 | ٠. | 93 | ٠. | 247 | 1.2 | 1,554 | 6. |
| Accidents, polsonings, and violence | 17,090 | 6.2 | 858 | 3.8 | 1,333 | 10.6 | 1,478 | 8.3 | 6,532 | 14.0 | 6,889 | 0.4 |
| other 3/ | \ - | | ` | को | ۰ | को | f. | : | 7 | 7 | 138 | . |
| | | | | | | | | | | | | |

Disabled person was confined to an inatitution i.e. mental, tuberculosis, or chronic disease hospital, soldier's home, etc. Disabled person was a patient in a general hospital. Disapnoses not included in diagnostic groups shown above. Less than .05 percent. **ゴルラン**

Table 14. --Worker disability allowances: Number by education and age, 1966

[Based partly on 50 percent sample]

| Number Total | 30 30-34 35-39 | 40-44 | 67-57 | 50–54 | 55-59 | 60 and over |
|---|----------------|---------|-----------|--------------|------------------|------------------|
| 5,696 8,247 12,875 20,344 6,019 39 92 150 331 88 26,330 406 821 1,507 48,051 449 895 1,828 3,093 52,395 1,415 1,970 2,912 4,995 43,516 2,077 2,349 2,910 4,136 rs 20,102 589 883 1,222 1,743 rs 20,102 589 883 1,222 1,743 rs 20,102 589 883 1,222 1,743 rs 20,102 589 883 1,222 1,743 rs 20,102 620 767 1,188 1,743 rs 22,409 620 767 1,188 1,743 rs 100.0 100.0 100.0 100.0 rs 9.6 1,4 4,9 6,4 7,4 rs 9.6 1,4 4,9 6,4 6,4 7,4 rs 17.6 1,3 | | Number | | | | |
| ss 26,33C 77 406 821 821 430 885 1,844 895 1,844 895 1,844 895 1,844 895 1,844 895 1,844 895 1,844 895 1,844 895 1,844 895 1,844 895 1,844 895 1,844 895 1,844 895 1,844 895 1,844 895 1,844 895 1,844 895 1,844 895 1,844 895 1,822 895 100.0 100.0 100.0 100.0 100.0 100.0 100.0 100.0 100.0 100.0 100.0 100.0 100.0 100.0 100.0 100.0 100.0 14.3 17.6 17.5 10.7 14.3 14.2 10.3 10.3 10.7 9.5 11.3 10.7 9.5 | 8,247 12 | 20,344 | 29,489 | 44,216 | 67,056 | 85,590 |
| 48,051 430 885 1,844 54,691 449 895 1,828 52,395 1,415 1,970 2,912 43,516 2,077 2,349 2,910 rs 20,102 589 883 1,222 22,469 620 767 1,188 22,469 620 767 1,188 22, 469 620 767 1,188 20,00 100.0 100.0 100.0 19.2 0.7 1.1 1.2 9.6 1.4 4.9 6.4 14.2 20.0 7 1.1 1.2 19.2 24.8 23.9 22.6 15.9 36.5 28.5 22.6 | 92 | 331 | 533 2,638 | 838 | 1,595 | 2,441 |
| 52,395 1,415 1,970 2,912 rs 20,102 589 883 1,222 22,469 620 767 1,188 100.0 100.0 100.0 100.0 2.2 0.7 1.1 1.2 9.6 1.4 4.9 6.4 17.6 7.5 10.7 14.3 19.2 24.8 23.9 22.6 15.9 36.5 28.5 22.6 17.5 10.3 10.7 9.5 | 885 895 | | 4,555 | 7,839 | 12,804 14,448 | 16,890 20,585 |
| 20,102 589 883 1,222 22,469 620 767 1,188 100.0 100.0 100.0 100.0 2.2 0.7 1.1 1.2 9.6 1.4 4.9 6.4 17.6 7.5 10.7 14.3 20.0 7.9 10.9 14.2 19.2 24.8 23.9 22.6 15.9 36.5 28.5 22.6 17.5 10.3 10.7 9.5 | 1,970 2,349 | 4,995 | 6,268 | 8,960 | 12,289 8,859 | 13,586 9,767 |
| 22,469 620 767 1,188 100.0 100.0 100.0 100.0 2.2 0.7 1.1 1.2 9.6 1.4 4.9 6.4 17.6 7.5 10.7 14.3 20.0 7.9 10.9 14.2 19.2 24.8 23.9 22.6 15.9 36.5 28.5 22.6 17.5 10.3 10.7 9.5 | 883 | | 2,076 | 2,843 | 4,591 | 6,163 |
| 100.0 100.0 100.0 100.0 100.0 100.0 100.0 100.0 100.0 100.0 100.0 100.0 100.0 100.0 100.0 14.3 10.2 10.3 10.3 10.7 9.5 | 767 | | 2,552 | 3,561 | 5,120 | 6,858 |
| 100.0 100.0 100.0 100.0 1 2.2 0.7 1.1 1.2 9.6 1.4 4.9 6.4 20.0 7.5 10.7 14.3 20.0 7.9 10.9 14.2 19.2 24.8 23.9 22.6 15.9 36.5 28.5 22.6 7.5 10.3 10.7 9.5 | | Percent | | | | |
| 2.2 0.7 1.1 1.2 9.6 1.4 4.9 6.4 17.6 7.5 10.7 14.3 20.0 7.9 10.9 14.2 19.2 24.8 23.9 22.6 15.9 36.5 28.5 22.6 17.5 10.3 10.7 9.5 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| 1.4 4.9 6.4 1.1 17.6 7.5 10.7 14.3 10.7 19.2 24.8 23.9 22.6 15.9 36.5 28.5 22.6 17.3 10.3 10.7 9.5 | 1.1 | | 1.8 | 1.9 | 7.2 | 2.9 |
| 19.2 24.8 23.9 22.6 15.9 36.5 28.5 22.6 7.5 10.3 10.7 9.5 | 6.9 | | 8.9 | 9.6 | 11.0 | 10.9 |
| 19.2 24.8 23.9 22.6 15.9 36.5 28.5 22.6 nore years. 7.5 10.3 10.7 9.5 | 10.9 | | 16.7 | 19.1 | 21.5 | 24.1 |
| more years 7.5 10.3 10.7 9.5 | 23.9 | | 21.3 | 20.3 16.9 | 18.3 | 15.9 |
| | 10.7 | 8.5 | 7.0 | 7.9 | 6.8 | 7.2 |
| Unknown 8.2 10.9 9.3 9.2 8.6 | 6.3 | 8.6 | 8.7 | 8.1 | 9.7 | 8.0 |



Table 15.--Worker disability allowances: Number and percentage distribution by education and sex, 1966

[Based parcly on 50 percent sample]

| Highest grade | Total | | Male | 3 | Fema | ale |
|------------------------|---------|--------------|---------|--------------|--------|--------------|
| of school completed | Number | Per- cent | Number | Per- cent | Number | Per- cent |
| Total | 273,513 | 100.0 | 206,398 | 100.0 | 67,115 | 100.0 |
| No schooling | 6,619 | 2.2 | 5,351 | 2.6 | 668 | 1.0 |
| 4th grade or less | 26,330 | 9.6 | 22,505 | 10.9 | 3,825 | 5.7 |
| 5-7 | 48,051 | 17.6 | 38,521 | 18.7 | 9,530 | 14.2 |
| 8 | 54,691 | 20.0 | 42,302 | 20.5 | 12,389 | 18.5 |
| 9-11 | 52,395 | 19.2 | 37,733 | 18.3 | 14,662 | 21.8 |
| 12 | 43,516 | 15.9 | 29,486 | 14.3 | 14,030 | 20.9 |
| College | | | | | | |
| 1 or more years | 20,102 | 7.3 | 13,592 | 6.6 | 6,510 | 9.7 |
| Unknown | 22,409 | 8.2 | 16,908 | 8.2 | 5,501 | 8.2 |

Table 16.--Worker disability allowances: Number and percentage distribution of workers with impaired vision $\underline{1}/$ by age on birthday in year of onset of disability, sex, and category of visual impairment, 1966

| ov. | | | | Age | on birth | Age on birthday in year of | | onset of disability | sability | | |
|-----|---|---|----------------------|------------------|---------------------|----------------------------|---------------------|---------------------|----------------------|-------------------|----------------------|
| | Category of visual | Total | 11 | Under | r 35 | 35–49 | 6, | 52-59 | 65 | 9-09 | 55 |
| | impairment | Number | Per- cent | Number | Per- cent | Number | Per- | Number | Per- cent | Number | Per- cent |
| | | | | · | | | Total | | | | |
| | Total | 5,194 | 100.0 | 838 | 0.001 | 1,360 | 100.0 | 2,008 | 100.0 | 886 | 100.0 |
| | Statutory bixndness $\frac{2}{3}$ Industrial biindness $\frac{3}{3}$ Defective vision $\frac{4}{4}$ | 2,059 2,490 645 | 39.6 47.9 12.4 | 549 258 31 | 65.5 30.8 3.7 | 573 672 115 | 42.1 49.4 8.5 | 680 1,018 310 | 33.9 50.7 15.4 | 257 542 189 | 26.0 54.9 19.1 |
| | | | | | | | Male | | | | |
| 11 | Total | 3,792 | 100.0 | 633 | 0.001 | 1,031 | 100.c | 1,379 | 100.0 | 672 | 0.001 |
| 2 | Statutory blindness $\frac{2}{2}$ Industrial blindness $\frac{3}{2}$ Defective visio. $\frac{4}{4}$ | 1,549 | 40.8 47.1 12.0 | 419 191 23 | 66.2 30.2 3.6 | 447 499 85 | 43.4 | 479 695 205 | 34.7 50.4 14.9 | 204 402 143 | 27.2 53.7 19.1 |
| | | | | | | | Female | | | | |
| | Total | 1,402 | 100.0 | 205 | 100.0 | 668 | 100.0 | 629 | 100.0 | 239 | 300.0 |
| | Statutory blinch is $\frac{2}{3}$ Industrial blindness $\frac{3}{3}$ Defective vision $\frac{4}{4}$ | 510 703 189 | 36.4 50.1 13.5 | 130 67 8 | 63.4 32.7 3.9 | 126 173 30 | 38.3 52.6 9.1 | 201 323 105 | 32.5 51.4 16.7 | 53 140 46 | 22.2 58.6 19.2 |
| | 1/ The basis for allowing a period of | a period of disability was not necessarily the worker's visual impairment, except for | of disab; | ility was | not nec | essarily | the worke | er's visua | al impai | rment, exc | cept for |

Central visual acuity of 5/200 or less, or concentric contraction of visual field to 3 degrees or less, in the workers who were statutorily blind.

better eye with the use of correcting lons. Central visual acuity better than 5/200 but not greater than 20/200 in the better eye with the use of correcting 7 6

Central visual acuity better than 20/200 but not greater than 20/60 in the better eye with the use of correcting 4



Table 17.--Worker disability allowances: Number and percentage distribution of workers with impaired hearing $\underline{1}$, by age on birthday in year of onset of disability, sex, and category of auditory impairment, 1966

| y | | | Age on | birthday | Age on birthday in year of onset of disability | of onset | of disat | b111ty | | |
|---|------------|--------------|----------|--------------|--|--------------|-----------|---------------|----------|--------------|
| auditory | .fotal | al | Under 35 | : 35 | 67-58 | 63 | 50-59 | 59 | 59-09 | 55 |
| Tuber: ment | Number | Per- cent | Number | Per- cent | Number | Per- cent | Number | Per- cent | Number | Per- cent |
| | | | | | Toi | Total | | | | |
| Total | 614 | 100.0 | 47 | 100.C | 194 | 100.0 | 255 | 100.0 | 118 | 100.0 |
| Total deafness 2/ Partial deafness | 481 133 | 78.3 21.7 | 42 | 89.4 10.6 | 161 33 | 83.0 17.0 | 192 63 | 75.3 | 36 32 | 72.9 |
| .14 | | | | | × | Male | | | | |
| Total | 418 | 100.0 | 30 | 100.0 | 137 | 100.0 | 167 | 100.0 | 84 | 100.0 |
| Tots, deafness $2/\dots$. Partial deafness | 335 83 | 80.1 19.9 | 27 | 90.0 | 120 17 | 87.6 12.4 | 128 39 | 76.6 | 60 24 | 71.4 28.6 |
| | | | | | Fer | Female | | | | |
| Total | 196 | 100.0 | 11 | 100.0 | 57 | 100.0 | 88 | 100.0 | 34 | 100.0 |
| Total deafness $2/\dots$ Partíal deafness | 146 50 | 74.5 25.5 | 15 | 88.2 11.8 | 41 16 | 71.9 | 64 24 | 72.7 | 26 8 | 76.5 |
| | | | | | | | | | | |

The basis for allowing a period of disability was not necessarily the worker's auditory impairment. Absence of air and bone conduction in both ears, or auditory perception of not more than I pure tone at high volume, not improvable by hearing aid. 그의



Table 18. -- Worker disability allowances: humber by diagnostic group and State, 1966

| | | | | | | Diagnost | ic group | | | | | |
|-------------------------|---------------|---|----------------|---|---|---|--|--|---|--|---|-------|
| State | Total | Infec- tive and para- sitic diseases | Neu- plasms | Allergic, endocrine system, meta- bolic, and nutri- tional diseases | Mental, psycho- neurotic, and person- ality disorders | Diseases of the nervous system and sense organs | Viseases of the circu- latory system | Diseases of the respira- tory system | Discases of the digestive system | Diseases of the bones and cryans of move- ment | Acci- dents, poison- ings, and vio- lence | Uther |
| Total | 273,513 | 11,248 | 29,241 | 10,043 | 30,489 | 32,971 | 73,765 | 21,338 | 6,234 | 34,474 | 17,090 | 6,620 |
| Alabama | 5,958 | 310 | 579 | 185 | 687 | 668 | 1,655 | 463 | 109 | 752 | 378 | 172 |
| Alaska | 167 | 1 4 | 20 | - 3 | 15 | 26 | 39 | 14 | 5 | 27 | 11 | 3 |
| Arizor 1 | 2,247 | 92 | 198 | 73 | 170 | 240 | 496 | 292 | 66 | 387 | 180 | 53 |
| Arkansas | 3,850 | 137 | 362 | 120 | 323 | 373 | 1,182 | 341 | 83 | 566 | 272 | 91 |
| California, | 29,365 | 596 | 2,919 | 1,056 | 3,202 | 3,350 | 6,967 | 2,216 | 803 | 4,973 | 2,113 | 770 |
| Co.orado | 2,062 | 57 | 200 r | 66 | 256 | 2 3 2 | 406 | 210 | 58 | 347 | 182 | 48 |
| Connecticut | 2,961 | 128 | 427 | 98 | 395 | 365 | 766 | 168 | 86 | 31 | 159 | 52 |
| Delaware | 688 | 37 | 88 | 26 | 40 | 101 | 195 | 46 | 8 | 80 | 45 | 12 |
| Dist. of Columbia. | 989 | 44 | 101 | 67 | 113 | 131 | 262 | 48 | 33 | 84 | 75 | 31 |
| Florida | 8,689 | 417 | 984 | 351 | 999 | 1,082 | 2,318 | 623 | 185 | 988 | 499 | 243 |
| Georgia | 7,273 | 268 | 682 | 275 | 803 | 886 | 2,099 | 516 | 145 | 929 | 438 | 2 31 |
| Hawaii | 704 | 45 | 82 | 23 | 96 | 115 | 147 | 29 | 22 | 89 | 40 | 16 |
| ldaho | 928 | 18 | 78 | 24 | 55 | 96 | 234 | 114 | 19 | 159 | 104 | 27 |
| Illinois | 13,339 | 787 | 1,488 | 610 | 1,456 | 1,728 | 3,556 | 1,001 | 325 | 1,34.6 | 741 | 301 |
| Indiana | 5,527 | 227 | 694 | 218 | 560 | 694 | 1,462 | 517 | 114 | 598 | 309 | 134 |
| Iowa | 3,236 | 77 | 399 | 134 | 364 | 446 | 784 | 31 4 | 76 | 377 | 189 | 79 |
| Kan 183 | 2.440 | 70 | 298 | 82 | 318 | 304 | 91ر | 218 | 44 | 315 | 134 | 66 |
| Kentucky | 4,906 | 219 | 500 | 129 | 578 | 515 | 1,370 | 488 | 94 | 598 | 304 | 111 |
| Louisia 1 | 5,959 | 302 | 465 | 173 | 559 | 669 | 1,790 | 349 | 147 | 872 | 472 | 161 |
| Maine | 1,196 | 31 | 140 | 29 | 129 | 149 | 342 | 97 | 32 | 144 | 75 | 28 |
| Maryland | 4,044 | 379 | 494 | 154 | 374 | 498 | 1,115 | 273 | 9.8 | 309 | 246 | 104 |
| Massachusetts | 6,034 | 214 | 738 | 265 | 735 | 770 | 1,467 | 379 | 148 | 623 | 369 | 126 |
| Michigan | 10,901 | 5√3 | 1,137 | 436 | 1,278 | 1,427 | 2,920 | 820 | 252 | 1,358 | 504 | 266 |
| Minnesota | 3,579 | 78 | 406 | 124 | 4 3 0 | 517 | 889 | 254 | 57 | 522 | 208 | 94 |
| Mississippi | 3,999 | 180 | 379 | 137 | 383 | 434 | 1,146 | 247 | 97 | 613 | 276 | 107 |
| Missouri | 6,348 | 252 | 659 | 272 | 732 | 806 | 1.622 | 667 | 144 | 675 | 372 | 127 |
| Montana | 893 | 19 | 80 | 21 | 61 | 112 | 216 | 86 | 11 | 159 | 96 | 32 |
| Nebraska | 1,674 | 45 | 217 | 79 | 168 | 241 | 443 | 116 | 53 | 171 | 102 | 39 |
| Nevada New Hampshire | 451 738 | 18 13 | 51 102 | 16 28 | 31 82 | 49 112 | 100 182 | 43 49 | 18 24 | 56 88 | 47 | 15 |
| New Jersey | 8,883 | 396 | 1,000 | 362 | 1,680 | 1,060 | 2,812 | 520 | 229 | 879 | 354 | 191 |
| New Mexico | 1,249 | 36 | 117 | 48 | 191 | 112 | 237 | 104 | 22 | 304 | 127 | 41 |
| New York | 27,992 | 1,030 | 3,282 | 1.090 | 3,678 | 3,522 | 8.003 | 1,660 | 726 | 2.910 | 1.525 | 566 |
| North Carolina | 7,262 | 302 | 702 | 263 | 70% | 907 | 2,387 | 481 | 134 | 841 | 352 | 192 |
| North Dakota | 698 | 13 | 83 | 31 | : , | 83 | 175 | 47 | 17 | 88 | 63 | 21 |
| Oh10 | 12,419 | 460 | 1,359 | 423 | 1,397 | 1,579 | 3,370 | 927 | 259 | 1,562 | 793 | 310 |
| Oklahoma | 4,348 | 127 | 431 | 141 | 551 | 400 | 1.129 | 372 | 94 | 711 | 271 | 121 |
| Oregon | 2,958 | 51 | 325 | 75 | 229 | 374 | 618 | 273 | 51 | 541 | 34(1 | 18 |
| Pennsylvania | 16,528 | 656 | 1.771 | 693 | 1,637 | 1,811 | 5,154 | 1,757 | 314 | 1,640 | 744 84 | 296 |
| Rhode Island | 1,217 | 42 | 145 | 48 | 119 | 158 | 337 | 62 | 2. | 158 | ٢٠. | 36 |
| South Carolina | 4.260 | 168 | 406 | 139 | 422 | 455 | 1,486 | 281 | 81 | 44.4 | 249 | 109 |
| South Dakota | 739 | 14 | 68 | 29 | 98 | 102 | 150 | 71 475 | | 117 650 | 375 | 19 |
| Tennessee | 5,608 | 288 | 632 | 145 | 541 | 731 | 1,484 3,688 | 99ú | 125 | 1,703 | 1,011 | 315 |
| Texas | 14,025 900 | 753 17 | 1,562 71 | 51 <i>6</i> 38 | 1,520 105 | 1,676 114 | 201 | 86 | 283 23 | 161 | 60 | 24 |
| | | ا . ا | ٠. | l | 63 | 58 | 146 | 62 | 16 | 74 | 14 | 17 |
| Vermont | 568 6,098 | 290 | 71 572 | 19 180 | 700 | 727 | 1,797 | 499 | 100 | 681 | 358 | 164 |
| Virginia | 3,853 | 111 | 427 | 128 | 328 | 482 | 798 | 328 | 73 | 652 | 408 | 88 |
| Washington | 4,087 | 120 | 304 | 104 | 474 | 311 | 953 | 80 4 | . B4 | 519 | 334 | 76 |
| Wisconsin | 5,078 | 1 151 | 683 | 204 | 565 | 701 | 1,365 | 345 | 103 | 582 | 283 | 116 |
| Wyoming | 367 | 176 | 27 | 11 | 46 | 53 | 85 | 35 | 7 | 52 | 32 | iii |
| | 2,863 | 245 | 193 | 66 | 610 | 765 | 521 | 129 | ٤, | 380 | 168 | 100 |
| Puerto Pi Abroad | 370 | 17 | 42 | 14 | 35 | ,63 54 | 108 | 25 | 8 | 1 300 | 12 | 12 |
| | 1 2,0 | | | | , ,, | | | | · | 1 | | |



Table 19.--Worker disability allowances: Percentage distribution by diagnostic group and State, 1966

| | I | Γ | | | Percen | tage distri | bution by | diagnostic | group | | | | |
|------------------------------|-------------------------|--------|----------------------------------|----------------|---|---|---|--|--|---|---|---|------------|
| State | Number of workers | Total | Infective and parasitic diseases | Neo∽ plasus | Allergic, endocrir; system, meta- bolic, and nutri- tional diseases | Mental, psycho- neurotic, and person- ality disorders | Diseases of the nervous system and sense organs | Diseases of the circu- latory system | Diseases of the respira- tory system | Diseases of the digrative system | Diseases of the bones and organs of nove- ment | Acci- dents. poison- ings. and vio- lence | Other |
| Total | 273,513 | 100.0 | 4.1 | 10.7 | 3.7 | 11.1 | 12.1 | 27.0 | 7.8 | 2.3 | 12.6 | 6.2 | 2.4 |
| Alabama | 5,958 | 100.0 | 5.2 | 9.7 | 3.1 | 11.5 | 11.2 | 27.8 | 7.8 | 1.8 | 12.6 | 6.3 | 2.9 |
| Alaska | 167 | 100.0 | 2.4 | 12.0 | 1.8 | 9.0 | 15.6 | 23.4 | 8.4 | 3.0 | 16.2 | 6.6 | 1.8 |
| Arizona | 2,247 | 100.0 | 4.1 | 8.8 | 3.2 | 7.6 | 10.7 | 22.1 | 13.0 | 2.9 | 17.2 | 8.0 | 2.4 |
| Arkansas | 3,850 | 100.0 | 3.6 | 9.4 | 3.1 | 8.4 | 9.7 | 30.7 | 8.9 | 2.2 | 14.7 | 7.1 | 2.4 |
| California | 29,365 | 100.0 | 3.4 | 9.9 | 3.6 | 10.9 | 11.4 | 23.7 | 7.5 | 2.7 | 10, | 7.2 | 2.6 |
| Colorado | 2,062 | 100.0 | 2.5 | 9.7 | 3.2 | 12.4 | 11.3 | 19.7 | 10.2 | 2.8 | 16.8 | 8.8 | 2.3 |
| Connecticut | | 150.0 | 4.3 | 14.4 | 3,3 | 13.3 | 12.3 | 25.9 | 5.7 | 2.9 | 10.7 | 5.4 | 1.6 |
| Delavare | | 100.0 | 5.4 | 12.8 | 3.8 | 5.8 | 14.7 | 28.3 | 6.7 | 2.6 | 11.6 | 6.5 | 1.7 |
| Dist. of Columbia. | | 100.0 | 4-4 | 10.2 | 6,8 4,0 | 11.4 | 13.2 | 26.5 26.7 | 7.2 | 3.3 2.1 | 8.5 11.4 | 7.6 | 3.1 2.8 |
| Florida | 8,689 | 100.0 | 4.8 | 11., | ļ " ." | 11.5 | 12.5 | 20.7 | /.2 | 2.1 | 11.4 | 3.7 | 2.0 |
| Georgia | 7,273 | 100.0 | 3.7 | 9.4 | 3.8 | 11.0 | 12.2 | 28.9 | 7.1 | 2.0 | 12.8 | 6.0 | 3.2 |
| Kawali | 704 | 10u.L | 6.4 | 11.6 | 3.3 | 13.6 | 16.3 | 20.9 | 4.1 | 3.1 | 12.6 | 5.7 | 2.3 |
| Idaho | 928 | 100.0 | 1.9 | 8.4 | 2.6 | 5.9 | 10.3 | 25.7 | 12.3 | 2.0 | 17.1 | 11.2 | 2.9 |
| Illinois | 13,339 | 100.0 | 5.9 | 11.2 | 4.6 | 10.9 | 13.0 | 26.7 | 7.5 | 2.4 | 10.1 | 5.6 | 2.3 |
| Indiana | 5,527 | 100.0 | 4.1 | 12.6 | 3.9 | 10.1 | 12.6 | 26.5 | 9.4 | 2.1 | 10.8 | 5.6 | 2.4 |
| Iowa | 3.236 | 100.0 | 2.4 | 12.3 | 4.1 | 11.2 | 13.8 | 24.2 | 9.6 | 2.3 | 11.7 | 5. გ | 2.4 |
| Kansas | 2,440 | 100.0 | 2.9 | 12.2 | 3.4 | 13.0 | 12.5 | 24.2 | 8.9 | 1.8 | 12.9 | 5.5 | 2.7 |
| Kentucky | 4,906 | 100.0 | 4.5 | 10.2 | 2.6 | 11.6 | 10.5 | 27.9 | 9.9 | 1.9 | 12.2 | 6.2 | 2.3 |
| Louisiana | 5,959 | 100.0 | 5.1 | 7.8 | 2.9 | 9.4 | 11.2 | 30.0 | 5.9 | 2.5 | 14.6 | 7.9 | 2.7 |
| Maine | 1,196 | 100.0 | 7.6 | 11.7 | 2.4 | 10.8 | 12.5 | 28.6 | 8.1 | 2.7 | 12.0 | 6.3 | 2.4 |
| Maryland | 4,044 | 100.0 | 9.4 | 12.2 | 3.8 | .2 €.2 | 12.3 | 27.6 | 6.8 | 2.4 | 7.6 | 6.1 | 2.6 |
| Massachusetts | 6,034 | 100.0 | 3.5 | 12.2 | 4.4 | 12.2 | 12.8 | 24.3 | 6.3 | 2.5 | 13.6 | 6.1 | 2.1 |
| Michigan | 10,901 | 100.0 | 4.6 | 10.4 | 4.0 | 11.7 | 13.1 | 26.8 | 7.5 | 2.3 | 12.5 | 4.6 | 2.4 |
| Minnesots | 3,579 | 100.0 | 2.2 | 11.3 | 3.5 | 12.0 | 14.4 | 24.8 | 7.1 | 1.6 | 14.6 | 5.8 | 2,6 |
| Missisaippi | 3,999 | 100.0 | 4.5 | 9.5 | 3.4 | 9.6 | 10.9 | 28.7 | 6.2 | 2.4 | 15.3 | 6.9 | 2.7 |
| Missouri | 6,348 | 100.0 | 4.0 | 10.4 | 4.3 | 11.8 | 12.7 | 25.6 | 13.5 | 2.3 | 10.6 | 5.9 | 2.0 |
| Montena | 893 | 100.0 | 2.1 | 9.0 | 2.4 | 6.8 | 12.5 | 24.2 | 7.6 | 1.2 | 17.8 | 10.8 | 3.6 |
| Nebraska | 1,674 | | 2.7 | 13.0 | 4.7 | 10.0 | 14.4 | 26.5 | 6.9 | 3.2 | 10.2 | 6.1 | 2.) |
| Ne vada | 451 | 100.0 | 4.0 | 11.3 | 3.5 | 6.9 | 10.9 | 22.2 | 9.5 | 4.0 | 12,4 | 10.4 | 4.9 |
| New Hampshire | 738 | 100.0 | 1.8 | 13.8 | 3.8 | 11.1 | 15.2 | 24.7 | 6.6 | 3.3 | 11.9 | 5.8 | 2.0 |
| New Jersey | 8,683 | 100.0 | 4.5 | 11.3 | 4.1 | 12.2 | 11.9 | 31.7 | 5.9 | 2.6 | 9.9 | 4.0 | 2.2 |
| New Mexico | | 100.9 | 2.9 | 9.4 | 3.5 | 8.0 | 9.0 | 19.0 | 8.3 | 1.8 | 24.4 | 10.2 | 3.3 |
| New York | 27,992 | | 3.7 | 11.7 | 3.9 | 13.1 | 12.6 | 28.6 | 5.9 | 2.6 | 10.4 | 5.4 | 2.0 |
| North Carolina | | 100.0 | 4.2 | 9.7 | 3.6 | 9.7 | 12.5 | 32.9 | 6.6 | 1.8 | 11.6 12.6 | 4.8 9.0 | 2.6 3.0 |
| North Dakota | 698 | 100.0 | 1.9 | 11.9 | 4.4 | 11.0 | 11.9 | 25.1 | 6.7 | 2.4 | 12.0 | 3.0 | 3.0 |
| Ohio | 12,419 | 100.0 | 3.7 | 10.8 | 3.4 | 11.2 | 12.7 | 27.1 | 7.5 | 2.1 | 12.6 | 6.4 | 2.5 |
| Oklahoma | 4,348 | 100.0 | 2.9 | 9.9 | 3.2 | 12.7 | 9.2 | 26.0 | 8.6 | 2.2 | 16.4 | 6.2 | 2.8 |
| Oregon | 2,958 | | 1.7 | 11.0 | 2.5 | 7.7 | 12.6 | 20.9 | 9.2 | 1.7 | 18.3 | 11.5 | 2.7 |
| Pennsylvania Rhode laland | 16,528 | | 4.0 3.5 | 10.3 | 4.2 3.9 | 9.9 9.8 | 11.0 13.0 | 31.2 27.7 | 10.6 5.1 | 1.9 2.2 | 9.9 13.0 | 6.8 | 1.6 |
| Khode Island | 1 1,111 | 1.00.0 | 3., | **." | 3.7 | 7.8 | 13.0 | 47.7 | 711 | 4.4 | 13.0 | (., | 3.0 |
| South Carolina | 4,260 | 100.0 | 3.9 | 9.5 | 3.3 | 9.9 | 10.6 | 34.9 | 6.6 | 1.9 | 10.9 | 5.8 | 2.6 |
| South Dakota | 739 | 100.0 | 1.9 | 11.9 | 3.9 | 13.3 | 13.8 | 20.3 | 9.6 | .9 | 15.8 | 6.0 | 2.6 |
| Tennessee | 5,608 | 100.0 | 5.1 | 11.3 | 2.6 | 9.6 | 13.0 | 26.5 | 8,5 | 2.2 | 11.8 | 6.7 | 2.7 |
| Texas | 14,025 | | 5.4 1.9 | 11 1 | 3.7 4.2 | 10.8 11.7 | 12.0 12.7 | 26.3 22.3 | 7.1 | 2.0 | 12.1 17.9 | 7.2 6.7 | 7.2 2.7 |
| Utah | 900 | 100.0 | 1.9 | 7.9 | 7.2 | '''' | 14.7 | 22.3 | 9.6 | 2.6 | 17.9 | 0.7 | |
| Vermont | 568 | 100.0 | 1.4 | 12.5 | 3.3 | 11.1 | 10.2 | 25.7 | 10.9 | 2.8 | 13.0 | 6.0 | 3.0 |
| Virginis | 6,098 | 100.0 | 4.8 | 9.4 | 3.0 | 11.5 | 11.9 | 29.5 | 8.2 | 1.6 | 11.2 | 6.4 | 2.7 |
| Washington | 3,853 | 100.0 | 2.9 | 11.1 | 3.3 | ٤.3 | 12.5 | 20.7 | 8.5 | 1.9 | 17.7 | 10.6 | 2.3 |
| West Virginia | 4,087 | 100.0 | 2.9 | 7.4 | 2.5 | 11.6 | 7.6 | 23.3 | 19.8 | 2.1 | 12.7 | 8.2 | 1.9 |
| Wisconsin | 5,078 | 100.0 | 2.6 | 13.5 | 4.0 | 11.1 | 13.8 | 26.9 | 6.8 | 2.0 | 11.5 | 5.6 | 2.3 |
| Pyoning | 367 | 100.0 | 1.6 | 7.4 | 3.0 | 12.5 | 14.4 | 23.2 | 9.5 | 1.9 | 14.2 | 8.7 | 3.5 |
| Puerto Rico | 2,661 | 100.0 | 8.6 | 3.7 | 2.3 | 21.3 | 12.8 | 18.2 | 4 | 2.9 | 13.3 | 5. / | 3.5 |
| Abroad | 370 | | 4.6 | 11.4 | 3.8 | 9.5 | 14.6 | 29.2 | 6.6 | 7.2 | 11.6 | 3.2 | 3.2 |
| | Li | L | I . | ا ا | L | 1 | L | L | اـــــا | LJ | ا ـــــا | | |



Table 20. --Worker disability allowances: Ten primary diagnoses occurring most often among workers by State, 1966

| | | | Pri | mary diagno | osis and in | ternational | code | | | |
|--------------------|-----------|-------------|-----------|-------------|-------------|-------------|--------|----------------|--------|----------|
| | } | | i | T | Hyper- | ī — | T | T | Ι - | |
| | A terio- | [| | Osteo- | tensive | ł | Dis- | Rheuma- | | |
| State | sclerotic | | Schizo- | arthri- | heart | ļ | place- | toid | | |
| | | 1 | ph renic | tis | | Pulmo- | ment | arthrí- | Dia- | Cere- |
| o f | heart | Emphy- | | | disease | narv | of | tis | betes | bral |
| residence | disease, | Беща | disorders | and | with | tuberou- | inter- | and | mel- | haemor- |
| | including | (528) | (dementia | allied | clinical | losis | verte- | allied | litus | Thage |
| | coronary | (320) | praecox) | condi- | type | (002) | bral | | | |
| | disease | | (300) | tions | unspeci- | (002) | | condi- | (260) | (331) |
| | (420) | | | (723) | fied | | disc | tions | | |
| | | | | 1 | (443) | | (735) | (722) | | |
| | l ——— | | | | | | | - | | |
| Total | 45,714 | 16,998 | 13,097 | 10,336 | 9,198 | 8,643 | 8,544 | 7,028 | 6,845 | 6,359 |
| IULAI | | 10,330 | | 10,550 | | | 5,711 | 7,010 | 17,043 | - 41,333 |
| Alabama | 790 | 363 | 13د | 280 | 503 | 262 | 155 | 165 | 106 | 43 |
| | 24 | 12 | 1 7 8 | 10 | 2 | l **4 | آ '' ا | 1 "; | 1 2 | 14 |
| Alaska | 323 | 234 | 58 | 87 | 33 | 65 | 106 | 129 | 40 | 42 |
| Arizona | | | 127 | | 160 | 112 | 145 | | 80 | 85 |
| Arkansas | 773 | 289 | | 126 | | | | 123 | | |
| California | 4,326 | 1,812 | 1,362 | 1,376 | 636 | 690 | 1,612 | 734 | 679 | 540 |
| | | | | | | | l | ۱ | | |
| Colorado | 2 33 | 161 | 105 | 92 | 22 | 34 | 94 | 68 | 44 | 33 |
| Connecticut | 512 | 134 | 167 | 105 | 53 | 108 | 84 | 64 | 75 | 19 |
| Delaware | 90 | 31 | 15 | 21 | 31 | 31 | 17 | 23 | 21 | 27 |
| Dist. of Columbia. | 114 | 30 | 46 | 30 | 58 | 31 | 15 | 12 | 44 | 37 |
| Florida | 1,395 | 501 | 414 | 276 | 313 | 334 | 269 | 199 | 235 | 237 |
| | 1 -,-,- | *** | | ! | ł | l ~~ | I |) | 1 | 1 |
| Georgia | 1,056 | 388 | 316 | 242 | 389 | 206 | 206 | 196 | 168 | 195 |
| | | | 59 | 10 | 333 | | 31 | | 17 | 46 |
| Havaii | 79 | 18 | | | | 34 | | 17 | | |
| Idaho | 152 | 110 | 21 | 47 | 17 | , , | 51 | 37 | 10 | 23 |
| Illicois | 2,129 | 796 | 711 | 430 | 408 | 667 | 192 | 324 | 379 | 371 |
| Indiana | 1,000 | 427 | 275 | 159 | 113 | 180 | 129 | 135 | 146 | 153 |
| | | 1 | | l | 1 | | | | | |
| Iowa | 546 | 278 | 166 | 121 | 52 | 40 | 89 | 79 | 105 | 150 |
| Kansas | 370 | 193 | 151 | 102 | 63 | 53 | 73 | 67 | 52 | 64 |
| Kentucky | 893 | 358 | 149 | 143 | 155 | 174 | 172 | 123 | 81 | 40 |
| Louisiana | 948 | 251 | 225 | 224 | 404 | 213 | 271 | 96 | 116 | 168 |
| Maine | 235 | 91 | 53 | 42 | 23 | 14 | 18 | 45 | 20 | 52 |
| ABINE | 1 | 1 11 | 1 1 | ' ' | 1 | • | i -v | 1 " | | |
| | 494 | 210 | 163 | 91 | 250 | 337 | 5.8 | 78 | 114 | 109 |
| Maryland | | | | | | | | | | |
| Massachusetts | 956 | 304 | 307 | 170 | 75 | 163 | 311 | 153 | 185 | 39 |
| Michigan | 1,810 | 668 | 638 | 419 | 228 | 395 | 237 | 267 | 300 | 315 |
| Minnesota | 604 | 205 | 175 | 150 | 58 | .3 | 124 | 121 | 97 | 184 |
| Mississippi | 542 | 193 | 126 | 175 | 297 | 143 | 198 | 98 | 87 | 91 |
| | | | | | | 1 | | | ł | |
| Missouri | 1,059 | 536 | 282 | 192 | 165 | 188 | 127 | 166 | 166 | 171 |
| Montana | 142 | 65 | 24 | 39 | | 8 | 42 | 27 | 14 | 17 |
| Nebraska | 273 | 98 | 84 | 55 | 35 | 29 | 23 | 41 | 53 | 63 |
| Nevada | 59 | 32 | 13 | lii | 5 | 14 | 10 | 17 | 10 | 6 |
| New Hampshire | 118 | 43 | 32 | 20 | 11 | l *; | 30 | 20 | 19 | 36 |
| new nampsuize | 110 | 17 | | l '° | 1 | l ' | 1 ~~ | | | 30 |
| hew Jersey | 1,720 | 408 | 511 | 248 | 341 | 328 | 158 | 213 | 257 | 250 |
| | | 79 | 32 | 125 | 23 | 22 | 1 777 | 50 | 34 | 139 |
| New Mexico | 138 | | | | | | | | 792 | 698 |
| New York | 5,431 | 1,342 | 1,867 | 1,081 | 815 498 | 798 | 558 | 612 | 184 | 220 |
| North Carolina | 1,316 | 406 | 233 | 244 | 1 | 236 | 151 | 272 | | |
| North Dakota | 136 | 31 | 38 | 28 | 10 | , , | 19 | 15 | 19 | 20 |
| | l | | | 1 | | | l | l | | |
| Ohic | 2,131 | 784 | 562 | 488 | 435 | 337 | 452 | 300 | 315 | 211 |
| Oklahoma | 801 | 336 | 178 | 233 | 106 | 93 | 219 | 112 | 90 | 37 |
| Oregon | 368 | 184 | 65 | 118 | 27 | 31 | 155 | 99 | 57 | 59 |
| Pennsylvania | 3,480 | 1,200 | 761 | 531 | 553 | 478 | 299 | 405 | 521 | 396 |
| Rhode Island | 220 | 48 | 43 | 26 | 29 | 37 | 65 | 33 | 35 | 30 |
| | | " | | l | 1 | I - | l | l | | |
| South Carolina | 801 | 226 | 147 | 147 | 401 | 128 | 99 | 131 | 84 | 1 39 |
| South Pakota | 91 | 63 | 35 | 46 | 1 10 | 1 124 | l 13 | 27 | 22 | 20 |
| | 950 | 380 | 211 | 154 | 191 | 226 | 140 | 204 | 99 | 159 |
| Tennessee | | | | | | | | | 349 | |
| Texas | 2,401 | 842 | 626 | 524 | 407 | 613 | 487 | 30€ | | 271 |
| Ut ah | 115 | 67 | 47 | 41 | 8 | , , | 47 | 37 | 22 | 18 |
| | ł | | ł | 1 . | ł | 1 - | | ł | | |
| Vermont | 99 | 53 | 25 | 22 | 11 | 5 | 18 | 20 | 11 | 10 |
| Virginis | 1,013 | 401 | 215 | 219 | 370 | 225 | 108 | 188 | 174 | 174 |
| Washington | 542 | 276 | 143 | 214 | 74 | 89 | 220 | 90 | 92 | 23 |
| West Virginia | 562 | 635 | 104 | 202 | 110 | 84 | 121 | 80 | 64 | 61 |
| Wisconsin | 950 | 283 | 258 | 219 | 88 | 75 | 97 | 147 | 144 | 129 |
| | 47 | | 230 | 1 112 | 1 % | l 'í | 16 | 10 | ^~; | 11, |
| Lyoning | I •' | 32 | l '' | l '' | 1 | 1 1 | l *° | l [*] | ' | ' |
| | ۱ ۵۵ | ا ہ۔ ا | ۱ | ۱ ,,, | 7.0 | ١ ,,, | l 30 | 1 33 | 40 | 49 |
| Puerto Rico | 293 | 78 | ١٤4 | 154 | 79 | 221 | 79 | 39 | | |
| Abroad | 20 | • | |] 3 | 3 | , , | 1 | 3 | ן י | |
| Unknown | 44 | 9 | 13 | 12 | 8 |] 3 | 2 | ١ ١ |] 3 | 3 |
| | I | 1 | I | ı | ı | ı | I | ı | 1 | |

Table 21. --Worker disability allowances: Number by major occupational groups and age, 1966

| Major occupational groups | Total | Under 30 | 30–34 | 35-39 | 77-07 | 45–49 | 50-54 | 55-59 | 60 and over |
|--|---|-----------------------------------|----------------------------------|---|--|--|--|---|--|
| Total | 273,513 | 5,696 | 8,247 | 12,875 | 20,344 | 29,489 | 44,216 | 950,79 | 85,590 |
| Professional and managerial Professional | 26,756 8,159 2,567 16,030 | 36.5 101 2.01 2.115 | 619 288 141 190 | 972 407 178 387 | 1,532 521 217 794 | 2,541 818 353 1,370 | 3,880 1,128 368 2,384 | 6,695 1,969 491 4,235 | 10,152 2,879 718 6,555 |
| Clerical and sales | 32,532 20,285 12,247 | 870 690 180 | 1,168 907 261 | 1,631 1,180 451 | 2,522 1,734 788 | 3,459 2,217 1,242 | 5,173 3,144 2,029 | 7,769 4,613 3,156 | 9,940 5,800 4,140 |
| Domestir Personal Protective | 37,314 5,327 19,221 5,083 7,683 | 791 14 323 376 78 | 910 54 461 266 129 | 1,525 89 793 387 256 | 2,524 253 1,378 496 397 | 3,933 448 2,122 692 671 | 6,202 922 3,418 677 1,185 | 9,658 1,638 5,045 896 2,073 | 11,771 1,909 5,681 1,293 2,888 |
| Agriculture, fighery, and forestry | 17,405 | 224 | 31.7 | 522 | 905 | 1,362 | 2,619 | 4,719 | 6,737 |
| Manufacturing and related activities. Skilled. Semiskilled. Unskilled. | 127,828 54,988 39,947 32,893 | 2,552 904 802 846 894 | 4,022 1,317 1,402 1,303 | 6,386 2,338 2,18 ^t 1,864 1,839 | 10,165 3,841 3,535 2,789 2,696 | 14,505 5,737 4,820 3,948 3,689 | 21,192 8,649 6,985 5,558 5,150 | 30,996 13,483 9,709 7,804 7,219 | 38,010 18,719 10,510 8,781 8,980 |

Table 22.--Worker disability allowances: Number by major occupational groups and sex, 1966

| Major | Total | 1 | Male | e) | Female | le |
|---|---|----------------------------------|--|------------------------------|--|----------------------------|
| occupational groups | Number | Per- cent | Number | Per- cent | Number | Per- cent |
| Total | 273,513 | 100.0 | 206,398 | 100.0 | 67,115 | 100.0 |
| Professional and managerial Professional | 26,756 8,159 2,567 | 3.0 | 19,970 4,364 1,991 | 9.7 | 6,786 3,795 576 | 10.1 |
| Managerial and official | 16,030 | 5.9 | 13,615 | 9.9 | 2,415 | 3.6 |
| Clerical and sales | 32,532 20,285 12,247 | 11.9 | 15,192 ,,203 7,989 | 3.5 | 17,340 13,082 4,258 | 25.8 19.5 6.3 |
| Service Domestic. Personal. Protective. | 37,314 5,327 19,221 5,084 7,682 | 13.6 1.9 7.0 1.9 2.8 | 18,932 325 7,609 4,989 6,009 | 9.2 3.7 2.4 2.9 | 18,382 5,002 11,612 95 1,673 | 27.4 7.5 17.3 0.1 |
| Agricultural, fishery and forestry | 17,405 | 6.4 | 16,688 | 8.1 | 717 | 1.1 |
| Manufacturing and related activities. Skilled | 127,828 54,988 39,947 32,893 | 46.7 20.1 14.6 12.0 | 112,125 52,087 31,355 28,683 | 54.3 25.2 15.2 13.9 | 15,703 2,901 8,592 4,210 | 23.4 4.3 12.8 6.3 |
| Unknown | 31,678 | 11.6 | 23,491 | 11.4 | 8,187 | 12.2 |



A COMPANY OF STREET STREET OF STREET

| Major | | Total | al | | Å O | ercentag | Percentage of major occupational | h & |
|-----------------------------|---------|---------|--------|-------|--------|--------------------|----------------------------------|-------|
| groups | Number | White | Negro | Other | Number | White | Negro | Other |
| Total | 273,513 | 233,404 | 37,593 | 2,516 | 100.0 | 100.0 | 0.00. | 0.001 |
| Professional and managerial | 26,756 | 25,524 | 1,076 | 156 | 8.6 | 5.0.9 | 2.9 | 6.2 |
| Professional | 8,159 | 7,574 | 545 | 40 | 0°0 | 3.2 | 1.4 | 1.6 |
| Managerfal | 16,030 | 15,508 | 433 | 68 | 6.5 | 9.9 | 1.2 | 3.5 |
| Clerical and sales | 32,532 | 31,388 | 993 | 151 | 11.9 | 13.4 | 2.6 | 0.9 |
| Clerical | 20,285 | 19,437 | 246 | 102 | 7.4 | e . | 2.0 | 4.1 |
| Sales | 12,24/ | 12,951 | 747 | 64 | 4.5 | 7.7 | · | 1.9 |
| Service | 37,314 | 26,414 | 10,424 | 476 | 13.6 | 11.3 | 27.7 | 18.9 |
| Domestic | 5,327 | 1,729 | 3,567 | 31 | 1.9 | ., | 9.5 | 1.2 |
| Personal | 19,221 | 15,446 | 3,481 | 594 | 7.0 | 9.9 | 9.3 | 11.7 |
| Protective | 5,083 | 4,632 | 389 | 62 | 1.9 | 2.0 | 1.0 | 2.5 |
| Bufiding | 7,683 | 4,607 | 2,987 | 88 | 2.8 | 2.0 | 7.9 | 3.5 |
| Agriculture, fishery, | | | | | | | | |
| forestry | 17,405 | 14,690 | 2,328 | 387 | 6.4 | 6.3 | 6.2 | 15.4 |
| Manufacturing and related | | | | | | | | |
| activities | 127,828 | 107,989 | 18,743 | 1,096 | 46.7 | 46.3 | 6.67 | 43.6 |
| Skilled | 54,988 | 51,416 | 3,230 | 342 | 20.1 | 22.0 | 9.8 | 13.6 |
| Semiskilled | 39,947 | 33,956 | 5,679 | 312 | 14.6 | 14.5 | 15.1 | 12.4 |
| Unskilled | 32,893 | 22,617 | 9,834 | 747 | 12.0 | 9.7 | 26.2 | 17.6 |
| Unknown | 31.678 | 27,399 | 4.029 | 250 | 11.6 | 11.7 | 10.7 | 6.6 |
| | • | | - | 1 | 1 | : ! ! | | |



Table 24, -- Worker disability allowances: Number by diagnostic group and major occupation, 1966

| Dispostic group | Total | and and rans- gerial | cal | Ser- vice | Agri- culture | Skilled | Semi- skilled | Un- ekilled | Unknown |
|--|---------|--------------------------------------|-------------|--------------|--------------------|---------|------------------|----------------|-----------------|
| | | | | | Total | | | | |
| Total | 273,513 | 26,756 | 32,532 | 37,314 | 17,405 | 54,988 | 39,947 | 32,893 | 31,678 |
| Infective and parasitic diseases | 11,248 | 3,624 | 1,034 | 1,479 | 101 | 2,049 | 1,736 | 1,726 | 1,753 |
| ALISTER, encouring system matcholic, and nutritional desame. Discames of the blood and blood-forming organs. | 10,043 | 1,029 88 | 1,253 | 2,193 | 548 57 | 1,524 | 1,436 | 1,041 | 1,019 |
| Mntal, psychomeurotic, and personality disorders | 30,489 | 2,768 | 4.850 | 4,281 | 1,380 | 4,137 | 3,622 | 3,986 | 2,465 |
| Diseases of the nervous system and sense organs. | 32.971 | 4.143 | 4 609 | 300 | 2.134 | 790.9 | 4.265 | 3.616 | 3.860 |
| Diseases of the circulatory system. | 73,765 | 7,789 | 8,129 | 10,717 | 5,182 | 15,537 | 11.106 | 8,410 | ., 895 1 288 |
| 3 5 | 2,268 | 7 7 7 7 7 7 7 7 | 856 296 | 345 | 330 | 1,238 | 850 H | 709 | 661 |
| Diseases of the skin and callular tissue | 1,098 | 107 | 173 | 188 | 63 | 171 | 160 | 127 | 61 |
| Unseases of the bones and organs of movement Congenital malformations | 2,313 | 202 | 3,762 | 272 | 162 | 7,336 | 350 | 4,763 | 3,323 |
| Accidents, poleonings, and violence | 17,090 | 1,104 | 1,365 | 1,939 | 1,024 | 4,298 | 3,005 | 2,654 | 1,721 |
| | | | | | Percent | | | <u> </u> | |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| Neoplesme | 10.7 | 2.9 | 3.2 12.5 | 0.01 | 6.8 | 3.7 | 6.3 | 5.2 | 5.5 13.4 |
| and nutritional diseases. Disease of the blood and blood-forming organs. | 3.7 | 9.8 | 9.4 6.0 | 5.9 | 3.1 | 2.8 | 3.6 | 3.2 | 3.2 |
| disorders | 11.1 | 10.3 | 14.9 | 11.5 | 7.9 | 7.5 | 9.1 | 12.1 | 17.3 |
| Diseases of the nervous system and sense | : | ž | : | ; | : | ; | - ; | : | : |
| 4 | 27.0 | 28.7 | 25.0 | 28.7 | 29.8 | 28.3 | 27.8 | 25.6 | 777 |
| Diseases of the digestive system. Diseases of the digestive system. | 2.3 | 2:5 | 2.6 | 2.4.0 | 1.9 | 2.3 | 0.2 | 0.2 | 2.1 |
| Pressures of the skin and callular tissue | 0.4 | 7.0 | 0.5 | 0.5 | 4.0 | 0.3 | 0.4 | 4.0 | 6.0 |
| Cognetial malformations | 0.8 | | 6.0 | 0.7 | 6.0 | 8.0 | 6.0 | 1.0 | 6.0 |
| Other. | 0.1 | 17 | 7.7 | 7.7. | ָה מיקי מיקי | ; `\ | 0:5 | 0.1 | 7.0 |



Table 25. --Worker disability allowances: Leading causes of disability by major occupational groups and sex, 1966

| Najor occupational groups | Total | Arterio- sclerotic heart disease, including coronary disease (420) | Emphy- sema (528) | Schizo- phrenic disorders (dementia praecox) (300) | Osteo- arthri- tis and allied condi- tions (723) | Certain and unspeci- fied hyper- censive heart disease (443) | Pulmo- nary tuber- culo- sis (002) | Dis- place- ment of inter- verte- bral disc (735) | Rheuma- toid arthri- tis and allied condi- tions (772) | Dia- betes mel- litus (260) | Cerc- bral haemor- rhage (331) | Cere- bral embo- lism and throm- bosis (332) | All |
|---|----------------------------|---|-------------------------|---|---|--|---|---|--|---|--|---|---------------------|
| | | | | | | | tal | | | | | | |
| Total | 273,513 | 45,714 | 16,998 | 13,097 | 10,336 | 9,198 | 8,643 | 8,544 | 7,028 | 6,845 | 6,359 | 4,754 | 135,997 |
| Prof. & manag Clerical & sales. | 26,756 32,532 | 5,044 4,980 | 1,267 1,365 | 885 2 260 | 607 887 | 628 213 | 456 660 | 435 698 | 698 1,226 | 700 894 | 756 749 | 655 | 14.625 |
| Service | 37,314 17,405 | 5,892 3,342 | 1.666 | 1.947 | 1,647 896 | 1.906 | 1,129 | 778 464 | 1,006 | 1,382 | 908 452 | 624 | 18,427 7,856 |
| Stilled Semi-skilled | 54,958 39,947 | 10,653 6,911 | 4,719 2,741 | 1,508 | 2,117 1.613 | 1,300 1,386 | 1,626 | 2,184 | 1,237 | 1,119 | 1,204 810 | 999 626 | 26,322 19,411 |
| Unskilled Unknown | 32,893 31,678 | 4,521 4,371 | 2 158 1.635 | 1,708 2,864 | 1,582 987 | 1,637 894 | 1,380 | 1,389 858 | 622 743 | 682 735 | 711 769 | 415 | 16,088 15,737 |
| | | <u> </u> | | | | Per | cent | L | <u> </u> | J | L | L | 1 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 190.0 | 100.0 | 100.0 |
| Prof. 6 manag | 9.8 | 11.0 | 7.5 | 6.8 | 5.9 | 6.8 | 5.3 | 5.1 | 9.9 | 10.2 | 11.9 | 13.8 | 10.8 |
| Clerical & sales. Service Agr. fish. & for. | 11.9 13.6 6.4 | 10.9 12,9 7.3 | 8.0 9.8 8.5 | 17.3 14.9 3.9 | 8.6 15.9 8.7 | 7.8 20.7 8.0 | 7.6 13.1 6.1 | 8.2 9.3 5.4 | 17.4 | 13.1 20.2 | 11.8 14.3 | 12.0 | 17.9 13.5 5.8 |
| Skilled Semi-skilled | 20.1 14.6 | 23.3 15.1 | 27.8 16.1 | 11.5 10.8 | 20.5 15.6 | 14.1 15.1 | 18.8 15.8 | 25.6 20.3 | 7.1 17.6 14.1 | 5.7 16.3 | 7.1 18.9 | 5.9 21.0 13.2 | 19.4 14.3 |
| Unskilled Unknown | 12.0 | 9.9 | 12.7 | 13.0 | 15.3 | 17.8 | 16.0 | 16.3 | 8.9 | 13.7 10.0 10.7 | 12.7 11.2 12.1 | 8.7 | 11.8 |
| | | L | | | | | | | L | L | | | L |
| Total | 106,398 | 36,956 | 15,380 | 9,364 | 7,074 | 6,310 | 7,629 | 1,951 | 4,053 | 4,724 | 5,030 | 3,895 | 99,052 |
| Prof. & manag | 19,970 | 4,172 | 1,127 | 599 | 340 | 444 | 380 | 295 | 394 | 533 | 628 | 541 | 10,517 |
| Clerical & sales. Service., | 15,192 18,932 | 2,958 3,233 | 921 1,256 | 992 1,157 | 304 535 | 340 649 | 4 32 856 | 288 374 | 331 317 | 477 544 | 420 470 | 33 <i>7</i> 383 | 7,392 9.159 |
| Agr. fish. 6 for. Skilled | 16,688 52,087 | 3,243 10,233 | 1,426 4,630 | 498 1,407 | 847 1,962 | 675 1,207 | 511 1,583 | 452 2,090 | 461 1,091 | 365 1,051 | 439 1,154 | 271 945 | 7,500 24,734 |
| Semi-skilled Unskilled | 31,355 28,683 23,491 | 3,619 3,980 | 2,532 2,045 1,443 | 1,067 | 1,102 | 974 1,419 | 1,306 | 1,507 | 614 422 | 691 540 | 690 624 | 549 384 | 14,771 |
| COROLUM, | 23,471 | 3,518 | | 2,076 | 648 | 603 | 1,322 | 658 | 423 | 523 | 605 | 445 | :1,187 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 160.0 | 1100.0 | 100.0 | 100.0 | 100.0 | 10,00 |
| Prof. & manag | 9.7 | 11.3 | 7.3 | 6.4 | 4,8 | 7.0 | 5.0 | 4.3 | 9.7 | 11.3 | 17.5 | 13.9 | 10.6 |
| (lerical & sales. Service | 7.4 9.2 | 8.0 8,7 | 6.0 8.2 | 10.6 12.4 | 4.3 7.6 | 5.4 10.3 | 5.7 11.2 | 4.2 5.4 | 8.2 7.8 | 10.1 11.5 | 8,3 9.3 | 8.7 9.8 | 7.5 9.2 |
| Agr. fish, & for. Skilled | 8.1 25.2 | 8.6 27.7 | 9.3 30.1 | 5.3 15.0 | 12.0 27.7 | 10.7 19.1 | 6.7 20.7 | 6.5 30.2 | 11.4 25.9 | 7.7 | 8.7 22.7 | 24.3 | 7.6 25.0 |
| Semi-skilled Unskilled | 15.2 13.9 11.4 | 15.2 10.8 | 16.5 13.3 | 11.4 16.7 | 15.6 16.9 | 15.4 22.5 | 16.2 17.1 | 21.7 | 15.4 | 14.6 | 13.7 | 14.1 | 14.9 13.9 |
| Unknown | | 9.5 | 9.4 | 22.2 | 9.2 | 9.6 | 17.1 | 9.5 | 10.4 | 31.1 | 12.0 | 12.5 | 11.3 |
| Total | 67,115 | 8,758 | 1,616 | 1.711 | 3, 262 | 7,888 | alc 1,014 | 1.613 | 2,975 | 2,121 | 1,729 | B54 | 36,945 |
| Prof. & manag | 6,786 | 872 | 140 | 286 | 267 | 194 | 76 | 149 | 304 | 167 | 128 | 114 | 4,108 |
| Clerical & sales. Service | 17,340 18,362 | 2,022 2.659 | 444 410 | 1,268 790 | 583 1,112 | 373 1,258 | 228 273 | 410 404 | F95 | 417 338 | 329 438 | 232 241 | 10.139 9.265 |
| Agr. fish. & for. Skilled | 717 2,901 | 99 420 | 21 89 | 16 1.1 | 45 155 | 59 93 | 13 43 | 12 9: | 40 146 | 79 68 | 13 51 | 9 54 | 356 1.588 |
| Semi-suilled Unskilled | 8,592 4,210 | 1,292 541 651 | 2u9 113 192 | 342 140 | 511 246 | 412 215 | 110 74 | 231 172 200 | 379 200 | 249 142 | 120 87 | 77 31 | 4.445 2.296 |
| ERROCWO | 6,157 | | | 768 | 339 | 291 | 177 | 2.0 | 320 | 212 | 164 | 1111 | 4,550 |
| Iotal | 100.0 | 190.0 | 1.00.0 | 1 11.0 | 100.0 | Pct 100.0 | LU.O | 1:1.0 | 1/00.0 | 100.0 | 170.0 | 1.0.0 | 1,0.0 |
| Frof. & canag | 10.1 | 10.0 | b.7 | 7.7 | 8.2 | 6.4 | 7.5 | 5.7 | 13.7 | 7.9 | ۹,۴ | 13.3 | 11.1 |
| Clerical i vales. | 25.8 27.4 | 23.1 30.4 | 27.4 25.3 | 34.0 21.2 | 17.9 34.1 | 12.9 43.6 | 22.5 26.9 | 25.4 25.7 | 30.1 23.2 | 19.7 39.5 | 34.8 33.0 | 27.0 29.1 | 27.4 |
| Agr. fism. & for. Skilled | 1.1 | 1.1 4.6 | 1.3 | 2.7 | 1.5 | 2.0 3.2 | 1.3 | 0.7 5.9 | 4, 9 | 1.3 3.2 | 1.0 3.4 | 1.0 6.3 | 1 |
| Semi-skilled cmskilled lukonym | 12.8 6.3 12.2 | 14.E 6.2 4.7 | 12.9 7.0 11.4 | 9.2 3.5 21.1 | 15.7 7.5 10.4 | 14.3 7.5 | 12.6 7.3 37.5 | 14.3 7.6 12,4 | 12.7 6.7 1 .8 | 11.7 6.7 10 0 | 9,0 6,5 12,3 | 9, 1 1,6 | 12.6 7.2 12.3 |
| ANA DOMESTICATION OF THE PARTY | | L | | 44.1 | | | 11.3 | l | l | | | L | |



Table 26.--Worker disability allowances: Number by major occupation group and State, 1966

| State | Total | Professional and managerial | Clerical and sales | Service | Agriculture, fishery, forestry | Skilled | Semiskilled | Unskilled | Unknown |
|------------------------------|-----------------|-----------------------------------|--------------------------|--------------|--------------------------------------|-----------|--------------|-------------|--------------|
| Total | 273,513 | 26,756 | 32,532 | 37,314 | 17,405 | 54,988 | 39,947 | 32,893 | 31,678 |
| Alabama | 5,958 | 499 | 523 | 804 | 429 | 1,221 | 971 | 962 | 549 |
| Alaska | 167 | 18 | 17 | 16 | 6 | 54 | 17 | 27 | 12 |
| Arizona | 2,247 | 320 | 313 | 294 | 177 | 519 | 244 | 196 | 184 |
| Arkansas | 3,850 | 356 | 285 | 428 | 650 | 658 | 493 | 597 | 383 |
| California | 29,365 | 3,209 | 4,270 | 4,341 | 1,797 | 6,587 | 3,728 | 2,950 | 2,483 |
| Colorado | 2,062 | 2 36 | 273 | 295 | 175 | 444 | 261 | 190 | 188 |
| Connecticut | 2,961 | 309 | 397 | 345 | 54 | 581 | 403 | 2 3 6 | 636 |
| Delaware | 688 | 70 | 71 | 120 | 33 | 121 | 90 | 89 | 94 |
| Dist. of Columbia. | 989 | 64 | 1 113 | 365 | l s | 137 | 115 | 121 | 66 |
| Florida | 8,669 | 1,127 | 1,157 | 1,352 | 598 | i,722 | 1,012 | 991 | 730 |
| Georgia | 7,273 | 639 | 628 | 1,090 | 512 | 1,289 | 1,338 | 1,071 | 696 |
| Havali | 704 | 74 | 74 | 107 | 94 | 120 | 102 | 71 | 62 |
| Idaho | 928 | 103 | 85 | 106 | 148 | 199 | 110 | 107 | 70 |
| lllinois | 13,339 | 1,169 | 1.934 | 1,762 | 503 | 2,642 | 1,775 | 1,641 | 1,913 |
| Indiana | \$,527 | 529 | 632 | 675 | 270 | 1,131 | 822 | 717 | 751 |
| Ioua | 3,236 | 381 | 350 | 386 | 513 | 467 | 382 | 485 | 272 |
| Xansas | 2,440 | 288 | 329 | 330 | 227 | 472 | 268 | 257 | 269 |
| Kentucky | 4,906 | 417 | 375 | 565 | 595 | 1,109 | 773 | 607 | 465 |
| | 5,959 | 447 | 548 | | 447 | 1,059 | 823 | 1,256 | 552 |
| Louisiana Haine | 1,196 | 107 | 109 | 823 117 | 63 | 236 | 202 | 164 | 198 |
| daryland | 4,044 | 374 | 509 | 631 | 128 | 874 | 527 | 593 | 403 |
| Massachusetts | 6,034 | 519 | 846 | 710 | 74 | 1,232 | 893 | 590 | 1,170 |
| Michigan | 10,901 | 1.032 | 1,177 | 1,364 | 316 | 2,252 | 1.491 | 994 | 2,275 |
| | 3,579 | 377 | 498 | 395 | 537 | 674 | 399 | 367 | 332 |
| Minnesota Mississippi | 3,999 | 338 | 297 | 512 | 552 | 694 | 627 | 591 | 388 |
| Missouri | 6.348 | 622 | 789 | 61.5 | | l | į | | |
| Montana | 893 | 96 | | 853 | 656 | 1,105 | 911 | 704 | 708 |
| Nebraska | 1,674 | 184 | 83 | 139 | 1 30 | 200 | 100 | 81 | 64 |
| | 451 | | 179 | 242 | 276 | 296 | 178 | 179 | 138 |
| Nevada New Hampshire | 738 | 55 | 62 80 | 102 80 | 12 | 98 170 | 42 146 | 32 78 | 48 104 |
| New Jersey | 8,683 | 936 | 3 336 | 1 | | | 1 | | |
| New Mexico | 1,249 | 115 | 1,236 | 1,068 | 114 | 1,765 | 1,392 | 932 | 1,420 |
| New York | 27,992 | | 138 | 177 | 108 | 289 | 169 | 152 | 101 |
| North Carolina | | 2,951 | 4,597 | 4.585 | 450 | 4,871 | 4,164 | 2,544 | 3,830 |
| | 7,262 | 674 | 550 | 864 | 859 | 1,383 | 1,558 | 659 | 515 |
| North Dakota | 698 | 65 | 66 | 106 | 215 | 101 | 53 | 63 | 29 |
| Ohio Oklahoma | 12,419 | 1,050 | 1,438 | 1,651 | 339 | 2,706 | 2,188 | 1,619 | 1,428 |
| Oregon | 4,348 2,958 | 469 | 434 | 618 | 195 | 878 | 593 | 579 | 364 |
| | | 321 | 339 | 362 | 21. | 608 | 504 | 331 | 281 |
| Pennsylvania Rhode Island | 16,528 1,217 | 1,506 89 | 1,754 144 | 2,061 129 | 246 | 3,540 | 2,672 211 | 2,328 92 | 2,321 296 |
| South Carolina | 4,260 | 1 224 | İ | | | | | | |
| South Dakota | 739 | 334 | 322 | 541 | 396 | 789 | 961 | 647 | 270 |
| Tennessee | 5,608 | 84 492 | 60 | 83 | 197 | 121 | 60 | 90 | 44 |
| Texas | | | 505 | 752 | 552 | 1.068 | 858 | 727 | 654 |
| Utah | 14,025 | 1,436 | 1,615 118 | 2,025 106 | 1,151 70 | 2,794 | 1,944 | 1,671 | 1.369 88 |
| Vermont | 568 | | i | | | J | 1 |] | , |
| Virginia | 6,098 | 59 | 56 | 66 | 59 | 101 | 78 | 57 | 92 |
| Washington | | 559 | 563 | 842 | 447 | 1,269 | 9 3 6 | 696 | 586 |
| West Virginia | 3,653 4,087 | 423 | 447 | 548 | 297 | 900 | 527 | 421 | 290 |
| | 4,087 | 282 | 261 | 340 | 103 | 1,321 | 697 | 669 | 414 |
| Wisconsin | 5,078 | 497 | 602 | 553 | 557 | 999 | 671 | 649 | 550 |
| Wyoming | 367 | 40 | 33 | 55 | 54 | 72 | 42 | 35 | 36 |
| Puerto Mico | 2,861 370 | 193 | 222 | 366 | 570 | 379 | 303 | 460 | 368 |
| Abroad | 1 3/0 | 37 | 29 | 67 | 10 | 64 | 23 | 36 | 104 |



Table 27.--Worker disability allowances: Number and percent by occupation and sex, 1966

| | Tot | ol | Male | | Femi | ale |
|---|----------------|-----------------------------|-----------------|--------------|------------|-----------------|
| Occupation | Number | Per- cent of total | Number | Per- cent | Number | Per- cent |
| Total | 273,513 | 100.0 | 206,398 | 100.0 | 67,115 | 100.0 |
| Chauffeurs and drivers, bus, taxi, truck, | | | | | | |
| and tractor | 12,804 | 4.7 | 12,688 | 6.1 | 116 | 0.4 |
| Mechanics and repairmen, NEC | 7,479 | 2.7 | 7,391 7,185 | 3.6 3.5 | 58 185 | 0.1 |
| General farmers | 7,370 6,328 | 2.7 | 6,306 | 3.1 | 22 | 0.: |
| Managers and officials, NEC | 6,191 | 2.3 | 1 5.407 | 2.6 | 784 | 1/ |
| Carnentera. | 6,023 | 2.2 | 5,989 | 2.9 | 34 | 0.1 |
| Farmhands, ceneral tarms | 5,143 | 1.9 | 4,923 | 2.4 | žeu | 0.3 |
| Retail managers | 4,569 | 1,8 | 4,225 | 2.0 | 644 | 1.0 |
| Cooks, except private family | 4.787 | 1.8 | 2,137 | 1.0 | 2,650 | 3.9 |
| daids, general | 4,711 | 1.7 | 176 | 0.1 | 4,535 | 6.8 |
| fanitors and sextons | 4,003 | 1.5 | 3,817 | 1.8 | 186 | 0.3 |
| Clerks, general office | 3,974 | 1.5 | 1,330 | 0.6 | 2,644 | 3,9 |
| Occupations in fabrication of textile | | | | | | ۱. |
| products, SEC | 3,895 | 1.4 | 490 | 0.2 | 3,405 | 5.1 |
| Warehousing, Storekeeping, handling, loading and related occupations, NEC | 3,780 | 1.4 | 3,570 | 1.7 | 210 | 0.3 |
| Salespersons | 3,642 | 1.4 | 1,029 | 0.5 | 2,613 | 3.9 |
| Salesmen and sales agents, except consumers | 3,552 | 2.3 | 3,355 | 1.6 | 197 | 0.3 |
| Waiters and waitresses, except private family | 3,496 | 1.3 | 622 | 0.3 | 2,874 | 4.3 |
| Bookkeepers and cashiers, except bank cashiers | 3,456 | 1.3 | 844 | 0.4 | 2,612 | 3.9 |
| Mechanics and repairmen, motor vehicle | 3,352 | 1.2 | 3,333 | 1.6 | 19 | 17 |
| Painters, construction and maintenance | 2,801 | 1.0 | 2,781 | 1.3 | 20 | 1/ |
| Occupations in laundering, cleaning, dyeing, | | _ | i ' | | i | |
| and pressing of apparel and other articles | 2,752 | 1.0 | 907 | 0.4 | 1,845 | 2.7 |
| Packing, filling, labeling, marking, bottling, | l | | 1 : | | i | İ |
| washing, and related occupations, NLC | 2,547 | 0.9 | 1,089 | 0.5 | 1.459 | 2.2 |
| Forezan, manufacturing | 2,494 | 0.9 | 2,294 | 1.1 | 200 | 0.3 |
| Secretaries | 2,465 | 0.9 | 105 | 0.1 | 2,360 | 3.5 |
| welders and frame cutters | 2,446 | 0.9 | 2,363 | 1.1 | 83 | 0.1 |
| Miners and mining-machine operators | 2,400 | 0.9 | 2,396 | 1.2 | 4 | 1/ |
| Occupations in manufacture of textiles, NEC | 2,373 | 0.9 | 1,094 | 0.5 | 1,279 | ī.9 |
| Kitchen workers in hotels, restaurants, railroads, steamships, etc. NEC | 2,282 | 0.8 | 1,300 | 0.6 | 982 | 1.5 |
| Soldiers, saliors, marines, and coast | 1 | 0.0 | 1 2,500 | ٠.٠ | 702 | |
| guards, NEC | 2 262 | 0.8 | 2,239 | 1.1 | 23 | 1/ |
| Hotel and restaurant managers | 2,196 | 0.8 | 1.639 | 0.8 | 557 | 0.8 |
| Machinists | 2,161 | 0.8 | 2,127 | 1.0 | 34 | 0.1 |
| Attendants, hospitals and other | | | 1 | | | 1 |
| institutions, NEC | 2,140 | 0.8 | 562 | 0.3 | 1.578 | ?.4 |
| Plumbers | 2,061 | 0.8 | 2,058 | 1.0 | 3 | 1/ |
| Construction machinery operators, NEC | 1,908 | 0.7 | 1,697 | 0.9 | 11 | 1/ |
| Guards and watchmen, except crossing watchmen | 1,863 | 0.7 | 1,834 | 0.9 | 29 | 1/ |
| Barbers, beauticians and manicurists | 1,788 | 0.7 | 1,012 | 0.5 | 776 | 1.2 |
| Electricians | 1,695 | 0.6 | 1,674 671 | 0.8 | 21 | $\frac{1}{1.5}$ |
| Sales lerks | 1,657 | 0.6 | 1,607 | 0.3 | 936 48 | |
| Porters, NECForeman, NEC | 1,655 1,565 | 0.6 | 1,409 | 0.8 | 156 | 0.1 |
| Nurses | 1,545 | 0.6 | 63 | 1/ | 1,482 | 0.2 2.2 |
| Occupations in mechanical treat ant of metals | ',''' | ٠.٠ | " | ^_′ | 1,402 | l *··' |
| (rolling, stamping, forging, pressing, | I | | | | | l |
| etc.) NEC | 1,543 | 0.6 | 1,185 | 0.6 | 358 | 0.5 |
| Ieachers., | 1,532 | 0.6 | 430 | 0.2 | 1,102 | 1.6 |
| Charwomen and cleaners | 1,476 | 0.5 | 132 | 0.1 | 3,344 | 2.0 |
| Midwives and practical nurses | 1,462 | 0.5 | 70 | 1/ | 1,392 | 2.1 |
| Stenogrephers and typists | 1,368 | 0.5 | 129 | 0.1 | 1,239 | 1.8 |
| Attendants, filling stations and parking lots | 1,354 | 0.5 | 1,349 | n.7 | 5 | 1/ |
| Telephone operators | 1,351 | 0.5 | 80 | 1/ | 1,271 | 1.9 |
| Shipping and receiving clerks | 1,318 | 0.5 | 1,140 | 0.6 | 178 | 0.: |
| Routemen | 1,300 | 0.5 | 1,291 | 0.6 | 9 | 1/ |
| Bartenders | 1,252 | 0.5 | 1,182 | 0.6 | 70 | 0.1 |
| Salesmen, insurance | 1,251 | 0.5 | 1,118 | | 133 145 | 0.2 |
| Machine thop and related occupations, NEC | 1,248 | | 1,103 | 0.5 | | 0.2 |
| Sawmili occupations, NEC | 1,233 | 0.5 | 1,223 | 3.6 | 10 | 1/ |
| vecupations in extraction or minerals, Att Meatcutters, except in alsoghtering and | 1 1,246 | 0.4 | *,*** | 7.0 | 4 | 1/ |
| packing houses | 1,215 | 0.4 | 1,173 | 0.6 | 4.2 | 0.1 |
| General industry clerks | 1,188 | 0.4 | 607 | 0.3 | 581 | 0.9 |
| Stock clerks | 1,069 | 0.4 | 926 | 0.4 | 143 | 0.2 |
| | 1,032 | 0.4 | 1,028 | 0.5 | 4 | 1/ |
| Brick and stone masons and tile setters | | | | | | |
| Brick and stone masons and tile setters Public service occupations, NEC | 1,031 | 0.4 | 1,021 | 0.5 | 10 | 1/ |
| Brick and stone masons and tile setters Public service orcupations, NEC | 1,031 | 0.4 | 1,021 £2,049 | 0.3 | 10 | 1/ |

^{1/} Less than .05 percent.



Table 2%.--Worker dimability denial»: Number and percentage distribution by age, sex, and reason for denial, 1966

[Based partly on 20-percent sample]

| | | | | Y VB | Age on birchday in 1966 | iday in | 9961 | | | |
|---|---------|--------------|------------|----------|-------------------------|--------------|--------|--------------|------------------|--------------|
| Reason for dental | Total | - | Unde | Under 35 | 35–49 | 6 | Š | 50-59 | 60 and over | over |
| | Number | Ier- cent | Number | Per- | Number | Perr | Number | Per- | Number | Per- cent |
| | | | | | Total | 4 | | | | |
| Total | 204,938 | 100.0 | 12,334 | 100.0 | 63,039 | 100.0 | 84,152 | 100.0 | 45,393 | 100.0 |
| Was not disabled at latest time the quarters- of-coverage requirements were met. Falled to age medical sandards for disability. | 63,718 | 31.1 | 1,356 | 11.0 | 17,150 39,113 | 27.2 62.0 | 29,761 | 35.4 | 15,451 | 34.0 |
| to engage in substantial gainful activity Falled to furnish sufficient evidence | 9,457 | 4.8 | 908 | 7.4 | 2,778 | 4.4 | 3,518 | 4.2 | 2,253 | 5.0 |
| continuous disability | 5,809 | 2.8 | 288 | 2.3 | 1,311 | 2.1 | 245 | 2.4 | 2,217 | 1.2 |
| | | | | | Male | | | | | |
| Total | 140,172 | 100.0 | 9,934 | 100.0 | 169'57 | 100.0 | 53,649 | 100.0 | 30,898 | 100.0 |
| Was not disabled at latest time the quartern- of-coverage requirements wave met | 41,898 | 29.9 55.7 | 929 | 9.4 | 22,632 | 25.6 | 19,044 | 35.5 51.6 | 10,245 14,480 | 33.2 |
| to engage in substantial gainful activity Railed to furnish sufficient evidence | 8,045 | 5.7 | 824 701 | 8.3 | 2,383 | 5.2 | 2,696 | 5.4 | 1,942 | 6.3 |
| continuous disability | 4,466 | 3.2 | 262 | 2.6 | 1,020 | 2.2 | 1,440 | 2.7 | 434 | 1.4 |
| | | | | | Female | 8 | | | | |
| Total | 64,766 | 100.0 | 2,400 | 100.0 | 17,368 | 0.001 | 30,503 | 100.0 | 74,495 | 100.0 |
| Was not disabled at latest time the quarters- of-coverage requirements were met | 21,820 | 33.7 | 1,736 | 17.8 | 16,471 | 31.5 | 10,717 | 35.1 57.5 | 5,205 | 35.9 |
| to engage in substantial gainful activity [All-4 to furnish sufficient evidence | 1,412 | 2.2 | 84 127 | 3.5 | 395 730 | 2.3 | 1,053 | 3.5 | 311 867 | 2.1 |
| continuoum disability. | 125 | 2.2 | 20 | 11 | 291 | 1.7 | 553 | 1.8: | 93 473 | 3.3 |



Table 29. -- Worker allowances and denials: Number and percentage allowed by age and sex, 1966

| | | Applic | ants | |
|-------------|---------|------------|---------|--------------------|
| Age | Total | Allowances | Denials | Parcent allowed |
| | | Tota | al . | |
| Total | 478,451 | 273,513 | 204,938 | 57.2 |
| Under 35 | 26,277 | 13,943 | 12,334 | 53.1 |
| 35-49 | 125,767 | 62,708 | 63,059 | 49.9 |
| 50-59 | 195,424 | 111,272 | 84,152 | 56.9 |
| 60 and over | 130,983 | 85,590 | 45,393 | 65.3 |
| | | Male | : | |
| Total | 346,570 | 206,398 | 140,172 | 59.5 |
| Under 35 | 21,359 | 11,425 | 9,934 | 53.5 |
| 35-49., | 93,201 | 47,510 | 45,691 | 51.0 |
| 50~59 | 134,565 | 80,916 | 53,649 | 60.1 |
| 0 and over | 97,445 | 66,547 | 30,898 | 68.3 |
| | | Femal | .e | |
| Total | 131,881 | 67,115 | 64,766 | 50.9 |
| Under 35 | 4,918 | 2,518 | 2,400 | 51.2 |
| 35-49 | 32,566 | 15,198 | 17,368 | 46.7 |
| :ú-59 | 60,859 | 30,356 | 30,503 | 49.9 |
| 60 and over | 33,538 | 19,043 | 14,495 | 56.8 |



Table 30.--Childhood disability allowances: Number and percentage distribution by age and sex, 1966

| Age on | Tot | al | Mal | e | Fema | le |
|---------------------|--------|--------------|--------|--------------|--------|--------------|
| birthday in 1966 | Number | Per- cent | Number | Per- cent | Number | Pe:- cent |
| Total | 19,027 | 100.0 | 10,247 | 100.0 | 8,780 | 190.0 |
| 18-24 | 8,603 | 45.2 | 4,805 | 46.9 | 3,798 | 43.3 |
| 25-29 | 2,498 | 13.1 | 1,462 | 13.7 | 1,096 | 12.5 |
| 30-34 | 2,411 | 12.7 | 1,296 | 12.6 | 1,115 | 12.7 |
| 35-39 | 2,247 | 11.8 | 1,153 | 11.3 | 1,094 | 12.5 |
| 40-44 | 1,622 | 8.5 | 819 | 8.0 | 803 | 9.1 |
| 45-49 | 874 | 4.6 | 436 | 4.3 | 438 | 5.0 |
| 50 and over | 772 | 4.1 | 336 | 3,3 | 436 | 5.0 |



Table 31.--Childhood disability allowances: Number and percentage distribution by education and sex, 1966

[Based partly on 50-percent sample]

| Highest grade of | Tot | al | Mal | e | Fema | le |
|--|--------|--------------|--------|--------------|--------|--------------|
| school completed | Number | Per- cent | Number | Per- cent | Nunber | Per- cent |
| Total | 19,627 | 100.0 | 10,247 | 100.0 | 8,780 | 100.0 |
| No schooling 1/ | 8,347 | 43.9 | 4,626 | 45.1 | 3,721 | 42.4 |
| 4th grade or less | 2,702 | 14.2 | 1,487 | 14.5 | 1,215 | 13.8 |
| 5~7 | 2,248 | 11.8 | 1,189 | 11.6 | 1,059 | 12.1 |
| 8 | 1,325 | 7.0 | 660 | 6.4 | 665 | 7.6 |
| 9-11 | 1,950 | 10.2 | 1,033 | 10.1 | 917 | 10.4 |
| 12 | 1,204 | 6.3 | 571 | 5.6 | 633 | 7.2 |
| l or more years at a college or university | 197 | 1.0 | 83 | .8 | 114 | 1.3 |
| Unknown | 1,054 | 5.5 | 598 | 5.8 | 456 | 5.2 |
| | 1 | ļ | } | { | ł | ŀ |

^{1/} Includes cases where the child attended an ungraded school for handicapped children.



Table 32.--Childhood disability allowances: Number and percentage distribution by age and mobility status, 1966

| | | | | Age | Age on birthday in 1966 | day in | 9961 | | | |
|---------------------------------|--------|--------------|--------|--------------|-------------------------|--------------|--------|--------------|-------------|--------------|
| Mobility status | Total | al | 18- | 18-24 | 25- | 25-34 | 35- | 35-44 | 45 and over | over |
| | Number | Per- cent | Number | Per- cent | Number | Per- cent | Number | Per- cent | Number | Per- cert |
| Total | 19,027 | 100.0 | 8,603 | 100.0 | 606,4 | 0.001 | 3,869 | 100.0 | 1,646 | 100.0 |
| institutionalized 1/ | 5,162 | 27.1 | 2,090 | 24.3 | 1,307 | 26.6 | 1,207 | 31.2 | 558 | 33.9 |
| Hospitalized 2/ | 135 | .7 | 98 | 1.0 | 18 | 7. | 22 | 9. | 6 | ٠. |
| Housebound | 1,304 | 6.9 | 545 | 6.3 | 367 | 7.5 | 299 | 7.7 | 93 | 5.7 |
| Ambulatory outside the home- | | | | | | | | | | |
| With help | 4.474 | 23.5 | 2,060 | 23.9 | 1,150 | 23.4 | 882 | 22.8 | 382 | 23.2 |
| By sulf | 7,952 | 41.8 | 3,822 | 7.77 | 2,067 | 42.1 | 1,459 | 37.7 | 604 | 36.7 |

Disabled person was confined to an institution i.e. mental, tuberculosis, or chronic disease hospital, soldiers' home, etc. Disabled person was a patient in a general hospital. ন



Table 33.4-Childhood disability allowances: Number and percentage distribution by diagnostic group and $\hbar y$ age and sex. 1966

| Diagnowiic group | Total | 73 | 18-24 | 97 | 25-44 | 7,5 | 45 and over | over |
|--|--------|--------------|--|--------------|-----------|--------------|-------------|-----------|
| | Number | Per- | Number | Per- cert | Number | Per- cent | Number | Per- |
| | | | | Ħ | Total | | | |
| Total | 19,027 | 100.0 | 8,603 | 100.0 | 8,778 | 100.0 | 1.646 | 100.0 |
| Infective and parasitic diseases | 374 | 2.0 | 146 85 | 1.7 | 168 21 | 1.9 | 99 | 3.6 |
| Allergic, endocrine system, metabolic and nutricional diseases | 12 004 | 7. 87 | 55 | 9. | 58 | 7.03 | 1 2 | 80.04 |
| Olesases of the nervous systems and some or parameters. | 7,052 | 21.3 | 1,751 | 20.4 | 1,971 | 22.5 | 330 | 20.0 |
| Congential medicracions of movement Accidents, poisonings, and violence | 20102 | 2.8 | 28 28 29 29 29 29 29 29 29 29 29 29 29 29 29 | 3.4 | 26.82 | 2.7. | 33 | 7.07. |
| | | | | ž | Male | | | |
| Total | 10.347 | 100.0 | 4,805 | 100.0 | 4,670 | 100.0 | 172 | 100.0 |
| Infective and parasitic diseases | 17.1 | 1.7 | 77 | 1.6 | 72 | 1.5 | 22 | 2.8 |
| Neoplasms | | 9. — | 67 | 1.0 | σ | 7. | 0 | ! |
| nutritional diseases | 87 | | 23 | 2, 3 | 21 | 7. 6 | 47 | ٠, د . |
| Mental, paychoneurotic, and personally, disorders Diseases of the nervous system and sense organs | 2,230 | 21.8 | 3,200 | 20.3 | 1,098 | 23.5 | 157 | 20.3 |
| Discasses of the bones and organs of movement | 170 | 7:7 | 88 | 1.8 | 67 | 7.7 | 87 | 2.3 |
| Accidents, polsonings, and violence | 148 | 4.0 | 36.4 | 2:1 | 9 4 6 | 1:0 | g m × | : · · |
| | | | | | - 1 | | | |
| | | | | | Lema te | | | |
| Total | 8,780 | 100.0 | 3,798 | 100.0 | 4,108 | 100.0 | 874 | 100.0 |
| Infective and parasitic diseases | 203 | 3 | 59 | 1.8 | 96 | 2.3 | 38 | 4.3 |
| Neoplasms | * | <u>ڊ</u> | £ | ÷. | | m. | 0 | ·· |
| nutritional diseases | 78 | 6. | 32 | æ. ! | 37 | 6. | 5 | 1.0 |
| Mental, psychowerrotic, and personality disorders Diseases of the nervous system and sease overne | 6,044 | 8.00 | 2,573 | 20.7 | 2,869 | 8.69 | 173 | 19.8 |
| Directors of the bones and organs of movement | 135 | 1.5 | 3 3 | 7:7 | 3 3 | 1:0 | 181 | 2.7 |
| Congenital malformations | 799 | 3.0 | 135 | 3.6 | 114 | 2.8 | 17 | 1.9 |
| Accidents, poisonings, and violence | | ę. | A : | 5. | 71 ; | <u>.</u> | 4 | • |



Table 34.--Childhood disability allowances: Number by sex and percentage distribution by diagnostic group and primary diagnosis, 1966

| Managed a new cont | Inter- | Tota | al | Ма | le | Fem | ale |
|--|------------------|------------|--------------|--------|--------------|--------|--------------|
| Diagnostic group and primary diagnosis | national code | Number | Per- cent | Number | Per- cent | Number | Per- cent |
| Total····· | | 19,027 | 100.0 | 10,247 | 190.0 | 8,780 | 100.0 |
| Infective and parasitic diseases | 001-138 | 374 | 2.0 | 171 | 1.7 | 203 | 2.3 |
| cute poliomyelitis | 080 | 144 | .8 | 64 | .6 | 80 | .9 |
| ate effects of acute poliomyelitis | 081 | 135 | .7 | 61 | .6 | 74 | .8 |
| ther | | 95 | .5 | 46 | .4 | 49 | .6 |
| Neoplasma | 140~239 | 112 | .6 | 58 | .6 | 54 | .6 |
| Allergic, endocrine system, metabolic, | t | | ľ | } | | | ļ |
| and nutritional diseases | 240-289 | 126 | .7 | 48 | .5 | 78 | .9 |
| Mental, psychoneurotic, and | | 1 | 1 | ł | ļ | İ | i |
| personality disorders | 300-329 | 13,096 | 68.8 | 7,052 | 68.8 | 6,044 | 68.8 |
| Sental deficiency | 325 | 10,222 | 53.7 | 5.343 | 52.1 | 4,879 | 55.6 |
| chizophrenic disorders (dementia praecox) | 300 | 1,367 | 7.2 | 809 | 7.9 | 558 | 6.4 |
| ental deterioration and certain other | i | 1 | 1 | | | l | |
| psychoses of unspecified etiology | 309 | 671 | 3.5 | 393 | 3.8 | 278 | 3.2 |
| hronic brain syndrome | 328 | 496 | 2.6 | 316 | 3.1 | 180 | 2.1 |
| sychosis due to any disease or | 20.0 | | l . | 63 | .6 | 53 | .6 |
| injury of brain | 308 | 116 224 | 1.6 | | | 96 | |
| Other.,,.,, | | 1 224 | 1.2 | 128 | 1.2 | , ,, | 1.1 |
| Diseases of the nervous system | | | ١ | | Ì | | l |
| and sense organs | 330-398 | 4,052 | 21.3 | 2,230 | 21.8 | 1,822 | 20.8 |
| erebral spastic infantile paralysis | 351 | 1,648 | 8.7 | 938 | 9.2 | 710 | 8.1 |
| pilepsy | 353 | 1,253 | 6.6 | 674 | 6.6 | 579 | 6.6 |
| eafness | 398 | 155 | .8 | 70 | .7 | 85 | 1.0 |
| Peaf mutlam | 397 | 128 | .7 | 70 | .7 | 58 | .7 |
| Ulindness Certain vascular lesions affecting | 389 | 119 | .6 | 60 | .6 | 59 | Į ·' |
| central nervous system | 334 | 108 | .6 | 57 | .6 | 51 | .6 |
| Certain diseases of the eye | 388 | 108 | .6 | 62 | .6 | 46 | .5 |
| ther | | 533 | 2.8 | 299 | 2.9 | 2 34 | 2.7 |
| Diseases of the bones and organs | | <u> </u> | | | | | |
| of movement | 720-749 | 305 | 1.6 | 170 | 1.7 | 135 | 1.5 |
| ertain diseases of muscle, tendor, | 1 | | | 1 | | | 1 . |
| and fascia | 744 | 122 | .6 | 90 | .9 | 32 | . 4 |
| ther | | 183 | 1.0 | 80 | .8 | 103 | 1.2 |
| Congenital malformations | 750-759 | 530 | 2.8 | 254 | 2.6 | 266 | 3.0 |
| ongenital cataract and other congenital | | | | | | | į |
| malformations of nervous system and | 1 | i | 1 | ١., | ١, | l ". | ١,, |
| pense organs | 753 | 181 | 1.0 | 96 | .9 | 35 | 1.0 |
| congenital malformations of circulatory | 75. | 1 ,22 | Ι. | 54 | .5 | 16 | Ι. |
| system | 754 | 100 | .5 | | | | |
| ther | | 249 | 1.3 | 114 | 1.1 | 1 35 | 1.5 |
| Alternative classification of accidents, | 1 | | l | 1 | | | |
| poiscnings, and violence | 800-999 | 201 | 1.1 | 148 | 1.4 | 125 | 1.4 |
| the E | | | 1 1.2 | | | | |



Table 35.--Childhood disability allowances: Ten primary diagnoses occuring most often among children by sex, and percent of total, 1966

| | Primary diagnosis | Inter- national code | Number | Per- cent | Cumu- lative per- cent |
|-----------|--|----------------------------|----------|--------------|---------------------------------|
| | | | Total | | |
| 1. | Mental deficiency | 325 | 10,222 | 53.7 | 53.7 |
| 2. | Cerebral spastic infantile paralysis | 351 | 1,648 | 8.7 | 62.4 |
| 3, | Schizophrenic disordera (dementia | 300 | 1,367 | 7.2 | 69.6 |
| 4. | praecox) Epilepsy | 353 | 1,253 | 6.6 | 76.1 |
| 5. | Mental deterioration and certain other | , , , , | | | , , , , , |
| | psychoses of unspecified etiology | 309 | 671 | 3.5 | 79.7 |
| 6. | Chronic brain syndiome | 328 | 496 | 2,6 | 82.3 |
| 7. | Congenital cataract and other | | · | | |
| | congenital malformations of nervous | 753 | 181 | 1.0 | 83.3 |
| 8. | system and sense organs | 398 | 155 | .8 | 84.1 |
| 9. | Acute poliomyelitis | 080 | 144 | .8 | 84.9 |
| 10. | Late effects of acute poliomyelitis | 081 | 135 | .7 | 85.6 |
| | | | Male | <u> </u> | <u> </u> |
| 1. | Mental deficiency | 325 | 5,343 | 52.1 | 52.1 |
| 2. | Cerebral spastic infantile paralysis | 351 | 938 | 9.2 | 61.3 |
| 3. | Schizophrenic disorders (dementia | | | | |
| | praecox) | 300 | 809 | 7.9 | 69.2 |
| 4. | Epilepsy | 353 | 674 | 6.6 | 75.8 |
| 5. | Mental deterioration and certain other | 309 | 393 | 3.8 | 79.6 |
| 6. | psychoses of unspecified etiology Chronic brain syndrome | 328 | 316 | 3.1 | 82.7 |
| 7. | | 320 | 310 | J | 0111 |
| | congenital malformations of nervous | | | 1 | |
| | system and sense organs | 753 | 96 | .9 | 83.6 |
| 8. | Certain diseases of muscle, tendon, | | | | |
| | and fascia | 744 | 90 | .9 | 84.5 |
| 9. 10. | Deaf mutism | 397 398 | 70 70 | .7 | 85.1 85.8 |
| 10. | Deathers | 3,6 | | | 05.0 |
| | | | Female | | |
| 1. | Mental deficiency | 325 | 4,879 | 55.6 | 55.6 |
| 2. | Cerebral spastic infantile paralysis | 351 | 710 | 8.1 | 63.6 |
| 3. | Epilepsy | 353 | 579 | 6.6 | 70.2 |
| 4. | Schizophrenic disorders (dementis praecox) | 300 | 558 | 6.4 | 76.6 |
| 5. | Mental deterioration and certain other | ĺ | | | |
| | psychoses of unspecified etiology | 309 | 278 | 3.2 | 79.7 |
| 6. | Chronic brain syndrome | 328 | 180 | 2.1 | 81.8 |
| 7. | Deafness | 398 | 85 | 1.0 | 82.8 |
| 8. | Congenital malformation of nervous system and sense organs | 753 | 85 | 1.0 | 83.7 |
| 9. | Acute poliomyelitis | 080 | 80 | 1.0 | 84.6 |
| 10. | Late effects of acute poliomyelitis | 081 | 74 | .8 | 85.4 |
| Ţυ. | rate effects of acute bollorAelitis | 001 | /4 | . • • | 02.4 |



Table 36.--Childhood disability allowances: Ten primary diagnoses occurring most often among children by age, and percent of total, 1966

| • | Primar, diagnosis | Inter- national code | Number | Per- cent | Cumu- lative per- cent |
|----------|---|----------------------------|--------------|--------------|---------------------------------|
| | | | Agad 18 | -24 | |
| 1. | Mental deficiency | 325 | 4,701 | 54.6 | 54.6 |
| 2. | Cerebral spastic infantile paralysis | 351 | 712 | 8.3 | 62.9 |
| 3. | Epilepsy | 353 | 522 | 6.1 | 69.0 |
| 4. | Schizophrenic disorders (dementia | | | | 1 |
| | prae(ox) | 300 | 520 | 6.0 | 75.0 |
| 5 | Chronic brain syndrome | 328 | 247 | 2.9 | 77.9 |
| 6. | Mental deterioration and certain other | , | | | |
| - • | psychoses of unspecified etiology | 309 | 221 | 2.6 | 80.4 |
| 7. | Deafness | 398 | 94 | 1.1 | 81.5 |
| 8. | Congenital cataract and other | 3,0 | 7 | | , 01., |
| ٠. | congenital malformations of nervous | | ' | | |
| | system and sense organs | 753 | 81 | .9 | 82.5 |
| 9. | Congenital malformations of | 753 | 01 | ., | 02.5 |
| , | | 75/ | 72 | | 02.2 |
| ο. | circulatory system | 754 | l ′ <u>*</u> | .8 | 83.3 |
| υ. | Certain diseases of muscle, tendon, | 744 | | ١. | ١ ,, |
| | and fascia | 744 | 69 | .8 | 84.1 |
| | | | Aged 25 | -44 | |
| 1. | Works) do 64 of ones | 325 | 4 602 | 53.5 | 53.5 |
| 2. | Mental deficiency | 351 | 4,692 835 | | 63.0 |
| 3. | • | 331 | رده ا | 9.5 | 03.0 |
| ٥. | Schizophrenic disorders (dementia | 200 | (00 | , , | ١,,, |
| , | praecox) | 200 | 680 | 7.7 | 70.7 |
| 4. | Epilepsy | 353 | 643 | 7.3 | 78.0 |
| 5. | Mental deterioration and certain other | | | | |
| | psychoses of unspecified etiology | 309 | 365 | 4.2 | 82.2 |
| 6. | Chronic brain syndrome | 328 | 216 | 2.5 | 84.6 |
| 7. | Congenital cataract and other | | | | |
| | congenital malformations of nervous | | | | _ |
| | system and sense organs | 753 | 77 | .9 | 85.5 |
| 8. | Deaf mutism | 397 | 68 | .8 | 86.3 |
| 9. | Acute poliomyelitis | 080 | 64 | ٠,7 | 87.0 |
| ٥. | Psychosis due to any disease or | | 1 | | |
| | injury of brain | 308 | 64 | .7 | 87.7 |
| | , | , | Aged 45 as | nd over | L |
| 1. | Mental deficiency | 325 | 829 | 50.4 | 50.4 |
| •• | praecox) | 300 | 167 | 10.1 | 60.5 |
| 3, | - · · · · · · · · · · · · · · · · · · · | 300 351 | 107 | 6.1 | 66.6 |
| 3. 4. | Cerebral spastic infantile paralysis | 351 353 | 88 | | 72.0 |
| | Epilepsy | 303 | 00 | 5.3 | I '2.0 |
| 5. | Mental deterioration and certain other | 300 | 0.0 | 6.0 |] ,, , |
| , | psychoses of unspecified etiology | 309 | 85 | 5.2 | 77.1 |
| 6. | Chronic brain syndrome | 328 | 33 | 2.0 | 79.1 |
| 7. | Deaf mutism | 397 | 27 | 1.6 | 80.8 |
| В. | Acute poliomyelitis | 080 | 25 | 1.5 | 82.3 |
| 9. | Congenital cataract and other | | | | l |
| | congenital malformations of nervous | | | | 1 |
| | system and sense organs | 753 | 23 | 1.4 | 83.7 |
| | | 081 | 21 | 1.3 | 64.9 |

Table 37.--Childhood disability allowances: Number by State and diagnostic group, 1966

| | [| | | Diagnosti | c group | | | |
|--|------------------------------------|---|---|---|---|---------------------------------------|---|-------------------------|
| State | Total | Infec- tive and para- sitic diseases | Mental, psycho- neurotic, and person- ality disorders | Diseases of the nervous system and sense organs | Diseases of the bones and organs of move- seent | Congen- ital malfor- mations | Acci- dents, poison- ings, and vio- lence | Other |
| Total | 19,027 | 374 | 13,096 | 4,052 | 305 | 530 | 201 | 469 |
| Alabama Alaska Arizona Arkansas California | 520 9 122 291 1,270 | 15 0 4 14 25 | 360 6 76 176 858 | 104 2 26 75 286 | 7 0 3 7 16 | 16 1 3 7 35 | 5 0 2 3 13 | 13 0 3 9 37 |
| Colorado | 1 32 249 36 43 285 | 5 3 1 0 4 | 84 178 28 31 182 | 33 51 5 10 72 | 2 2 0 0 | 5 8 2 0 8 | 2 3 0 0 | 1 4 0 2 12 |
| Georgia Hawali Idaho Illinois Indiana | 475 41 67 1,008 473 | 7 2 0 19 9 | 308 34 50 668 330 | 114 2 13 241 103 | 6 1 0 14 10 | 21 1 2 33 | 9 0 1 9 4 | 10 1 1 24 4 |
| Iowa | 401 187 445 435 133 | 7 5 11 6 5 | 293 138 277 287 99 | 76 31 114 101 20 | 4 2 12 8 1 | 10 4 17 10 2 | 5 3 6 4 | 6 3 8 19 3 |
| Maryland | 186 505 543 375 128 | 2 8 10 9 | 139 387 362 269 67 | 29 85 129 75 38 | 3 6 5 9 4 | 9 11 19 7 5 | 2 1 5 2 2 | 2 7 13 4 |
| Missouri | 426 42 170 16 57 | 7 0 3 0 | 276 27 119 11 40 | 107 10 35 3 12 | 7 2 1 2 | 9 2 6 0 | 8 0 1 0 2 | 12 1 5 0 |
| New Jersey New Mexico New York North Carolina North Dakota | 573 84 1.865 773 108 | 11 2 34 18 0 | 413 47 1.405 528 86 | 115 27 307 175 13 | 9 3 20 13 1 | 7 4 36 17 1 | 7 0 9 9 | 11 1 54 13 |
| OhioOklahomaOregonPennsylvaniaRhode Island | 1,118 310 147 1,242 50 | 23 6 0 13 | 747 225 107 883 40 | 244 64 32 253 7 | 21 4 1 21 | 32 4 4 36 1 | 20 2 2 8 1 | 31 5 1 26 0 |
| South Carolina South Dakota Tennessee Texas Utah | 335 90 490 904 88 | 5 2 8 28 2 | 224 61 320 571 53 | 71 21 109 208 28 | 12 3 12 13 0 | 11 1 16 39 2 | 4 0 3 18 2 | 8 2 22 27 1 |
| Vermont | 59 524 270 169 438 | 1 12 2 2 10 | 44 352 203 120 314 14 | 10 118 40 31 93 | 1 8 7 3 4 | 2 15 8 4 9 | 0 6 2 1 3 | 1 13 8 6 8 |
| Puerto Rico | 255 40 | 3 2 | 162 17 | f 6 14 |) 2 | 9 Ç | 1 | 7 |



Table 38.--Childhood disability allowances: Number and percentage distribution by diagnostic group and State, 1966

| | | Γ | | Percentage d | | | | | |
|-----------------------------|------------|----------------|----------------------------------|---|---|--|---------------------------------------|---|------------|
| State | Number | Total | Infective and parasitic diseases | Mental, psycho- neurotic, and person- ality disorders | Diseases of the nervous system and sense crgans | Diseases of the bones and organs of move- ment | Congen- ital malfor- mations | Acci- dents, poison- ings, and vio- lence | Other |
| Total | 19,027 | 100.0 | 2.0 | 68.8 | 21.3 | 1.6 | 2.8 | 1.1 | 2.5 |
| Alabama | 520 | 100 0 | 2.9 | 69.2 | ຳ.0 | 1.3 | 3.1 | 1.0 | 2.5 |
| Alaska | 122 | 100.0 | 0 3.3 | 66.7 62.3 | 22.2 | 0 2.5 | il.1 6.6 | 0 1.6 | 0 2.4 |
| Arizona. | 291 | 100.0 | 4.8 | 60.5 | 25.8 | 2.4 | 2.4 | 1.0 | 3.1 |
| California | 1,270 | 100.0 | 2.0 | 67.6 | 22.5 | 1.3 | 2.8 | 1.0 | 2.9 |
| Colorado | 132 | 100 0 | 3.8 | 63.6 | 25.0 | 1.5 | 3.8 | 1.5 | .8 |
| Connecticut | 249 | 100.0 | 12 | 71.5 | 20.5 | .8 | 3.2 | 1.2 | 1.6 |
| Delaware | 36 | 100.0 | 2.8 | 77.5 | 13.9 | 0 | 5.6 | 0 | 0 |
| Mist. of Columbia. | 43 | 100.0 | 0 | 72.1 63.9 | 23.3 | 0 | 9 | 0 | 4.7 |
| Florija | 285 | 100 J | 1.4 | | 25.3 | 1.1 | 2.8 | 1.4 | 4.2 |
| corgia | 4/5 | 100.0 | 1.5 | 6'.8 | 24.0 | 1.3 | 4.4 | 1.9 | 2.1 |
| da ali | 41 | 100.0 | 4.9 | 52.9 | 4.9 | 2,4 | 2.4 | n . | 2.4 |
| Idaho | 1,003 | 100.0 | 0 | 74.6 66.3 | 19.4 23.9 | 0 1.4 | 3.0 3.3 | 1.5 | 1.5 |
| Indiana | 473 | 100.0 | 1.9 | 69.8 | 21.8 | 2.1 | 2.7 | .8 | 1.8 |
| | | į | | | | } | | | ļ |
| Towa Kansas | 401 187 | 100.0 103.0 | 1.7 | 73.1 73.8 | 19.0 16.6 | 1.0 1.6 | 2.5 | 1.2 1.6 | 1.5 |
| Kenturky | 445 | 105.C | 2.5 | 62 | 25.6 | 2.7 | 3.8 | 1.3 | 1.8 |
| Louisiana | 435 | 100.0 | 1.4 | 56.2 | 23.2 | 1.8 | 2.3 | وَ. ١ | 4.4 |
| Maine | 133 | 100.0 | 3.8 | 74.4 | 15.0 | ة. | 1.5 | 2.3 | 2.3 |
| Maryland | 185 | 100.0 | 1.1 | 74.7 | 15.6 | 1.6 | 4.8 | 1.1 | 1.1 |
| hassachusetts | 505 | 1:0.0 | 1.6 | 76.5 | 16.8 | 1.2 | 2.2 | . 2 | 1.4 |
| Michigan | 543 | 100.0 | 1.8 | 66.7 | 23.8 | .9 | 3.5 | . 9 | 2.4 |
| Minnesota | 3/5 | 100.0 | 2.4 | 71.7 | 20.0 | 2.4 | 1.9 | . 5 | 1.1 |
| Missi sipp | 128 | 100.0 | 6.3 | 52.3 | 79 7 | 3.1 | 3.9 | 1.6 | 3.1 |
| Misacuri, | 425 | 106.6 | 1.6 | 64.8 | 25.1 | 1.6 | 2.1 | 1.9 | 2.5 |
| Montana | 42 170 | 100.1 | 9. | 64.3 70.0 | 23.8 20.5 | 4.8 | 4.8 | 0 | 2.4 |
| Nebraska Nevada, | 16 | 100.0 | 1.8 | 68.8 | 18.8 | 12.5 | 5.5 0 | ე. 6 | 5.7 |
| New Hampshire | Šž | 100.0 | ŏ | 70.2 | 71.1 | 1.6 | 1.8 | 3.5 | 1.8 |
| New Jersey | 573 | 100.0 | 1.9 | 72.1 | 20.1 | 1.6 | 1.2 | 1.2 | J. y |
| New Mexico | 84 | 100.0 | 2.4 | 56.0 | 32.1 | 3.6 | 4.8 | ٥ | 1.2 |
| New York | 1,865 | 100.0 | 3.1 | 75.3 | 16.5 | 1.1 | 1.9 | .5 | 2.9 |
| North Carolina | 773 | 100.0 | | 68.3 | 22.6 | 1.7 | 2.2 | 1.2 | 1.7 |
| North Dakota | 108 | i | ţ | 79.6 | 12.0 | . 9 | .9 | 2.8 | 3.7 |
| Oh!o | 1,118 | 100.0 | 2.1 | F6.8 | 21.8 | 1.9 | 2.9 | 1.8 | 2.8 |
| Oklahoma | 310 | 100.0 | 1.9 | 72 6 | 20.6 | 1.3 | 1.3 | .6 | 1.6 |
| Gregon | 147 | 100.0 | 0 | 72.8 71.1 | 20.4 | 1.7 | 2.7 2.9 | 1.4 | 2.3 |
| Rhode 1sland | 50 | 100.0 | 6.0 | 80.0 | 14.0 | 2.0 | 2.0 | 2.0 | 170 |
| South Carolina | 335 | 100.0 | 1.5 | 66.9 | 21.2 | 3.6 | 3.3 | 1.2 | 2,4 |
| South Pakota | 90 | 100.0 | 2.7 | 67.8 | 23.3 | 3.3 | 1.1 | 0 | 2.2 |
| Tennessce | 490 | 130.0 | 1.6 | 65.3 | 22.2 | 2.4 | 3.3 | , 6 | 4.5 |
| Texas | 904 88 | 100.0 | 3.1 | 63.2 | 23.0 | 1.4 | 4.3 | 2.0 2.3 | 3.0 1.1 |
| Utah | | 100.0 | 2.3 | 60.2 | 11.8 | ļ · | 2.3 | | 1 |
| Vermont | 59 | 100.0 | 1.7 | 74.6 | 16.9 | 1.7 | 3.4 | ' 0 | 1.7 |
| Virginia | 524 | 100.0 | ₹.3 | 67.2 | 22.5 | 1.5 | 2.9 | 1.1 | 2.5 |
| Washington West Virginia | 270 169 | 100.0 | 1 .7 | 75.2 71.0 | 14.8 15.3 | 2.6 1.8 | 3.0 2.4 | .7 | 3.0 |
| Wisconsin | 438 | 100.0 | 2.3 | 71.7 | 70.5 | 6, | 2.1 | :, | 1.6 |
| Wyoming | 25 | 100.0 | 4.0 | 56.0 | 28.0 | o'´ | o | 0 | 12.0 |
| Puerto Rico | 255 | 100.0 | 1.2 | 63.5 | 25.9 | 2.7 | 3.5 | .4 | 2. Ł |
| Abtoad | 40 | 100.0 | 5.6 | 42.5 | 35.0 | 3.0 | 0 | 2.5 | 10.0 |
| | L | 1 | L | l | l | l | L | l | L |



Table 39. --Childhood disability denials: Number rad percentage distribution of children found not disabled by age and sex, and by reason for denial, 1966

| | | | Åge on bi | Åže | on pirthday in 1966 | day in | 1966 | | | |
|--|--------|-------|-----------|--------------|---------------------|----------|--------|-------|--------|----------|
| December of the dead of | Total | al | 18-24 | | 25-34 | 34 | | 35-44 | 45 and | over |
| MEABON TOT GENLAL | Number | Zer- | Number | Per- cent | Number | Per- | Number | Per- | Number | Per- |
| | | | | | Total | | | | | |
| Total | 5,567 | 100.0 | 3,138 | 100.0 | 968 | 100.0 | 787 | 100.0 | 674 | 100.0 |
| Failed to meet medical standards for disability | 3,631 | 65.2 | 2,605 | 83.0 | 8/7 | 7.67 | 296 | 37.6 | 252 | 37.4 |
| Met medical standards for dissibility but able to engage in substantial | | | | | | | | | | |
| | 115 | 2.1 | 16 | ر. | 69 | 7.1 | 23 | 2.9 | 7 | 1.0 |
| Failed to furnish sufficient evidence. | 307 | 9.2 | 178 | 7.0 | 62 | 4.9 | 0 % | S. 6 | 37 | 5.5 |
| Other. | 99 | 1.2 | 8 8 | 1.9 | 352 | 7.00 | 0 | 9:1 | 0 | 7.00 |
| | | | | | Mal | | | | | |
| Total | 3,224 | 100.0 | 1,955 | 100.0 | 550 | 100.0 | 405 | 100.0 | 314 | 100.0 |
| Failed to meet medical standards for disability | 2,143 | 66.5 | 1,623 | 85.0 | 172 | 43.8 | 621 | 44.2 | 100 | 31.8 |
| Met medical standards for disability but sole to encade to substantial | | | | | | | | | | |
| gainful activity | 76 | 2.9 | 6 | ٥. | 55 | 10.0 | 23 | 5.7 | 7 | 2.2 |
| Pailed to furnish sufficient evidence. | 190 | 5.9 | 96 | 6.4 | * | 6.2 | 39 | 9.6 | 21 | 6.7 |
| Was not disabled before age 18 | 753 | 23.4 | 183 | 9.4 | 220 | 0.04 | 797 | 40.5 | 186 | 59.2 |
| 7.26.1 | | • | | 2.3 | | <u>:</u> | , | | 5 | |
| Total | 2,343 | 0.00 | 1.183 | 10.0 | 418 11 | 100.0 | 382 | 100.0 | 360 | 100.0 |
| Failed to meet medical standards for disability | 1,488 | 63.5 | 952 | 83.0 | 237 | 56.7 | 117 | 30.6 | 152 | 42.2 |
| but able to engage in substantial | | • | | • | ř | | | | c | 1 |
| Failed to furnish sufficient evidence. | 157 | 6.7 | 82 | . 6.9 | - 78 | 6.1 | 3,5 | 8.1 | 91 | 4.4 |
| Was not disabled before age i8 | 655 | 28.0 | 97 | 8.2 | 132 | 31.6 | 234 | 61.3 | 192 | 53.3 |
| Other | 22 | 6. | 15 | 1.3 | 7 | 1.7 | 0 | | 0 | <u> </u> |
| | | | | | | | | | | |



OTHER PUBLICATIONS OF THE OFFICE OF RESEARCH AND STATISTICS

Social Security Administration

| | | Price* |
|------------|---|--|
| Social Se | curity Bulletin | |
| The | e official monthly magazine of the Social Security Administration, . Department of Health, Education, and Welfare | \$4.00 a year Single copies 35 cents |
| Carabal Ca | Statistics (amough) | |
| | ecurity Farm Statistics (annual) ecurity Household Worker Statistics (annual) | |
| | I Local Government Employment Under OASDHI (annual) | |
| | curity Programs in the United States | \$.55 |
| | curity Programs Throughout the World-1967 | 1.75 |
| | Research Reports | |
| | Title | |
| Number | | |
| 1 | Slume and Social Insecurity | .50 |
| 2 | I dependent Health Insurance Plans in the United States: 1961 | .25 |
| 3 | m.come Security Standards in Old-Age | |
| 4 | Blue Cross-Blue Shield Nongroup Coverage for Older People | |
| 5 | Employment and Earnings of Self-Employed Workers Under Social Security | .20 |
| 6 | The Disabled Worker Under OASDI | 1.25 |
| 7 | Social Security and Social Services in France | .35 |
| 8 | Age and the Income Distribution | .25 |
| 9 | The Retirement Decision: An Exploratory Essay | .30 |
| 10 | The Extent of Health Insurance Coverage in the United States | .30 |
| 11 | Insured and Disabled Workers Under the Social Security Disability | |
| | Program: Characteristics and Benefit Payn er ts-1957-1963 | .20 |
| 12 | Financial Experience of Health Insurance Organizations in the United States | |
| 13 | Old-Age and Sickness Insurance in West Germany in 1965 | .25 |
| 14 | Sweden's Social Security System | .50 |
| 15 | State and Local Government Retiremer Systems-1965 | .30 |
| 16 | Widows With Children Under Social Security | .35 |
| 17 | Independent Health Insurance Plans in the United States-1965 Survey | .35 |
| 18 | interindustry Labor Mobility in the United States-1957 to 1960 | 00.1 |
| 19 | The Aged Population of the United States: The 1963 Social Security | |
| • • | Survey of the Aged | 1.25 |
| 20 | Some Economic Effects of Seasonality in OASDHI Tax Payments | .25 |



Research Reports (Continued)

Title

| Numher | | Price |
|--------|--|-------|
| 21 | Employment After Retirement: A Study of the Postentitlement Work | |
| | Experience of Men Drawing Benefits Under Social Security | .25 |
| 22 | Lifetime Allocation of Work and Leisure | .25 |
| 23 | Retirement Systems for Employees of State and Local Governments, 1965: Findings of a Survey of Systems Whose Members Were Not Covered | |
| | Under the O.ASDHI Program | .40 |
| 24 | The Economic Status of the Retired Aged in 1980: Simulation Projections | .30 |
| 25 | Social Welfare Expenditures Under Public Programs in the United States, | |
| | 1929-66 | 2.00 |
| 26 | Reimbursement Incentives for Hospital and Medical Care | .45 |
| 27 | The Role of Social Security in Economic Development | 1.00 |
| 28 | Geographic Labor Mobility in the United States, 1957 to 1960 | 1.25 |
|)9 | The Evolution of Medicare from Idea to Law | 65 |



^{*}Where price is shown, please order from the Superintendent of Documents, U.S. Government Printing Office, Washington, D.C. 20402. Other publications listed are available for limited distribution from the Publications Staff, Office of Research and Statistics.